

VA 30 S with electric motor - dual switchable



Item number:

ARX - 707373

Length:

1355 mm

Width:

555 mm

Height:

1090 mm

Weight:

180 kg

Created on 29.12.2023

Description

Where surfaces need to be roughened, rimmed, cleaned or descaled, the VA 30 S is the right machine. The infinitely variable depth adjustment device ensures optimum adaptation to the soil conditions. A vibration damping system as well as the high operating comfort allow a pleasant and efficient work. They make the VA 30 S a surface processing machine for the toughest applications.

For each application there are the appropriate lamella sets.

Weight: approx. 140 - 180 kg (300-400 lbs)

Voltage: 3 x 230 V / 3 x 400V / 50Hz

Power: 5.5 kW

working width: 300 mm (12 ")

Distance to the wall: 90 mm (3.5 ")

Dimensions: 1.355 x 555 x 1.090 mm (53 x 22 x 43 ")

Standard equipment: 8-sided slats or optional

Kein Bild verfügbar!

Bitte beachten Sie die
Dokumente unter
Downloads / Pdf Docs

No picture available!

Please have a look for the
documents you will find under
Downloads / Pdf Docs

Wheel front complete

Item number: ARX - 109377

Kein Bild verfügbar!

Bitte beachten Sie die
Dokumente unter
Downloads / Pdf Docs

No picture available!

Please have a look for the
documents you will find under
Downloads / Pdf Docs

Elastic wheels d=160 mm

Item number: ARX - 109452

Accessories/Extensions