

RMCD encoder

Item number:

BPL-4001946

Created on 19.02.2024



Description

Dimension:

Diameter 36,5mm / L = 76mm

Solid shaft: 10mm

Resolution: 4096 steps,

r4096 revolutions,

24 bit; IP68; IP 69K

without pickup wheel

Spare parts



RMCD-Drive Cab Control Joystick

Item number: BPL-4000109

The RMCD-Drive Cab Joystick is the control unit for your RMCD solution



RMCD display OPUS B3 Eco Basic QT

Item number: BPL-4001903

Suitable for:
RMCD-Standard
RMCD-Advanced
RMCD-Professional



RMCD pressure sensor

Item number: BPL-4001945

Electronic pressure sensor; 0...250 bar; 0...3625 psi;
1/4" male thread
rAnalog signal; 4...20 mA




RMCD encoder

Item number: BPL-4001946

Dimension:
Diameter 36,5mm / L = 76mm
without pickup wheel

Spare parts



RMCD CAN bus

Item number: BPL-4001977

suitable for RMCD-Road-Marking-Control-Device



Housing with board and cable

Item number: BPL-A1005812

Incl. assembly of the board and cable set.
Cable for encoder included.

Cable for additional sensors, telematics module and actuators.



M12 cable socket angled 5m

Item number: BPL-B12090-CPS-002

5 meter 4pin CAN cable with 120 Ohm resistor

for encoder of the RMCD - Road Marking Control Device



Pickup wheel for encoder

Item number: CMC-SU00031

For switching from the backwash function to the marking function.

Accessories/Extensions



Humidity and temperature meter

Item number: GAT-DZK300F13700-YY

DZK

Transmitter for pluggable probes



CT-SF22-C3 Miniature Pyrometer

Item number: MEP-4800103.003

suitable for RMCD - Advanced
