

## Y-cable KMM RMCD-Drive to RMCD-KeyPad



Item number:  
BPL-4002134

Created on 19.02.2024



## Description

suitable for RMCD-Key-Pad - Professional

## Spare parts



### RMCD-Drive Cab Control Joystick

Item number: BPL-4000109

The RMCD-Drive Cab Joystick is the control unit for your RMCD solution

---



### German plug, 3-pin, overmolded, IP67, 0.75mm<sup>2</sup>

Item number: BPL-4001901

2m-PUR / DT06-3S-A/K1/0.75/2m

for pressure sensor of RMCD - Road Marking Control Device

---



### RMCD display OPUS B3 Eco Basic QT

Item number: BPL-4001903

Suitable for:  
RMCD-Standard  
RMCD-Advanced  
RMCD-Professional

---



### RMCD pressure sensor

Item number: BPL-4001945

Electronic pressure sensor; 0...250 bar; 0...3625 psi;  
1/4" male thread  
rAnalog signal; 4...20 mA

---

# Spare parts

## RMCD encoder




Item number: BPL-4001946

Dimension:  
Diameter 36,5mm / L = 76mm  
without pickup wheel

---

## RMCD CAN bus



Item number: BPL-4001977

suitable for RMCD-Road-Marking-Control-Device

---

## Y-cable KMM RMCD-Drive to RMCD-KeyPad



Item number: BPL-4002134

suitable for RMCD-Key-Pad - Professional

---

## Housing with board and cable



Item number: BPL-A1005812

Incl. assembly of the board and cable set.  
Cable for encoder included.

Cable for additional sensors, telematics module and actuators.

---

## Spare parts



### M12 cable socket angled 5m

**Item number:** BPL-B12090-CPS-002

5 meter 4pin CAN cable with 120 Ohm resistor

for encoder of the RMCD - Road Marking Control Device

---



### RMCD keypad module 8 buttons - For entering markings

**Item number:** BPL-B12500

RMCD key pad - For RMCD Professional  
For quick and easy selection of marking presets.  
2 lines with 4 keys each  
Numbered from 1 to 8

---




### Antenna cable

**Item number:** PRO-136000198

assembled with black strands, 1mm<sup>2</sup>, L=2m

---



### Antenna for telematics system

**Item number:** PRO-157000121

Mobile radio/GNSS combination roof antenna, flat-rectangular, roof mounting for screwing

---



## CANlink mobile 3657 for telematics module

Item number: PRO-253004097

Wireless CAN interface for data exchange  
via 2G/GSM/GPRS/EDGE, 3G/UMTS/HSPA and 4G/LTE Worldwide

---



## Humidity and temperature meter

Item number: GAT-DZK300F13700-YY

DZK

Transmitter for pluggable probes

---



## CT-SF22-C3 Miniature Pyrometer

Item number: MEP-4800103.003

suitable for RMCD - Advanced

---



## RMCD-Advanced

Item number: RMCD-ADV

With the RMCD-Road Marking Control Device ADVANCED, we have developed a completely new system for operating road marking machines with greater convenience, based on the RMCD-CAN bus system. The variably configurable system offers a wide range of applications.

---



## RMCD-Professional

Item number: RMCD-PRO

With the RMCD-Road Marking Control Device PROFESSIONAL, we have developed a completely new system for operating road marking machines with greater convenience, based on the RMCD-CAN bus system. The variably configurable system offers a wide range of applications.

---



## RMCD standard

Item number: RMCD-STD

With the RMCD-Road Marking Control Device STANDARD, we have developed a completely new system for operating road marking machines with greater convenience, based on the RMCD-CAN bus system. The variably configurable system offers a wide range of applications.

---