

Overview



Road marking machines



Airless painter pumps



Solutions for demarking



Foil laying technology



Marking technology



Marking accessories



Road drying units



LongLife floor marking films



Marking colors

Overview



AsphaltArt marking films



Marker buttons



Construction site protection



Photovoltaic LED



Lane markings Visibility signs



Leitschwellen



Flexiposten



Flexible Verkehrspoller




Workshop and warehouse

Overview



Safety clothing



Used marking technology



Additional information

Road marking machines



Airless machines



Airspray machines



Cold plastic machines



Drive trolley



Airless machines



Hand-guided airless machines



Airless machines with hydraulic drive



Airless ride-on machines



Airless machines for the platform body



Hand-guided airless machines



CMC AR 30 Pro-CMPR-MAXX - Airless road marking machine with piston pump 6,17 L/min and compressor

Professional road marking machine for small and medium size jobs in the professional or municipal field! Equipped with a piston pump, compressor and RMCD automatic dash / gap. Ideal in combination with a HMC drive trolley.

CMC-AR30PROP-C-MAXX
210 kg
1 Stk.
155 x 77 x 128 cm



CMC AR 30 Pro - Airless road marking machine with diaphragm pump 5.9 L/Min

Simple, light and uncomplicated hand-held road marking machine for small markings in the professional or municipal sector! Equipped with a diaphragm pump.

CMC-MTLAR30PRO
110 kg
1 Stk.
162 x 65 x 100 cm



CMC AR 30 Pro-2C - Airless road marking machine with 2 diaphragm pumps 5.9 L/Min

Hand-held road marking machine with 2 colors. To mark wide lines with one color or to mark two lines with different color tones under once. Ideal also for 1:1 spray plastic (note the special 1:1 gun) Equipped with 2 diaphragm pumps.

CMC-MTLAR30PRO-2C
150 kg
1 Stk.
160 x 68 x 105 cm



CMC AR 30 Pro-2C - Airless road marking machine with 2 diaphragm pumps 5,9 L/min and Hondamotor

Hand-held road marking machine with 2 colors. To mark wide lines with one color or to mark two lines with different colors at once. Also ideal for 1:1 spray plastic (note the special 1:1 gun).

CMC-MTLAR30Pro-2C-H
150 kg
1 Stk.
160 x 68 x 105 cm



CMC AR 30 Pro-H - Airless road marking machine with diaphragm pump 5,9 L/min with Honda engine

Simple, light and uncomplicated hand-held road marking machine for small markings in the professional or municipal sector! Equipped with a diaphragm pump.

CMC-MTLAR30PRO-H
110 kg
1 Stk.
162 x 65 x 100 cm



CMC AR 30 Pro-P - Airless Line Striper with piston pump 6.17 L/Min

Simple, light and uncomplicated hand-held road marking machine for small markings in the professional or municipal sector! Equipped with a piston pump.

CMC-MTLAR30PRO-P
110 kg
1 Stk.
155 x 75 x 101 cm



CMC AR 30 ProP-2C - Airless road marking machine with 2 piston pumps 6.17 l/min

Hand-held road marking machine with 2 colors. To mark wide lines with one color or to mark two lines with different colors at once. With C8000 control unit or RMCD-Road Marking Control Device.

CMC-MTLAR30PRO-P-2C
368 kg
1 Stk.
150 x 79 x 125 cm

Hand-guided airless machines



AR 30 Pro P - AVH - Battery operated airless floor marking machine

Simple, lightweight and uncomplicated hand-held (electric) road marking machine for emission-free indoor markings!

CMC-MTLAR30PROP-AVH
162 kg
1 Stk.
162 x 65 x 100 cm



CMC AR 30 Pro-P-G - Inverted airless road marking machine with piston pump 6,17 L/Min

Specially designed road marking machine for marking tight radii. The short wheelbase and special design with two wheels in the front and one steerable wheel in the rear make it the ideal machine for marking tight radii.

CMC-MTLAR30PROP-G
110 kg
1 Stk.
130 x 65 x 100 cm



CMC AR 30 Pro-P-G H - Inverted airless road marking machine with piston pump 6,17 L/min and Honda engine

Specially designed road marking machine for marking tight radii. The short wheelbase and special design with two wheels at the front and one steerable wheel at the rear make it the ideal machine for marking tight radii.

CMC-MTLAR30PROPG-H
110 kg
1 Stk.
130 x 65 x 100 cm



CMC AR 30 PROP-H - Airless road marking machine with piston pump 6,17 L/min and Honda engine

Simple, light and uncomplicated hand-guided road marking machine for small markings in the professional or municipal field! Equipped with a piston pump with hydraulic drive.

CMC-MTLAR30PROP-H
110 kg
1 Stk.
155 x 75 x 101 cm



CMC AR 30 Pro-P 25 - Airless line striper with piston pump 8.9 L/Min

Simple, light and uncomplicated hand-guided road marking machine for small markings in the professional or municipal field! Equipped with a powerful piston pump with a liter capacity of 8.9 liters/min.

CMC-MTLR30PROP-25
160 kg
1 Stk.
146 x 64 x 102 cm



CMC AR 30 Pro-P 25 H - Airless line striper with piston pump 8.9 L/Min and Honda engine

Simple, light and uncomplicated hand-guided road marking machine for small markings in the professional or municipal field! Equipped with a powerful piston pump with a liter capacity of 8.9 liters/min.

CMC-MTLRAR30PRO-
P25H
160 kg
1 Stk.
146 x 64 x 102 cm



Airless machines with hydraulic drive



CMC AR100 Volante - Airless road marking machine with hydraulic drive and various configuration options.

Self-propelled airless road marking machine with hydraulic drive. Unique due to the combination of the steering system and the innovative Joy-Stick operation. The machine is equipped with 2 independent paint systems (2 pumps) and 2 guns.

CMC-MTLAR100-2C
660 kg
1 Stk.
218 x 730 x 153.5 cm



CMC AR 100 G - Airless road marking machine with hydraulic drive - 2 Wheels in front

Self-propelled airless road marking machine with hydraulic drive. Ideal for marking municipalities and cities or even larger parking lots. The machine can also be equipped with spray plastic systems. Two wheels in front, one steerable rear wheel.

CMC-MTLAR100-G
540 kg
1 Stk.
185 x 75 x 160 cm



CMC AR30ITPP - Airless road marking machine with hydraulic drive and piston pump

Self-propelled airless road marking machine with hydraulic drive. Ideal for marking municipalities and towns or even larger parking lots. The machine can also be equipped with spray plastic systems.

CMC-MTLAR30ITPP
265 kg
1 Stk.
165 x 60 x 105 cm



CMC AR40ITP-2C - Airless road marking machine with hydraulic drive and 2 diaphragm pumps

Self-propelled airless road marking machine with hydraulic drive. Ideal for marking work in municipalities and cities or larger parking lots. Equipped with two diaphragm pumps. The machine can also be equipped with spray plastic systems.

CMC-MTLAR40ITP-2C
305 kg
1 Stk.
200 x 75 x 120 cm



Airless ride-on machines



CMC AR 300 - Road marking machine with different configuration possibilities

Self-propelled airless ride-on machine for work where a large paint capacity. The self-propelled ride-on road marking machine can be configured individually.
300 liter paint tank.

CMC-AR 300
1.300 kg
1 Stk.
345 x 110 x 210 cm



CMC AR 180 - Road marking machine with different configuration possibilities

Self-propelled ride-on airless machine for jobs where large paint capacity, high marking performance and stability must be ensured with a compact 4-wheel ride-on machine.
180 liter paint tank.

CMC-AR180
825 kg
1 Stk.
220 x 90 x 185 cm



AR 300 SN Central-steering Ride-on Airless Road marking machine

Self-propelled ride-on Airspray road marking machine with hydraulic drive. For road marking in urban areas or on rural roads with tight curves. Articulated steering.
300 liter paint tank.


CMC-L 300 SN
1.300 kg
1 Stk.
345 x 110 x 210 cm



U 10 - Road marking machine configurable for airspray, airless, spray plastic 1:1, spray plastic 98:2; cold plastic

Self-propelled airless ride-on road marking machine for jobs where a very large paint capacity, high marking performance and stability must be guaranteed with a compact 4-wheel ride-on machine. The U10 can be individually configured.


CMC-U10
1 Stk.
313 x 125 x 219 cm



U10 Airless road marking machine

Self-propelled airless ride-on road marking machine for jobs where a very large paint capacity, high marking performance and stability must be guaranteed with a compact 4-wheel ride-on machine. The U10 can be individually configured.


CMC-U10-AR-270
1 Stk.
313 x 125 x 219 cm



U 10 - road marking machine configurable for airspray, airless, spray plastic 1:1, spray plastic 98:2; cold plastic

Self-propelled airless ride-on road marking machine for jobs where a very large paint capacity, high marking performance and stability must be ensured with a compact 4-wheel ride-on machine. The U10 can be configured individually.

CMC-U10-AR-270-H
1 Stk.
313 x 125 x 219 cm



U12 Airless road marking machine

Self-propelled airless ride-on road marking machine for jobs where a very large paint capacity, high marking performance and stability must be guaranteed with a compact 4-wheel ride-on machine. The U12 can be individually configured.

CMC-U12-AR-500-EU
1 Stk.
369 x 140 x 216 cm

Airless ride-on machines



CMC U13 road marking machine with airless equipment

Self-propelled airless ride-on road marking machine for jobs where a very large paint capacity, high marking performance and stability must be ensured with a compact 4-wheel ride-on machine. The U 13 can be configured individually.

CMC-U13-Airless
1 Stk.
460 x 128 x 220 cm



Airless machines for the platform body



Truck or platform body Airless

The ARK 17 road marking device is equipped with a very powerful piston pump. It can be used for line markings as well as for marking surfaces. Thanks to its compact dimensions, the road marking device fits on any truck, small truck or flatbed trailer.

CMC-ARK 17 Airless
520 kg
1 Stk.
125 x 95 x 165 cm



Airspray machines



Hand-guided airspray machines



Air spray machines with hydraulic drive



Airspray ride-on machines



Hand-guided airspray machines



L 40 Pro Airspray marking machine - hand-held

Hand-held, simple, light and uncomplicated Airspray road marking device for small markings in professional or municipal areas!

CMC-L 40
150 kg
1 Stk.
155 x 65 x 100 cm



Air spray machines with hydraulic drive

RMCD



L 120 Airspray Road marking machine with hydraulic drive for wide road markings

Self-propelled Airspray road marking machine with hydraulic drive. For very wide marking activities.

CMC-L120
490 kg
1 Stk.
190 x 80 x 138 cm

RMCD



L 50 ITPPV Airspray Road marking machine with hydraulic drive

Self-propelled Airspray road marking machine with hydraulic drive. Ideal for marking municipalities and cities or even larger parking lots.

CMC-L50 ITPPV
360 kg
1 Stk.
170 x 65 x 95 cm

RMCD



L 50 ITP EVO H - Airspray marking machine with hydraulic drive

Self-propelled Airspray road marking machine with hydraulic drive. Ideal for marking municipalities and towns or even larger parking lots.

CMC-L50ITP-EVO-H
250 kg
1 Stk.
170 x 70 x 105 cm

RMCD



L 60 ITP Airspray Road marking machine with hydraulic drive

Self-propelled Airspray road marking machine with hydraulic drive. Ideal for marking municipalities and cities or even larger parking lots.

CMC-L60ITP
240 kg
1 Stk.
200 x 85 x 120 cm

RMCD



L 90 NST Airspray marking machine with hydraulic drive

Self-propelled Airspray road marking machine with hydraulic drive. Ideal for marking municipalities and towns or even larger parking lots.

CMC-L90-NST
412 kg
1 Stk.
192 x 91 x 120 cm



Airspray ride-on machines

RMCD



L 150 Ride-on Airless Road marking machine

Self-propelled ride-on Airspray road marking machine with hydraulic drive.
For road marking in urban areas or on rural roads.

CMC-L 150
825 kg
1 Stk.
220 x 90 x 185 cm

RMCD



L 250 - L 400 Ride-on Airless Road marking machines

Self-propelled ride-on Airspray road marking machine with hydraulic drive.
For road marking in urban areas or on rural roads.

CMC-L 250 - L 400
1.300 kg
1 Stk.
330 x 110 x 210 cm

RMCD



L 250 SN Central-steering Ride-on Airless Road marking machine

Self-propelled ride-on Airspray road marking machine with hydraulic drive.
For road marking in urban areas or on rural roads with tight curves.

CMC-L 250 SN
1.300 kg
1 Stk.
345 x 110 x 210 cm

RMCD



U13 Airspray

Self-propelled Airspray ride-on road marking machine for jobs where a very large paint capacity, high marking performance and stability must be ensured with a compact 4-wheel ride-on machine. The U 13 can be configured individually.

CMC-U13 Airspray
1 Stk.



Cold plastic machines



Cold plastic machines with belt drive



Cold plastic machines with hydraulic drive



Cold plastic ride-on machines



Cold plastic machines with belt drive



CMC PM 50 C-ST - Cold-Plastic road marking machine with belt drive - agglomerate markings

Cold plastic road marking machine with belt drive for marking agglomerate markings.
The ideal machine to mark guardrails and stop bars easily and quickly with a texture marking.

CMC-MTLPM50C-ST-13
175 kg
1 Stk.
120 x 118 x 166 cm



Cold plastic machines with hydraulic drive

RMCD



CMC 60 C-ST Cold-Plastic Road marking machine for flat markings, agglomerates and ribs

Self-propelled cold plastic road marking machine. Very productive cold plastic road marking machine. Depending on the equipment, it can perform flat marking, agglomerate (texture marking) or rib marking. Also with RMCD - Road Marking Control Device.

CMC-60 C-ST
563 kg
1 Stk.
200 x 120 x 140 cm

RMCD



CMC Universal Cold-Plastic marking machine for flat markings, agglomerates and rib-marking

Self-propelled cold plastic road marking machine. Very productive marking machine for the application of cold plastic markings. Depending on the equipment, flat markings, agglomerates (structural markings) or rib markings can be performed. Also with RMCD - Road Marking Control Device.

CMC-Universal
270 kg
1 Stk.
150 x 98 x 110 cm



Cold plastic ride-on machines

RMCD



CMC 250 C-ST Ride-on Cold-Plastic Road marking machine

Self-propelled ride-on cold plastic road marking machine. Very productive ride-on cold plastic road marking machine. Depending on the equipment, it can do flat marking, agglomerates or ribbed marking. Also with RMCD - Road Marking Control Device.

CMC-250 C-ST
1.300 kg

345 x 110 x 210 cm

RMCD



CMC 400 C-ST Ride-on Cold-Plastic Road marking machine

Self-propelled ride-on cold plastic road marking machine. Very productive ride-on cold plastic road marking machine. Depending on the equipment, it is possible to carry out flat markings, agglomerates or ribbed markings. Also with RMCD - Road Marking Control Device.

CMC-400 C-ST
1.300 kg

345 x 110 x 210 cm




U10 ride on cold plastic marking machine 250 liter

Self-propelled ride-on cold plastic road marking machine. Very productive ride-on cold plastic road marking machine. Depending on the equipment, it can do flat marking, agglomerates or ribbed marking. Also with RMCD - Road Marking Control Device.

CMC-U10-250-CST

312.5 x 124.5 x 218.5 cm




U12 ride on cold plastic road marking machine 250 liter

Self-propelled ride-on cold plastic road marking machine. Very productive ride-on cold plastic road marking machine. Depending on the equipment, it can do flat marking, agglomerates or ribbed marking. Also with RMCD - Road Marking Control Device.

CMC-U12-250-CST

368 x 140 x 215 cm



U12 ride on cold plastic road marking machine 250 liter

Self-propelled ride-on cold plastic road marking machine. Very productive ride-on cold plastic road marking machine. Depending on the equipment, it can do flat marking, agglomerates or ribbed marking. Also with RMCD - Road Marking Control Device.

CMC-U12-400-CST

368 x 140 x 215 cm



Drive trolley



CMC - HMC drive car with electric drive

Expand your productivity with the HMC electric drive carriage from CMC. This can be coupled behind your hand-held, electric road marking machine.

CMC-HMC-AV

1 Stk.



CMC - HMC drive carriage with hydraulic drive for road marking machines

Expand your productivity with the HMC hydraulically driven drive carriage from CMC. This can be mounted behind your hand-held road marking machine with a hitch.
With Briggs and Stratton engine.

CMC-HMC-B

148 kg

1 Stk.

145 x 70 x 115 cm



CMC - HMC drive trolley with hydraulic drive for road marking machines with Honda engine.

Expand your productivity with the HMC hydraulically driven drive carriage from CMC. This can be mounted behind your hand-held road marking machine with a clutch.
With Honda engine.

CMC-HMC-H

148 kg

1 Stk.

145 x 70 x 115 cm



Airless painter pumps



CMC Modell 20000 - Double-Head Airless pump for painters

Pump capacity: 2 x 7 l/min
Maximum pressure: 250 bar
Motor: 3 HP electric
Voltage: 380 V
Weight: 65 kg

CMC-20000
65 kg
1 Stk.



CMC Model 12000 V

Airless painter pump with vertical diaphragm pump
Pump capacity: 7,0 l/min
Maximum pressure: 250 bar
Motor: 3,0 HP electric
Voltage: 230 V

CMC-Modell 12000V
45 kg
1 Stk.



CMC Model P20-CB - Airless Sprayer / Painter Pump with Honda Engine

CMC airless sprayer with piston pump P20-CB for all painting jobs.
Pump capacity: 6.17 l/min
Maximum pressure: 250 bar
Engine: 6 HP combustion engine
Weight: 87 kg

CMC-P20-CB-CH
87 kg
1 Stk.



CMC Model P20-CE - Airless sprayer / painter pump with electric drive

CMC airless sprayer with piston pump P20-CE for all painting jobs.
Pump capacity: 6.17 l/min
Maximum pressure: 250 bar
Motor: 3 HP electric motor 230 volt single-phase
Weight: 87 kg

CMC-P20-CE
87 kg
1 Stk.



Solutions for demarking




Marker cutters with 20 cm working width



Marker cutters with 25 cm working width



Marker cutters with 30 cm working width



Marker cutters with 60 cm working width



Shot blasting units



Sanding equipment



Marker cutters with 20 cm working width



Von Arx - FR 200 with petrol engine Honda

The FR 200 offers a very wide performance spectrum. It ranges from simple cleaning activities to difficult demarking work in the road marking sector. Thanks to its compact size and handiness, this enables very precise work on small and medium-sized areas indoors and outdoors.

ARX - 701436
55 kg
1 Stk.
110 x 36.5 x 97 cm



Von Arx - FR 200 with electric motor - 2.2 kW, 230 V / 50 Hz

The FR 200 offers a very wide performance spectrum. It ranges from simple cleaning activities to difficult demarking work in the road marking sector. Thanks to its compact size and handiness, this enables very precise work on small and medium-sized areas indoors and outdoors.

ARX - 701449
55 kg
1 Stk.
110 x 36.5 x 97 cm



CMC - CM 300 demarcation milling machine 20 cm

Machine / tiller with a width of 20 cm for removing road and floor markings. With simple handles you can make a drum change.

CMC-RSCM300V
65 kg
1 Stk.
100 x 45 x 90 cm



Scarifier TR 200 SMART with petrol engine

The TRIMMER TR 200 with gasoline engine is ideal for cleaning or roughening medium surfaces. In addition, this is also the perfect device to demark existing road markings.

TRIM-00302052
56 kg
1 Stk.
370 x 1.060 x 960 mm



Marker cutters with 25 cm working width



Von Arx - VA 25 S with Honda petrol engine

The VA 25 S surface preparation machine is ideally suited for medium to large surfaces. There are suitable blades for every challenge. The VA 25 S is available as a gasoline or electric unit.

ARX - 707335
100 kg
1 Stk.
95 x 45.5 x 116.5 cm



Marker cutters with 30 cm working width



VA 30 S with petrol engine Honda

Wherever surfaces need to be roughened, grooved, cleaned or decoated, the VA 30 S is the right machine. The infinitely variable depth adjustment device ensures optimum adaptation to the ground conditions. The VA 30 S is a surface preparation machine for the toughest applications.

ARX - 706275
180 kg
1 Stk.
1.355 x 555 x 1.090 mm



VA 30 S with diesel engine Hatz

Wherever surfaces need to be roughened, grooved, cleaned or decoated, the VA 30 S is the right machine. The infinitely variable depth adjustment device ensures optimum adaptation to the ground conditions. The VA 30 S is a surface preparation machine for the toughest applications.

ARX - 706276
180 kg
1 Stk.
1.355 x 555 x 1.090 mm



VA 30 SH with diesel engine Hatz and hydraulic propulsion

For heavy cleaning and roughening work, there is the VA 30 SH. A machine that is maneuverable and easy to operate thanks to hydraulic feed. It is used wherever large-scale concrete rehabilitation, the removal of concrete slurries, dirt crusts or plastic coatings are part of everyday business. S

ARX - 707200
300 kg
1 Stk.
1.355 x 555 x 1.090 mm



VA 30 SH with diesel engine Hatz and hydraulic propulsion - electric starter

For heavy cleaning and roughening work, there is the VA 30 SH. A machine that is maneuverable and easy to operate thanks to hydraulic feed. It is used wherever large-scale concrete rehabilitation, the removal of concrete slurries, dirt crusts or plastic coatings are part of everyday business.

ARX - 707532
1 Stk.



VA 30 SH with petrol engine Honda with hydraulic drive

For heavy cleaning and roughening work, there is the VA 30 SH. A machine that is maneuverable and easy to operate thanks to hydraulic feed. It is used wherever large-scale concrete rehabilitation, the removal of concrete slurries, dirt crusts or plastic coatings are part of everyday business.

ARX - 707533
300 kg
1 Stk.
1.355 x 555 x 1.090 mm



Scarifier TR 300 I/4 with petrol engine and hydraulic drive

TRIMMER TR 300 with gasoline engine and hydraulic drive is ideal for demarking existing road markings on medium to large areas. The drum can be equipped with different types of lamellas. Changing the drum is done in a few minutes.

TRIM-00302060
315 kg
1 Stk.
600 x 1.400 x 1.100 mm



TR 306 Duplex Demarking Mill Hydraulic

Duplex mounted tiller with hydraulic drive of the tilling units. For mounting on tractors, trucks or similar. Suitable for large milling jobs on country roads, highways or even airports. With hydraulically driven milling units.

TRIM-00304006
580 kg
1 Stk.
1.700 x 1.350 x 900 mm

Marker cutters with 30 cm working width



TR 306 Duplex Demarking Mill mechanic

Duplex mounted tiller with mechanical drive of the tilling units. For mounting on tractors, trucks or similar. Suitable for large milling jobs on country roads, highways or even airports. With hydraulically driven milling units.

TRIM-00304007

580 kg

1 Stk.

1.700 x 1.350 x 900 mm



Marker cutters with 60 cm working width



TR 600 M Demarking Mill mechanical

Attachment tiller with mechanical drive of the tilling unit. For mounting on tractors, trucks or similar. Suitable for large milling jobs on country roads, highways or even airports. With mechanically driven milling unit.

TRIM-00303040
540 kg
1 Stk.
700 x 1.250 x 450 mm



TR 600 I Demarking Mill Hydraulic

Attachment tiller with hydraulic drive of the tilling unit. For mounting on tractors, trucks or similar. Suitable for large milling jobs on country roads, highways or even airports. With hydraulically driven milling unit.

TRIM-00304011
540 kg
1 Stk.
700 x 1.250 x 450 mm



Shot blasting units



TrimmBLAST® T30SM - A8 - Shot blasting machine 30 cm width

Shot blasting machine, electrically driven.

TRIM-00201061
420 kg
1 Stk.
1.850 x 450 x 1.050 mm



TrimmBLAST® T23SM - A4V - Shot blasting machine 23 cm width

Shot blasting machine, electrically driven.

TRIM-00201133
230 kg
1 Stk.
1.800 x 410 x 1.050 mm



TrimmBLAST® T20SI - Shot blasting machine 21 cm width

Shot peening machine manually driven.

TRIM-00201221
100 kg
1 Stk.
1.000 x 330 x 1.000 mm



Sanding equipment



ROLL Milling machine RO-300

The high area output, compact dimensions and low weight make the machine an ideal companion on all construction sites. Innovative components set new standards in this class.
Working width: 300 mm

ROL-1716800
63 kg
1 Stk.



ROLL Hand Grinding Machine RO-125

Universal diamond grinding machine, ideal for edge areas and on stairs.
For all grinding and milling work.
With extensive accessories.

ROL-1914781
4.5 kg
1 Stk.



ROLL Hand Grinding Machine RO-180

Universal diamond hand grinder, ideal for the edge area.
For all grinding and milling work.
With extensive accessories.

ROL-1914851
9.5 kg
1 Stk.



Foil laying technology



Demarking machine for road marking film

Temporary marking foils must be permanently removed again, because now the original traffic routing applies again. With the new Puller, demarking is now very simple!

IBO-Puller
1 Stk.


Our puller service helps to demark permanently and completely, without residues!



Road marking film machine - Road Taper

The Road Taper impresses with enormous performance. Due to the low weight of this machine, a quick and easy procedure is possible. The RoadTaper is a very efficient machine for applying road marking films in a simple, safe and cost-optimized way.

IBO-Road Taper
1 Stk.



Road Taper Plus - automatic Tape marking machine

The deviations and inaccuracies often caused by hand-held marking devices during film laying are a thing of the past thanks to our Road Taper Plus. As the most precise taper marking device on the market today, our Road Taper Plus eliminates the need for acceptance testing and subsequent rework, saving time and money.

IBO-Road Taper Plus
1 Stk.



Pressure roller for road marking films

If marking foils do not adhere consistently to the road surface, this can lead to serious complications in road traffic! Avoid this now with the new roller with pressure roller made of high quality material! For the permanent pressing on of road marking foils.

IBO-Roller
1 Stk.



Primer sprayer for road marking films

The primer sprayer for marking film is not only very easy to use in terms of handling, but also when it is needed quickly or urgently. The device ensures a precise application of the primer. The use is suitable for the application of temporary road marking films as well as for permanent solutions.

IBO-Sprayer
1 Stk.



Motorized foil laying device

The motorized laying device for laying marking films for road and construction site markings. It is compact and easy to use.

KOE-MFVG
1 Stk.



Pressure roller device

The RTC 300 is a film pressure unit equipped with three flexible pressure rollers and designed for mechanical film laying. It can be attached to almost all tractors. (Attachment machine optional!)

KOE-RTC300
1 Stk.



Foil laying technology

Foil laying device




The TA150 film laying device is an inexpensive, lightweight film laying device without a cutting device. Cutting must be done by hand with a cutter knife.

KOE-TA-150

1 Stk.



Marking technology



Filter



Airless nozzles



Paint guns




Glass bead guns



Color tubes



Color tanks



Trailer



RMCD - Road Marking Control Device



Filter



Paint guns Plug-in filter 100 mesh (yellow)

Paint gun plug-in filter 100 mesh (yellow).
For filtering the marking paint in the paint spray gun.
Ideal for polyurethane paints.

BER-2004

10 Stk.



Suction Filter 28 x 1,5 IG 60 Mesh

Suction filter 28 x 1.5 IG 60 mesh.
Suction filter short. Reinforced version.

BER-22906

1 Stk.



Paint guns Plug-in filter 50 mesh (white)

Paint spray gun insert filter 50 mesh (white).
For filtering your marking paint in the paint spray gun.

BER-FM2002

10 Stk.



Material filter black, 60 mesh

Material filter, mesh size 60, Easy-Out-Long, black
Like GRACO 244067 - not an original filter
Diameter: 31 mm
Height: 180 mm
Packaging unit: 2 pieces

BER-FM2021

2 Stk.



Material filter blue, 100 mesh

Material filter, mesh size 100, Easy-Out-Long, blue
Like GRACO 244068 - not an original filter
Diameter: 31 mm
Height: 180 mm
Packaging unit: 2 pieces

BER-FM2022

2 Stk.



High pressure color filter 60 Mesh

suitable for CMC marking machine

CMC-VE00062

Length: 145 mm
diameter25 mm

1 Stk.
145 x 25 mm

High pressure paint filter 100 mesh

suitable for CMC marking machine


CMC-VE00063

Length: 145 mm
diameter25 mm

1 Stk.



Filter



Suction filter blue

Suitable for CMC machines.

CMC-VE00064

1 Stk.



High pressure paint filter 30 mesh

suitable for CMC marking machine

CMC-VE00110

Length: 145 mm
Diameter: 25 mm

1 Stk.
145 x 25 mm



Airless nozzles

Adjustable nozzle 028



Adjustable nozzle
Size: 028
For individual adjustment of the spray width for area markings.

BER-201328
1 Stk.



Airless nozzle for surface markings 219

Tritech nozzle for marking surfaces, symbols, etc.
Spray angle: 20 degrees
Bore: 0.019 inch

CMC-662-219
1 Stk.



Airless nozzle for surface markings 421

Tritech nozzle for marking surfaces, symbols, etc.
Spray angle: 40 degrees
Bore: 0.021 inch

CMC-662-421
1 Stk.



Airless nozzle for surface markings 423

Tritech nozzle for marking surfaces, symbols, etc.
Spray angle: 40 degrees
Bore: 0.023 inch

CMC-662-423
1 Stk.



Airless nozzle for surface markings 519

Tritech nozzle for marking surfaces, symbols, etc.
Spray angle: 50 degrees
Bore: 0.019 inch

CMC-662-519
1 Stk.



Airless nozzle for surface markings 521

Tritech nozzle for marking surfaces, symbols, etc.
Spray angle: 50 degrees
Bore: 0.021 inch

CMC-662-521
1 Stk.



Airless nozzle for line marking 213

TITAN airless nozzle for marking sharp lines.
Spray angle: 20 degrees
Bore: 0.013 inch

CMC-697-213
1 Stk.



Airless nozzles



Airless nozzle for line markings 215

TITAN airless nozzle for marking sharp lines.
Spray angle: 20 degrees
Bore: 0.015 inch

CMC-697-215

1 Stk.



Airless nozzle for line marking 217

TITAN airless nozzle for marking sharp lines.
Spray angle: 20 degrees
Bore: 0.017 inch

CMC-697-217

1 Stk.



Airless nozzle for line markings 419

TITAN airless nozzle for marking sharp lines.
Spray angle: 40 degrees
Bore: 0.019 inch

CMC-697-419

1 Stk.



Airless nozzle for line markings 421

Titanium airless nozzle for marking sharp lines.
Spray angle: 40 degrees
Bore: 0.021 inch

CMC-697-421

1 Stk.



Airless nozzle for line markings 621

TITAN airless nozzle for marking sharp lines.
Spray angle: 60 degrees
Bore: 0.021 inch

CMC-697-621

1 Stk.



Airless nozzle for line markings 623

TITAN airless nozzle for marking sharp lines.
Spray angle: 60 degrees
Bore: 0.023 inch

CMC-697-623

1 Stk.



Airless nozzle for line markings 627

TITAN airless nozzle for marking sharp lines.
Spray angle: 60 degrees
Bore: 0.027 inch

CMC-697-627

1 Stk.



Airless nozzles



Airless nozzle for line marking 631

TITAN airless nozzle for marking sharp lines.
Spray angle: 60 degrees
Bore: 0.031 inch

CMC-697-631

1 Stk.



Paint guns

Manual airspray gun CMC model 23 with nozzle extension



Manual airspray gun model no. 23
Professional airspray gun with nozzle extension 400 mm

CMC-C23+P-39
1.6 kg
1 Stk.
620 x 183 x 42 mm

Manual airspray gun CMC model 23



Manual airspray gun model no. 23
Professional airspray gun

CMC-C23-39
720 g
1 Stk.
220 x 183 x 42 mm


Automatic airspray gun Mod. C53-39



Automatic airspray gun for the application of marking paints with airspray technology.
Control pressure: 4 - 6 bar
Max. Paint pressure: 4 - 6 bar

CMC-C53-39
1.75 kg
1 Stk.
275 x 140 x 73 mm


Automatic airspray gun Mod. C53G



Automatic airspray gun for the application of marking paints with airspray technology, also for larger nozzles.
Control pressure: 4 - 6 bar
Max. Paint pressure: 4 - 6 bar

CMC-C53G
2.7 kg
1 Stk.
305 x 140 x 96 mm

Automatic airless gun C57



C57 automatic airless gun
The gun opens and closes by means of pneumatic control.

CMC-C57
1.1 kg
1 Stk.
140 x 120 x 70 mm

CMC - C82ita automatic airless gun



CMC-C82ITA
1 Stk.

Manual Paint gun C94 including 10 m Hose



In order to also be able to carry out area markings over greater distances.

CMC-C94+10H
1 Stk.



Paint guns



Manual Paint gun Short C94 including 10 m Hose and Extension

In order to also be able to carry out area markings over greater distances.
Including 45 cm nozzle extension

CMC-C94+P+10H

1 Stk.



Manual airless gun short - Model C94

Airless gun C94 short.

CMC-C94N

Connection: 1/4 inch

Without hand guard, Without nozzle holder, Without airless nozzle

1 Stk.



Manual Airspray Gun CMC Model 7

CMC-K7-39

1 Stk.



Kamber MOD 38 - Low pressure paint gun with atomizing air

Kamber model 38 ST low-pressure paint spray gun for road marking.
Swiss quality & manufacture.
Complies with the applicable European standards.

KAM-38 ST
2.5 kg
1 Stk.
200 x 70 mm



Kamber MOD 40 HP GST - High pressure paint gun

HP 40 high-pressure paint spray gun for optimum road markings
For road marking. Swiss quality and manufacture.
Complies with the applicable European standards.

KAM-40 HP
1 Stk.



Kamber MOD 40 HP GST - High pressure paint gun without atomizing air

High-pressure paint spray gun without air atomization for road marking.
Swiss quality & manufacture.
Complies with the applicable European standards.

KAM-50 HP
1 Stk.



Kamber MOD 80 Low-pressure paint spray gun with air atomization

Kamber model 80 ST paint spray gun for road markings
Swiss quality & manufacture.
Complies with the applicable European standards.

KAM-80 ST
1 Stk.



Paint guns

Kamber MOD 84 Low-pressure paint spray gun with air atomization



Kamber model 84 paint spray gun for road marking
Swiss quality & manufacture.
Complies with the applicable European standards.

KAM-84
1.5 kg
1 Stk.

Kamber MOD 84 LST Special gun without atomizing air



Special gun Kamber model 84 S without atomizing air for road marking
Swiss quality & manufacture.
Complies with the applicable European standards.

KAM-84 LST
1 Stk.

Kamber MOD 90 Low-pressure paint spray gun with air atomization



Pneumatic paint spray gun Kamber model 90 for road markings
Swiss quality & manufacture.
Complies with the applicable European standards.

KAM-90
1 Stk.




Glass bead guns



Glass bead gun C18

CMC-C18

1 Stk.



Glass beads gun C 18

Automatic glass bead gun
Control pressure 4 - 6 bar
Atomizer pressure: 0.5 - 6 bar

CMC-C21

2.7 kg

1 Stk.

350 x 165 x 96 mm

With 6 mm nozzle and diffuser. Other nozzle sizes available.



Pneumatic glass bead gun P 80 ST

Pneumatic glass bead gun Kamber Model 80.
Swiss quality & manufacturing. Complies with the valid European standards.

KAM-P 80 ST

1 Stk.



Pneumatic glass bead gun P 84 ST

Pneumatic glass bead gun Kamber model 84 for road marking.
Complies with European standards.
Swiss quality and manufacturing.

KAM-P 84

1.7 kg

1 Stk.



Pneumatic glass bead gun P 86 ST

Pneumatic bead gun Kamber Model 86 for road marking.
Conforms to European standards.
Swiss quality and manufacturing.

KAM-P 86 ST

1 Stk.




Pneumatic glass bead gun P 90 ST

Pneumatic high performance glass bead gun Kamber model 90 for road markings.
Complies with European standards.
Swiss quality and manufacturing.

KAM-P 90 ST

1 Stk.



Pneumatic Glass bead gun Kamber P 40/83 ST

Pneumatic bead gun Kamber P 40 for road marking.
Complies with European standards.
Swiss quality and manufacturing.

KAM-P40/83ST

1 Stk.

Color tubes



Anti-pulsation hose

Length = 2,100 mm
F 3/8 - F 3/8
for AR 30 Pro with round chassis

CMC-EXIT2100
1 Stk.
2.100 mm



Anti-pulsation hose

Length = 2,400 mm
F 3/8
F90 3/8
for AR 30 Pro

CMC-EXIT2400
1 Stk.
2.400 mm



Anti-pulsation hose

Length = 2,550 mm
F-F
For device that holds the pulsation hose together with black straps.

CMC-EXIT2550
1 Stk.
2.550 mm



Intake hose

Intake hose for the AR 30 series with diaphragm pumps.

CMC-TV1ASPAR30
1 Stk.



Suction hose for vertical diaphragm pump

Intake hose for the AR 30 series with vertical diaphragm pump.

CMC-TV1ASPAR30-V
1 Stk.



High pressure paint hose 1/4" 10 meter

High-pressure paint hose
Length: 10 meters
Connection: 1/4 inch

CMC-TVAPR1/410MT
1 Stk.



Circulation hose

High-pressure circulation hose suitable for
new changeover valve VS38-000

CMC-TVAPR1/41100I
1 Stk.



Color tubes



High-pressure paint hose 1/4" 15 meters long

High-pressure paint hose

CMC-TVAPR1/415MT

Length: 15 meters

1 Stk.

Connection: 1/4 inch



Set of suction hose and circulation hose

Fits AR 30 Pro series with diaphragm pumps.

CMC-VE00081

1 Stk.



Color tanks



Paint-Bucket with Lid made of Stainless-Steel

Stainless steel paint container with lid to match AR 30 series.

Diameter: 33 cm

Height: 40 cm

Capacity: Approx. 30 liters

CMC-CONTINOX30C

1 Stk.

33 x 33 x 40 cm



50 liters plastic paint tank

CMC-KITCONT50

1 Stk.



50 liter plastic paint tank

For the extended performance kit of your marking works.

50 liter paint tank for your CMC marking machine.

Made of plastic with lid.

CMC-PL00199

1 Stk.



Trailer



Trailer for Cones

For easy application and removal of traffic cones on the roadway.

CMC-CARCONI

1 Stk.



Trailer with standing driver

Trailer for standing driver - hitchable to CMC machines with hydraulic drive. Foldable with a chain system.

CMC-CRPROP

1 Stk.



Trailer with driving seat

Trailer with seat - can be coupled to CMC machines with hydraulic drive.

CMC-CRSED

1 Stk.



RMCD - Road Marking Control Device



RMCD-Drive Cab Control Joystick

The RMCD-Drive Cab Joystick is the control unit for your RMCD solution

BPL-400109

1 Stk.



German plug, 3-pin, overmolded, IP67, 0.75mm²

2m-PUR / DT06-3S-A/K1/0.75/2m

BPL-4001901

for pressure sensor of RMCD - Road Marking Control Device

1 Stk.

5.000 mm



RMCD display OPUS B3 Eco Basic QT

Suitable for:
RMCD-Standard
RMCD-Advanced
RMCD-Professional

BPL-4001903

1 Stk.



RMCD pressure sensor

Electronic pressure sensor; 0...250 bar; 0...3625 psi;
1/4" male thread
rAnalog signal; 4...20 mA

BPL-4001945

1 Stk.




RMCD encoder

Dimension:
Diameter 36,5mm / L = 76mm
without pickup wheel

BPL-4001946

1 Stk.



RMCD CAN bus

suitable for RMCD-Road-Marking-Control-Device

BPL-4001977

1 Stk.



Y-cable KMM RMCD-Drive to RMCD-KeyPad

suitable for RMCD-Key-Pad - Professional

BPL-4002134

1 Stk.



RMCD - Road Marking Control Device



Housing with board and cable

Incl. assembly of the board and cable set.
Cable for encoder included.

BPL-A1005812

1 Stk.

Cable for additional sensors, telematics module and actuators.



M12 cable socket angled 5m

5 meter 4pin CAN cable with 120 Ohm resistor
for encoder of the RMCD - Road Marking Control Device

BPL-B12090-CPS-002

1 Stk.
5.000 mm



RMCD keypad module 8 buttons - For entering markings

RMCD key pad - For RMCD Professional
For quick and easy selection of marking presets.
2 lines with 4 keys each
Numbered from 1 to 8

BPL-B12500

1 Stk.



Pickup wheel for encoder

For switching from the backwash function to the marking function.

CMC-SU00031

1 Stk.



Humidity temperature probe

Humidity-temperature probe, suitable for DZK & eStat20(D)
probe, pluggable, with flange socket
suitable for RMCD - Road Marking Control Device

GAT-19.001-YS

1 Stk.



Filter: ZE05 PTFE filter ø 12, IP 65

Operating range: -40 ... 125C
mounted

GAT-20.078

1 Stk.



Humidity and temperature meter

DZK
Transmitter for pluggable probes

GAT-DZK300F13700-YY

1 Stk.



RMCD - Road Marking Control Device



CT-SF22-C3 Miniature Pyrometer

suitable for RMCD - Advanced

MEP-4800103.003

1 Stk.




Antenna cable

assembled with black strands, 1 mm², L=2m

PRO-136000198

1 Stk.
2 m



Antenna for telematics system

Mobile radio/GNSS combination roof antenna, flat-rectangular, roof mounting for screwing

PRO-157000121

1 Stk.
124 x 80 x 31 mm



CANlink mobile 3657 for telematics module

Wireless CAN interface for data exchange
via 2G/GSM/GPRS/EDGE, 3G/UMTS/HSPA and 4G/LTE Worldwide

PRO-253004097

1 Stk.
123 x 86 x 35 mm



RMCD-Advanced

With the RMCD-Road Marking Control Device ADVANCED, we have developed a completely new system for operating road marking machines with greater convenience, based on the RMCD-CAN bus system. The variably configurable system offers a wide range of applications.

RMCD-ADV

1 Stk.



RMCD-Professional

With the RMCD-Road Marking Control Device PROFESSIONAL, we have developed a completely new system for operating road marking machines with greater convenience, based on the RMCD-CAN bus system. The variably configurable system offers a wide range of applications.

RMCD-PRO

1 Stk.



RMCD standard

With the RMCD-Road Marking Control Device STANDARD, we have developed a completely new system for operating road marking machines with greater convenience, based on the RMCD-CAN bus system. The variably configurable system offers a wide range of applications.

RMCD-STD

1 Stk.



Marking accessories



Winder for pre-marking rope 26 cm

Order on the construction site is particularly important in the field of road marking.
With this rope drum with transmission, your rope for pre-markings can be easily and, above all, quickly rolled up and stored again.
Roll width: 26 cm

CMC-ARAVC_26
1 Stk.



Winder for pre-marking rope 42 cm

Order on the construction site is particularly important in the field of road marking.
With this rope drum with transmission, your pre-marking rope can be easily and, above all, quickly rolled up again and stowed away.
Roll width: 42 cm

CMC-ARAVC_42
1 Stk.



CPm2 Airspray stand-alone sprayer for beads and fillers

Petrol engine: 6 hp
Compressor: 394 l/min
1 hand gun for glass beads/antiskids
Swivel front wheel
Conical pressure tank for glass beads/antiskids 38.5 l (max 3 bar)

CMC-CPm2 - Beads
123 kg
1 Stk.
160 x 65 x 140 cm



Metal stencils for metal letters 20 cm height

Metal floor marking template for letters.
Bent up on the long side for easy application.


CMC-DL20
200 mm



Metal stencils for metal letters 30 cm height

Metal floor marking template for letters.
Bent up on the long side for easy application.

CMC-DL30
300 mm



Pedestrian - metal 80 cm height

Marking template - pedestrian
Width: 450 mm
Height: 800 mm

CMC-DMPSP
450 x 800 mm



Metal stencils for numbers metal 20 cm height

Metal floor marking template for letters.
Bent up on the long side for easy application.

CMC-DN20
200 mm



Marking accessories



Metal stencils for numbers metal 30 cm height

Metal floor marking template for letters.
Bent up on the long side for easy application.

CMC-DN30

300 mm



Glass beads spreader

Glass bead spreader cart for flat application of reflective glass beads to guardrails, retaining beams, etc.

CMC-GBS 550

36 kg

1 Stk.

56 x 68 x 93 cm

Working width: 53 cm

Bead quantity wheel small \varnothing 160 mm: approx. 320 g/m²

Bead quantity wheel large \varnothing 200 mm: approx. 250 g/m²



Glas beads dispenser - Handhold

Very sturdy but still lightweight reflex glass bead spreader made of stainless steel. For easy and quick spreading of lines or areas in the field of road marking.

CMC-GPS100

2.5 kg

1 Stk.

12 x 18 x 47 cm



Plastic funnel

Plastic funnel with a diameter of 470 mm for filling with marking paint.

CMC-INBT400

1 Stk.

470 mm



Wetfilm measuring WG 2

Wet film measuring comb for determining the wet film thickness.
corresponds to ISO 2808-7B
stainless steel
25 - 2,000 μ m
(hexagonal /36 teeth)

MTV-WG 2

1 Stk.



Cover tapes 50 mm wide

MÜR-4246

24 Stk.

50 mm



Cover tapes 30 mm wide

MÜR-4248

32 Stk.

30 mm



Marking accessories



Cover tapes 75 mm wide

MÜR-4291

16 Stk.
75 mm



Nail poles 25 mm

ROL-1513460

1 Stk.



Nail poles 50 mm

ROL-1513462

1 Stk.



Knee pad KneeGuard, One Size

Ergonomically shaped knee pads for the best knee protection for work that requires frequent kneeling. The lightweight, flexible and durable knee pads have been developed to reduce strain and ensure the best comfort in everyday working life.

SNI-9110-0604-000

1 Stk.



XTR Craftsman D3O knee pads, 2-ply, one size

State-of-the-art knee protection for work that frequently requires kneeling positions. The D3O® material retains its shape for a long time and offers impact protection. A lightweight construction and supportive ventilation offer flexibility and comfort.

SNI-9191-0405-000

1 Stk.



Road drying units



ATT Hammer Jet - Road dryer for road marking and road rehabilitation

Hammer Jet - The unique portable road dryer!

- Drying speed up to 2.5 km/h.
- Ergonomic and effective
- Weighs only 23 kg

ATT-950000

23 kg

1 Stk.

37 x 152 cm



LongLife floor marking films



LongLife transparent bottom window for DIN A5 labeling

Our floor windows are used to attach printed documents to the floor or walls, allowing areas to be marked easily and securely.
Packaging unit: 10 pieces

LL-KL-A
10 Stk.
310 x 250 mm



LongLife transparent bottom window for DIN A4 labeling

Our floor windows are used to attach printed documents to the floor or walls, allowing areas to be marked easily and securely.
Packaging unit: 10 pieces

LL-KL-A4-0
10 Stk.
400 x 310 mm



LongLife floor marking tape 100 mm, 50 meters

myLean® floor markings can be used for almost all indoor surfaces. Our floor markings are self-adhesive and therefore quick and easy to apply. rLongLife floor markings are forklift-proof, even against turning on the marking.

MYL-LL-100
1 Stk.
50 x 100 m



LongLife floor marking tape 50 mm, 50 meters

myLean® floor markings can be used on almost all indoor surfaces. Our floor markings are self-adhesive and therefore quick and easy to apply. rLongLife floor markings are forklift-proof, even against turning on the marking.

MYL-LL-50
1 Stk.
50 x 50 m



LongLife floor marking tape hatched black/ yellow 50 mm, 25 meters

myLean® floor markings can be used on almost all indoor surfaces. Our floor markings are self-adhesive and therefore quick and easy to apply. rLongLife floor markings are forklift-proof, even against turning on the marking.

MYL-LL50-SG
1 Stk.
25 x 50 m



LongLife floor marking tape 75 mm, 50 meters

myLean® floor markings can be used for almost all indoor surfaces. Our floor markings are self-adhesive and therefore quick and easy to apply. LongLife floor markings are forklift-proof, even against turning on the marking.

MYL-LL-75
1 Stk.
50 x 75 m



LongLife floor marking tape hatched black/ yellow 75 mm, 25 meters

myLean® floor markings can be used on almost all indoor surfaces. Our floor markings are self-adhesive and therefore quick and easy to apply. rLongLife floor markings are forklift-proof, even against turning on the marking.

MYL-LL75-SG
1 Stk.
25 x 75 m



Marking colors



High Solid Colors

Splatter sculptures

Cold sculptures



Epoxy-modified high-solids inks

Polyurethane colors



High Solid Colors



STRAMAT TM/56 road marking paint white in 25 kg container

STRAMAT road marking paints are mainly used on asphalt or concrete pavements, for edge and center lines, parking lots, clearance markings or other markings in public or private areas.

OKA-100.1000.001
25 kg
25 kg



STRAMAT TM/56 road marking paint traffic yellow in 25 kg container

STRAMAT road marking paints are mainly used on asphalt or concrete pavements, for edge and center lines, parking lots, clearance markings or other markings in public or private areas.

OKA-100.1100.001
25 kg
25 kg



STRAMAT TM/56 road marking paint traffic yellow in 25 kg container

STRAMAT road marking paints are mainly used on asphalt or concrete pavements, for edge and center lines, parking lots, clearance markings or other markings in public or private areas.

OKA-100.2100.001
25 kg
25 kg



STRAMAT TM/56 road marking paint traffic red in 25 kg container

STRAMAT road marking paints are mainly used on asphalt or concrete pavements, for edge and center lines, parking lots, clearance markings or other markings in public or private areas.

OKA-100.3100.001
25 kg
25 kg



STRAMAT TM/56 road marking paint traffic blue in 25 kg container

STRAMAT road marking paints are mainly used on asphalt or concrete pavements, for edge and center lines, parking lots, clearance markings or other markings in public or private areas.

OKA-100.5100.001
25 kg
25 kg



STRAMAT TM/56 road marking paint traffic green in 25 kg container

STRAMAT road marking paints are mainly used on asphalt or concrete pavements, for edge and center lines, parking lots, clearance markings or other markings in public or private areas.

OKA-100.6100.001
25 kg
25 kg



STRAMAT TM/56 road marking paint gray in 25 kg container

STRAMAT road marking paints are mainly used on asphalt or concrete pavements, for edge and center lines, parking lots, clearance markings or other markings in public or private areas.

OKA-100.7100.001
25 kg
25 kg



High Solid Colors



STRAMAT TM/56 road marking paint black in 25 kg container

STRAMAT road marking paints are mainly used on asphalt or concrete pavements, for edge and center lines, parking lots, clearance markings or other markings in public or private areas.

OKA-100.9100.001
25 kg
25 kg



Stramat thinner

All-purpose thinner 23 kg (26.65 liters) in 30 liter tin cans
For thinning 1-component paints and for use as a cleaning thinner

OKA-610
23 kg
30 kg



Splatter sculptures



STRAMAT cold spray plastic white in 25 kg container

STRAMAT cold spray plastic is solvent-free and based on reactive methacrylate resins. This is universally applicable in the field of permanent marking and is suitable for application by means of machine spray application (low pressure or airless).

OKA-120.0000.A11
25 kg
25 kg



STRAMAT Spray Plastic Reactive Thinner in 5 kg container

For thinning spray and cold plastics.

OKA-670-05
5 kg



STRAMAT Spray Plastic Reactive Thinner in 30 kg container

For thinning spray and cold plastics.

OKA-670-30
30 kg



Cold sculptures



Cold plastic powder hardener in 150 g container

Hardener powder (peroxide hardener) for all cold plastic materials

OKA-110.K200.150
150 g
0.15 kg



STRAMAT 2K Rollplastik 2K/4H white in 12 kg container

STRAMAT 2K traffic surface coating is a reactive multi-component cold plastic system with excellent abrasion resistance and high grip.

OKA-113.0000.001
12 kg
12 kg



STRAMAT 2K Rollplastik 2K/4H yellow in 12 kg container

STRAMAT 2K traffic surface coating is a reactive multi-component cold plastic system with excellent abrasion resistance and high skid resistance.

OKA-113.1023.001
12 kg
12 kg



STRAMAT 2K Rollplastik 2K/4H traffic green in 12 kg container

STRAMAT 2K traffic surface coating is a reactive multi-component cold plastic system with excellent abrasion resistance and high skid resistance.

OKA-113.2003.001
12 kg
12 kg



STRAMAT 2K Rollplastik 2K/4H traffic red in 12 kg container

STRAMAT 2K traffic surface coating is a reactive multi-component cold plastic system with excellent abrasion resistance and high skid resistance.

OKA-113.3020.001
12 kg
12 kg



STRAMAT 2K Rollplastik 2K/4H blue in 12 kg container

STRAMAT 2K traffic surface coating is a reactive multi-component cold plastic system with excellent abrasion resistance and high skid resistance.

OKA-113.5012.001
12 kg
12 kg



STRAMAT 2K Rollplastik 2K/4H traffic grey in 12 kg container

STRAMAT 2K traffic surface coating is a reactive multi-component cold plastic system with excellent abrasion resistance and high skid resistance.

OKA-113.7042.001
12 kg
12 kg



Cold sculptures



STRAMAT 2K Rollplastic 2K/4H black in 12 kg container

STRAMAT 2K traffic surface coating is a reactive multi-component cold plastic system with excellent abrasion resistance and high skid resistance.

OKA-113.9005.001
12 kg
12 kg



STRAMAT 2K Rollplastik 2K/4H traffic green in 12 kg container

STRAMAT 2K traffic surface coating is a reactive multi-component cold plastic system with excellent abrasion resistance and high skid resistance.

OKA-113-6024-001
12 kg
12 kg



STRAMAT 2K rubbing plastic 2K/4H white in 10 kg container

STRAMAT 2K traffic surface coating is a reactive multi-component cold plastic system with excellent abrasion resistance and high grip. The marking surfaces produced are permanently elastic, weather-resistant and have a long service life.

OKA-114.0000.01
10 kg
10 kg



STRAMAT 2K rubbing plastic 2K/4H traffic red in 10 kg container

STRAMAT 2K traffic surface coating is a reactive multi-component cold plastic system with excellent abrasion resistance and high grip. The marking surfaces produced are permanently elastic, weather-resistant and have a long service life.

OKA-114.3020.001
10 kg
10 kg



STRAMAT 2K rubbing plastic 2K/4H traffic green in 10 kg container

STRAMAT 2K traffic surface coating is a reactive multi-component cold plastic system with excellent abrasion resistance and high grip. The marking surfaces produced are permanently elastic, weather-resistant and have a long service life.

OKA-114.6024.001
10 kg
10 kg



STRAMAT 2K rubbing plastic 2K/4H traffic yellowbin in 10 kg container

STRAMAT 2K traffic surface coating is a reactive multi-component cold plastic system with excellent abrasion resistance and high grip. The marking surfaces produced are permanently elastic, weather-resistant and have a long service life.

OKA-114-1023.001
10 kg
10 kg



STRAMAT 2K rubbing plastic 2K/4H traffic blue in 10 kg container

STRAMAT 2K traffic surface coating is a reactive multi-component cold plastic system with excellent abrasion resistance and high grip. The marking surfaces produced are permanently elastic, weather-resistant and have a long service life.

OKA-114-5017.001
10 kg
10 kg



Cold sculptures



STRAMAT 2K rubbing plastic 2K/4H traffic grey in 10 kg container

STRAMAT 2K traffic surface coating is a reactive multi-component cold plastic system with excellent abrasion resistance and high grip. The marking surfaces produced are permanently elastic, weather-resistant and have a long service life.

OKA-114-7042.001
10 kg
10 kg



Epoxy-modified high-solids inks



STRAMAT TM/56-EP epoxy modified HS paint white in 25 kg container

The 2-component road marking paint STRAMAT 2-K-TM/56 EP is additionally epoxy-modified, which enables higher resistance, better adhesion as well as longer durability. It is particularly popular for use on difficult soils. Often also in combination with a colorless polyurethane sealer.

OKA-105.0000.001
25 kg
25 kg



STRAMAT TM/56-EP epoxy modified HS paint yellow in 25 kg container

The 2-component road marking paint STRAMAT 2-K-TM/56 EP is additionally epoxy-modified, which enables higher resistance, better adhesion as well as longer durability. It is particularly popular for use on difficult soils. Often also in combination with a colorless polyurethane sealer.

OKA-105.0100.001
25 kg
25 kg



STRAMAT TM/56-EP epoxy modified HS paint red in 25 kg container

The 2-component road marking paint STRAMAT 2-K-TM/56 EP is additionally epoxy-modified, which enables higher resistance, better adhesion as well as longer durability. It is particularly popular for use on difficult soils. Often also in combination with a colorless polyurethane sealer.

OKA-105.3020.001
25 kg
25 kg



STRAMAT TM/56-EP epoxy modified HS paint blue in 25 kg container

The 2-component road marking paint STRAMAT 2-K-TM/56 EP is additionally epoxy-modified, which enables higher resistance, better adhesion as well as longer durability. It is particularly popular for use on difficult soils. Often also in combination with a colorless polyurethane sealer.

OKA-105.5100.001
25 kg
25 kg



STRAMAT TM/56-EP epoxy modified HS paint green in 25 kg container

The 2-component road marking paint STRAMAT 2-K-TM/56 EP is additionally epoxy-modified, which enables higher resistance, better adhesion as well as longer durability. It is particularly popular for use on difficult soils. Often also in combination with a colorless polyurethane sealer.

OKA-105.6100.001
25 kg
25 kg

STRAMAT TM/56-EP epoxy modified HS paint red in 25 kg container

The 2-component road marking paint STRAMAT 2-K-TM/56 EP is additionally epoxy-modified, which enables higher resistance, better adhesion as well as longer durability. It is particularly popular for use on difficult soils. Often also in combination with a colorless polyurethane sealer.

OKA-105.7016.001
25 kg
25 kg



STRAMAT TM/56-EP epoxy modified HS paint black in 25 kg container

The 2-component road marking paint STRAMAT 2-K-TM/56 EP is additionally epoxy-modified, which enables higher resistance, better adhesion as well as longer durability. It is particularly popular for use on difficult soils. Often also in combination with a colorless polyurethane sealer.

OKA-105.9005.001
25 kg
25 kg



Epoxy-modified high-solids inks



Hardener for STRAMAT TM/56-EP in 2.5 kg container

Hardener to epoxy-modified HS-Farbe.

OKA-105.K200.001

2.5 kg

2.5 kg



Stramat thinner

All-purpose thinner 23 kg (26.65 liters) in 30 liter tin cans
For thinning 1-component paints and for use as a cleaning thinner

OKA-610

23 kg

30 kg



Polyurethane colors



STRAMAT 2K PU hall marking paint RAL white 9010 in 5 kg container

Solvent-containing 2-component hall marking paint based on polyurethane. For highest demands on mechanical and chemical resistance, high adhesion and low susceptibility to soiling.

OKA-140.0000.001
5 kg
5 kg



STRAMAT 2K PU hall marking paint yellow RAL 1023 in 5 kg container

Solvent-containing 2-component hall marking paint based on polyurethane. For highest demands on mechanical and chemical resistance, high adhesion and low susceptibility to soiling.

OKA-140.1023.001
5 kg
5 kg



STRAMAT 2K PU hall marking paint red RAL 3020 in 5 kg container

Solvent-containing 2-component hall marking paint based on polyurethane. For highest demands on mechanical and chemical resistance, high adhesion and low susceptibility to soiling.

OKA-140.3020.001
5 kg
5 kg



Hardener for STRAMAT 2K PU hall marking paint in 0.5 kg container

Hardener to - Solvent-based 2-component hall marking paint based on polyurethane. For highest demands on mechanical and chemical resistance, high adhesion and low susceptibility to soiling.

OKA-140.K200.001
0.5 kg
0.5 kg




Stramat thinner

All-purpose thinner 23 kg (26.65 liters) in 30 liter tin cans
For thinning 1-component paints and for use as a cleaning thinner

OKA-610
23 kg
30 kg



AsphaltArt marking films



Primer / adhesive primer for asphalt type films in 1 liter container

Special adhesion primer/primer in 1 liter container.
For the application of asphalt type films.

ASA-3051.25.100

1 Stk.



Hand roller K for the application of self-adhesive marking foils

Hand roller K for the safe and easy application of self-adhesive marking films

ASA-hawa_k

Width: 50 mm
with angled plastic handle

1 Stk.
50 mm



Hand roller L for the application of self-adhesive marking foils

Hand roller L for the safe and easy application of self-adhesive marking films

ASA-hawa_l

Width: 200 mm
with angled plastic handle

1 Stk.
200 mm



Hand roller M for the application of self-adhesive marking foils

Hand roller M for the safe and easy application of self-adhesive marking films

ASA-hawa_m

Width: 150 mm
with angled plastic handle

1 Stk.
150 mm



Large hand roller for the application of self-adhesive marking foils

Hand roller S for the safe and easy application of self-adhesive marking films

ASA-hawa_s

Width: 100 mm
with angled plastic handle

1 Stk.
100 mm



Handicapped parking space from self-adhesive marking foil, blue/white, 100 x 100 cm

Made from self-adhesive Asphalt-Art® floor marking film.
For long-lasting durability, it is recommended to apply with primer.

ASA-ORI_BeHi_100_100

Size: 100 x 100 cm
Version: self-adhesive, blue/white

1 Stk.
100 x 100 cm



Disabled parking space made of marking foil, blue/white, 100 x 140 cm

Made from self-adhesive Asphalt-Art® floor marking film.
For long-lasting durability, it is recommended to apply with primer.

ASA-ORI_BeHi_100_140

Size: 100 x 140 cm
Version: self-adhesive, blue/white

1 Stk.
100 x 140 cm



AsphaltArt marking films



No stopping and parking sign made of marking foil, gray/blue/red, 100 x 100 cm

Made from self-adhesive Asphalt-Art® floor marking film. Apply with primer for long-lasting durability. ASA-ORI_HP VQ_100_100

Size: 100 x 100 cm

Finish: self-adhesive, gray/red/blue

Cut to size: square 100 x 100 cm

1 Stk.
100 x 100 cm



No stopping and parking sign made of marking foil, blue/red, 100 x 100 cm round

Made from self-adhesive Asphalt-Art® floor marking film. Apply with primer for long-lasting durability. ASA-ORI_HP V R_100_100

Size: 100 x 100 cm

Finish: self-adhesive, red/blue

Cut to size: round approx. 100 x 100 cm

1 Stk.
100 x 100 cm



Parking symbol made of marking film, blue/white, 100 x 100 cm

Made from self-adhesive Asphalt-Art® floor marking film. Apply with primer for long-lasting durability. ASA-ORI_Par_100_100

Size: 100 x 100 cm

Finish: self-adhesive, blue/white

Cut to size: square 100 x 100 cm

1 Stk.
100 x 100 cm



No parking sign made of marking foil, gray/blue/red, 100 x 100 cm

Made from self-adhesive Asphalt-Art® floor marking film. Apply with primer for long-lasting durability. ASA-ORI_PV Q_100_100

Size: 100 x 100 cm

Finish: self-adhesive, gray/red/blue

Cut to size: square 100 x 100 cm

1 Stk.
100 x 100 cm



No parking sign made of marking foil, blue/red, 100 x 100 cm round

Made from self-adhesive Asphalt-Art® floor marking film. Apply with primer for long-lasting durability. ASA-ORI_PV R_100_100

Size : 100 x 100 cm

Finish: self-adhesive, red/blue

Cut to size: round approx. 100 x 100 cm

1 Stk.
100 x 100 cm



Stop made of marking foil, black/red/white, 100 x 100 cm

Made from self-adhesive Asphalt-Art® floor marking film. Apply with primer for long-lasting durability. ASA-ORI_Stgr_100_100

Size: 100 x 100 cm

Design: self-adhesive, black/red/white

Cut to size: square 100 x 100 cm

1 Stk.
100 x 100 cm



Stop made of marking foil, black/red/white, 100 x 100 cm

Made from self-adhesive Asphalt-Art® floor marking film. Apply with primer for long-lasting durability. ASA-ORI_Stop_100_100

Size: 100 x 100 cm

Finish: self-adhesive, black/red/white

Cut to size: 8-cornered cut

1 Stk.
100 x 100 cm



AsphaltArt marking films



Squeegee for the application of self-adhesive marking films

Telon squeegee gold for easy and safe application of self-adhesive marking foils

ASA-Rakel

1 Stk.



Marker buttons



Road stud aluminium

Aluminum marking button
Material: Aluminum
Weight: 0.375 kg
with shaft for insertion \varnothing 20 mm L 50 mm

TEM-12011-MA
0.375 kg
1 Stk.
100 x 100 x 21 mm



Screw and dowel

For 14006MG and 14007MA
Plastic dowel \varnothing 8/14 mm
Screw 100 mm long

TEM-13160-SC
1 Stk.



Screwnail

For all marking nails except 14006 and 14007

TEM-13161-SN
0.02 kg
1 Stk.
105 mm



Road stud yellow

Marker button yellow
Material: PP
Weight: 0.20 kg
4 screw holes
Without fastening material

TEM-14000-MG
0.2 kg
1 Stk.
125 x 150 x 32 mm



Road stud yellow

Marker button yellow
Material: PP
Weight: 0.17 kg
4 screw holes
without mounting material

TEM-14002-MG
0.17 kg
1 Stk.
120 x 120 x 28 mm



Road stud yellow

Marker button yellow
Material: PP
Weight: 0.24 kg
4 screw holes
without fixing material

TEM-14003-MG
0.24 kg
1 Stk.
100 x 220 x 32 mm



Road stud yellow

Marker button yellow
Material: PP
Weight: 0.12 kg
4 screw holes
without mounting material

TEM-14004-MG
0.12 kg
1 Stk.
140 x 120 x 25 mm



Marker buttons



Road stud white

Marker button white
Material: PP
Weight: 0.12 kg
4 screw holes
Without fastening material

TEM-14004-MW
0.12 kg
1 Stk.
140 x 120 x 25 mm



Road stud yellow

Marker button yellow
Material: ABS
Weight: 0.11 kg
2 screw holes
without mounting material

TEM-14005-MG
0.11 kg
1 Stk.
105 x 105 x 20 mm



Road stud white

Marker button white
Material: ABS
Weight: 0.11 kg
2 screw holes
without mounting material

TEM-14005-MW
0.11 kg
1 Stk.
105 x 105 x 20 mm



Road stud yellow

Marker button yellow
Material: PP
Weight: 0.21 kg
2 screw holes
without mounting material

TEM-14006-MG
0.21 kg
1 Stk.
120 x 220 x 28 mm



Road stud aluminium

Aluminum marking button
Material: Aluminum
Weight: 0.30 kg
2 screw holes
without mounting material

TEM-14007-MA
0.3 kg
1 Stk.
120 x 120 x 28 mm



Construction site protection



Folding signals



Guiding cone



Warning lights



Folding signals



Triopan Standard (same on all three sides)
Height: 70 cm - R1 Reflective

Finish: R1 - Reflective
Height: 70 cm

TRI-200-SO145392

All sides of the folding signal with the same imprint.

1 Stk.
70 cm



Triopan Standard (same on all three sides)
Height: 60 cm - R1 Reflective

Finish: R1 - Reflective
Height: 60 cm

TRI-300.016

All sides of the folding signal with the same imprint.

1 Stk.
60 cm



Triopan Standard (same on all three sides)
Height: 70 cm - R1 Reflective

Finish: R1 - Reflective
Height: 70 cm

TRI-300.017

All sides of the folding signal with the same imprint.

1 Stk.
70 cm



Triopan Standard (same on all three sides)
Height: 90 cm - R1 Reflective

Finish: R1 - Reflective
Height: 90 cm

TRI-300.018

All sides of the folding signal with the same imprint.

1 Stk.
90 cm



Triopan Standard (same on all three sides)
Height: 110 cm - R1 Reflective

Finish: R1 - Reflective
Height: 110 cm

TRI-300.019

All sides of the folding signal with the same imprint.

1 Stk.
110 cm



Triopan combination (sides printed differently)
Height: 60 cm - R1 Reflective

Finish: R1 - Reflective
Height: 60 cm

TRI-300.036-60R1

All three sides can be printed with different symbols.

1 Stk.
60 cm



Triopan combination (sides printed differently)
Height: 70 cm - R1 Reflective

Finish: R1 - Reflective
Height: 70 cm

TRI-300.037-60R1

All three sides can be printed with different symbols.

1 Stk.
70 cm



Folding signals



Triopan combination (sides printed differently)
Height: 90 cm - R1 Reflective

Finish: R1 - Reflective
Height: 90 cm

TRI-300.038-90R1

All three sides can be printed with different symbols.

1 Stk.
90 cm



Triopan combination (sides printed differently)
Height: 110 cm - R1 Reflective

Finish: R1 - Reflective
Height: 110 cm

TRI-300.039-110R1

All three sides can be printed with different symbols.

1 Stk.
110 cm



Triopan Standard (same on all three sides)
Height: 90 cm - R2 Highly reflective

Finish: R2 - Highly reflective
Height: 90 cm

TRI-310.357

All sides of the folding signal with the same imprint.

1 Stk.
90 cm



Triopan combination (sides printed differently)
Height: 90 cm - R2 Highly reflective

Finish: R2 - Highly reflective
Height: 90 cm

TRI-310.359-90R2

All three sides can be printed with different symbols.

1 Stk.
90 cm



Triopan Standard (same on all three sides)
Height: 70 cm - R2 Highly reflective

Finish: R2 - Highly reflective
Height: 70 cm

TRI-323.760

All sides of the folding signal with the same imprint.

1 Stk.
70 cm



Triopan combination (sides printed differently)
Height: 70 cm - R2 Highly reflective

Finish: R2 - Highly reflective
Height: 70 cm

TRI-324.508-70R2

All three sides can be printed with different symbols.

1 Stk.
70 cm



Triopan combination (sides printed differently)
Height: 60 cm - R2 Highly reflective

Finish: R2 - Highly reflective
Height: 60 cm

TRI-324.600-60R2

All three sides can be printed with different symbols.

1 Stk.
60 cm



Folding signals



Triopan Standard (same on all three sides)
Height: 60 cm - R2 Highly reflective

Finish: R2 - Highly reflective
 Height: 60 cm

TRI-325.511

All sides of the folding signal with the same imprint.

1 Stk.
 60 cm



Triopan Standard (same on all three sides)
Height: 110 cm - R2 Highly reflective

Finish: R2 - Highly reflective
 Height: 110 cm

TRI-328.562

All sides of the folding signal with the same imprint.

1 Stk.
 110 cm



Triopan combination (sides printed differently)
Height: 110 cm - R2 Highly reflective

Finish: R2 - Highly reflective
 Height: 110 cm

TRI-328.563-110R2

All three sides can be printed with different symbols.

1 Stk.
 110 cm



Triopan marking (same on all three sides)
Height: 70 cm - R1 Reflective

TRIOPAN folding signal Marking
 Version: R1 - Reflective
 Height: 70 cm

TRI-800.017

All sides of the folding signal with the imprint Marking.

1 Stk.
 70 cm



Triopan marking (same on all three sides)
Height: 90 cm - R1 Reflective

TRIOPAN folding signal Marking
 Version: R1 - Reflective
 Height: 90 cm

TRI-800.370

All sides of the folding signal with the imprint Marking.

1 Stk.
 90 cm



Triopan marking (same on all three sides)
Height: 70 cm - Normal

TRIOPAN folding signal Marking
 Version: Normal - (non-reflective)
 Height: 70 cm

TRI-800.650

All sides of the folding signal with the imprint Construction worker and text Marking below.

1 Stk.
 70 cm



Triopan Standard 60 cm normal version

Finish: N - Non reflective
 Height: 60 cm

TRI-STA-300.011-60N

All sides of the folding signal with the same imprint.
 Version for daytime use with red fluorescent warning triangle. Range of use up to -35 degrees Celsius.

1 Stk.
 60 cm



Folding signals



Triopan Standard 70 cm normal version

Finish: N - Non reflective
Height: 70 cm

TRI-STA-300.012-70N

All sides of the folding signal with the same imprint.
Version for daytime use with red fluorescent warning triangle. Range of use up to -35 degrees Celsius.

1 Stk.
70 cm



Triopan Standard 90 cm normal version

Finish: N - Non reflective
Height: 90 cm

TRI-STA-300.013-90N

All sides of the folding signal with the same imprint.
Version for daytime use with red fluorescent warning triangle. Range of use up to -35 degrees Celsius.

1 Stk.
90 cm



Triopan Standard 110 cm normal version

Finish: N - Non reflective
Height: 110 cm

TRI-STA-300.014-110N

All sides of the folding signal with the same imprint.
Version for daytime use with red fluorescent warning triangle. Range of use up to -35 degrees Celsius.

1 Stk.
110 cm



Triopan combi 60 cm normal version

Finish: N - Non reflective
Height: 60 cm

TRI-STA-300.031-60N

All three sides can be printed with different symbols.
Version for daytime use with red fluorescent warning triangle. Range of use up to -35 degrees Celsius.

1 Stk.
60 cm



Triopan combi 70 cm normal version

Finish: N - Non reflective
Height: 70 cm

TRI-STA-300.032-70N

All three sides can be printed with different symbols.
Version for daytime use with red fluorescent warning triangle. Range of use up to -35 degrees Celsius.

1 Stk.
70 cm



Triopan combi 90 cm normal version

Finish: N - Non reflective
Height: 90 cm

TRI-STA-300.033-90N

All three sides can be printed with different symbols.
Version for daytime use with red fluorescent warning triangle. Range of use up to -35 degrees Celsius.

1 Stk.
90 cm



Triopan combi 110 cm normal version

Finish: N - Non reflective
Height: 110 cm

TRI-STA-300.034-110N

All three sides can be printed with different symbols.
Version for daytime use with red fluorescent warning triangle. Range of use up to -35 degrees Celsius.

1 Stk.
110 cm



Guiding cone



traffic cone daylight - height: 200 mm

Traffic cone daylight, red / white, height: 200 mm

SHA-3L200
0.2 kg
1 Stk.
200 x 160 x 160 mm



Guiding cone daylight - height: 320 mm

Traffic cone daylight, red / white, height: 320 mm

SHA-3L320
0.5 kg
1 Stk.
320 x 227 x 227 mm



traffic cone daylight - height: 500 mm

Traffic cone daylight, red / white, height: 500 mm

SHA-3L500
1.2 kg
1 Stk.
500 x 300 x 300 mm



traffic cone daylight - height: 500 mm

Traffic cone daylight, red / white reflective, height: 500 mm

SHA-3L500RS2
1.3 kg
1 Stk.
500 x 300 x 300 mm



Guide cone one-piece according to TL - height: 500 mm

Guide cone one-piece according to TL, foil type 1, height: 500 mm

SHA-3L500TL
2.5 kg
1 Stk.
500 x 300 x 300 mm



Guide cone one-piece according to TL - height: 500 mm

Guide cone one-piece according to TL, foil type 2, height: 500 mm

SHA-3L500TL2
2.6 kg
1 Stk.
500 x 300 x 300 mm



Guide cone two-piece good stability, stackable, base plate made of recycled material, height: 500 mm, color foil rings: white

Height: 500 mm, color foil rings: white

SHA-3L530RS2
5.24 kg
1 Stk.
500 x 300 x 300 mm



Guiding cone



Guiding cone in two parts according to TL with reflective foil jacket - height 500 mm - foil type 1

Guiding cone in two parts according to TL with reflective foil jacket, height: 500 mm, foil type 1

SHA-3L530TL
2.7 kg
1 Stk.
500 x 300 x 300 mm



Guiding cone in two parts according to TL with reflective foil jacket - height 500 mm

Guiding cone in two parts according to TL with reflective foil jacket, height: 500 mm, foil type 2

SHA-3L530TL2
2.7 kg
1 Stk.
500 x 300 x 300 mm



Guide cone two-piece good stability, stackable, base plate made of recycled material, height: 750 mm, color foil rings: white

Height: 750 mm, color foil rings: white

SHA-3L730RS2
5.11 kg
1 Stk.
750 x 400 x 400 mm



Guiding cone two-part according to TL with reflective foil jacket - height 750 mm - foil type 1

Guiding cone two-part according to TL with reflective foil jacket, height: 750 mm, foil type 1

SHA-3L730TL
5.31 kg
1 Stk.
750 x 400 x 400 mm



Guiding cone in two parts according to TL with reflective foil jacket - height 750 mm

Guiding cone in two parts according to TL with reflective foil jacket, height: 750 mm, foil type 2

SHA-3L730TL2
5.31 kg
1 Stk.
750 x 400 x 400 mm



traffic cone daylight - height: 750 mm

Traffic cone daylight, red / white, height: 750 mm

SHA-3L750
3.2 kg
1 Stk.
750 x 400 x 400 mm



traffic cone daylight - height: 750 mm

Traffic cone daylight, red / white reflective, height: 750 mm

SHA-3L750RS2
3.3 kg
1 Stk.
750 x 400 x 400 mm



Guiding cone



Guide cone one-piece according to TL - height: 750 mm

Guide cone one-piece according to TL, foil type 1, height: 750 mm

SHA-3L750TL
5 kg
1 Stk.
750 x 400 x 400 mm



Guide cone one-piece according to TL - height: 750 mm

Guide cone one-piece according to TL, foil type 2, height: 750 mm

SHA-3L750TL2
5 kg
1 Stk.
750 x 400 x 400 mm



Traffic cone 320 mm

PVC, 320 mm, 0,64 kg
retroreflective foil
class RA 2

TEM-12303-320 ZR
0.84 kg
1 Stk.



Traffic cone 500 mm

PVC, 500 mm, 1,30 kg
retroreflective foil
class RA 2

TEM-12306-500 ZR
1.3 kg
1 Stk.



Traffic cone 750 mm

PVC, 750 mm, 3,20 kg
retroreflective foil
class RA 2

TEM-12309-750 ZR
3.2 kg
1 Stk.



Warning lights



Construction site warning light - orange optics

Construction site warning light
Yellow optics

SHA-31211G
6 kg
1 Stk.
5.000 x 47 x 47 mm



Construction site warning light - red optics

Construction site warning light
Red optics

SHA-31211R
1.1 kg
1 Stk.
350 x 180 x 80 mm



TL beacon light PowerNox, BAST tested, light emission one-sided, yellow

TL beacon light PowerNox
BAST tested
light emission one-sided
yellow optics

SHA-33NOXG1
0.9 kg
1 Stk.
290 x 260 x 80 mm



TL beacon light PowerNox, BAST tested, light emission double-sided, yellow

TL beacon light PowerNox
BAST tested
light emission double-sided
yellow optics

SHA-33NOXG2
0.9 kg
1 Stk.
290 x 260 x 80 mm



TL beacon light PowerNox, BAST tested, light emission one-sided, red

TL beacon light PowerNox
BAST tested
light emission one-sided
red optics

SHA-33NOXR1
0.9 kg
1 Stk.
290 x 260 x 80 mm



TL beacon light PowerNox, BAST tested, light emission double-sided, red

TL beacon light PowerNox
BAST tested
light emission double-sided
red optics

SHA-33NOXR2
0.9 kg
1 Stk.
290 x 260 x 80 mm



Triopan Helios Master yellow 2-sided

Functions: Single, double and triple flash
Double battery housing (without holder), large bracket, super LED with extremely high energy efficiency and service life, no bulb replacement
Light intensity 270 cd, light color yellow, flash rate 60 flashes/min.

TRI-777.784

Warning lights



Triopan Helios Master green 2-sided

Functions: Single, double and triple flash
Double battery housing (without holder), large bracket, super LED with extremely high energy efficiency and service life, no bulb replacement
Light intensity 270 cd, light color green, flash rate 60 flashes/min.

TRI-777.791



Triopan Helios Master red 2-sided

Functions: Single, double and triple flash
Double battery housing (without holder), large bracket, super LED with extremely high energy efficiency and service life, no bulb replacement
Light intensity 270 cd, light color red, flash rate 60 flashes/min.

TRI-777.793



Triopan Helios Master blue 2-sided

Functions: Single, double and triple flash
Double battery housing (without holder), large bracket, super LED with extremely high energy efficiency and service life, no bulb replacement
Light intensity 270 cd, light color yellow, flash rate 60 flashes/min.

TRI-777.795



Triopan Helios Master red/white 2-sided

Functions: Single, double and triple flash
Double battery housing (without holder), large bracket, super LED with extremely high energy efficiency and service life, no bulb replacement
Light intensity 270 cd, light color red, flash rate 60 flashes/min.

TRI-777.797



Triopan Helios Master white 2-sided

Functions: Single, double and triple flash
Double battery housing (without holder), large bracket, super LED with extremely high energy efficiency and service life, no bulb replacement
Light intensity 270 cd, light color yellow, flash rate 60 flashes/min.

TRI-777.799



Triopan Helios Master RF yellow 2-seitig, so outside switch

Functions:- Single, double and triple flash
- Backlight
- Build-up light, running light, flash storm/random generator

Light intensity 350 cd, light color yellow, flash rate 60 flash/min.

TRI-777.801



Triopan Helios Master yellow/red 2-sided

Functions: Single, double and triple flash
Double battery housing (without holder), large bracket, super LED with extremely high energy efficiency and service life, no bulb replacement
Light intensity 270 cd, light color yellow/red, flash rate 60 flashes/min.

TRI-777.805



Warning lights



Triopan Fireball yellow

Functions: Single flash
Technical data: Luminous intensity 280 cd,
Light color: Yellow
Flash rate: 60 blinks/min.
Operating time with battery equipment at 20 degrees and 6 AA batteries:
Single flash approx. 45 hours

TRI-777.900



Triopan Fireball red

Functions: Single flash
Technical data: Luminous intensity 280 cd,
Light color: Red
Flash rate: 60 blinks/min.
Operating time with battery equipment at 20 degrees and 6 AA batteries:
Single flash approx. 45 hours

TRI-777.901



Triopan Fireball green

Functions: Single flash
Technical data: Luminous intensity 280 cd,
Light color: Green
Flash rate: 60 blinks/min.
Operating time with battery equipment at 20 degrees and 6 AA batteries:
Single flash approx. 45 hours

TRI-777.902



Triopan Fireball blue

Functions: Single flash
Technical data: Luminous intensity 280 cd,
Light color: Blue
Flash rate: 60 blinks/min.
Operating time with battery equipment at 20 degrees and 6 AA batteries:
Single flash approx. 45 hours

TRI-777.903



Photovoltaic LED



Solar Vision 01

Ideally suited for mounting on concrete barriers or masonry on the road. Increases safety many times over in fog, rain or darkness. Surface-mounted solar LED - polycarbonate housing - can only be driven over with restrictions

INT-04-1110-010
10 Stk.



Solar Vision 02

A solar marker that must be installed in the surface by drilling a hole in the surface. Suitable for driving over, depending on the different type of modular housing. Recessed solar LED - polycarbonate housing - can be driven over with average traffic load

INT-04-2110-010
330 g
6 Stk.
128 x 128 x 32 mm



Solar Vision 02 Regular (rvs ring)

A solar marker that must be installed in the surface by drilling a hole in the surface. Suitable for driving over, depending on the different type of modular housing. Recessed solar LED - polycarbonate housing - can be driven over with average traffic load


INT-04-2120-010
415 g
6 Stk.
128 x 128 x 32 mm



Solar Vision 02 Regular (rvs ring)

A solar marker that must be installed in the surface by drilling a hole in the surface. Suitable for driving over, depending on the different type of modular housing. Recessed solar LED - polycarbonate housing - can be driven over with average traffic load

INT-04-2130-010
900 g
6 Stk.
156 x 156 x 35 mm



Solar Vision 03

A solar marker for installation in elements and sidewalks or in places where it does not come into contact with heavy traffic. Recessed solar LED - polycarbonate housing - can be driven over with average traffic load

INT-04-3110-10
155 g
10 Stk.
84 x 84 x 25 mm



Solar Vision 03 with mounting tray

A solar marker for installation in elements and sidewalks or in places where it does not come into contact with heavy traffic. Recessed solar LED - polycarbonate housing - can be driven over with average traffic load

INT-04-3910-10
205 g
10 Stk.
84 x 84 x 25 mm



Solar Vision 04

A solar marker for installation in elements and sidewalks or in places where it does not come into contact with heavy traffic. Recessed solar LED - polycarbonate housing - can be driven over with average traffic load

INT-04-4110-10
175 g
10 Stk.
84 x 84 x 25 mm



Photovoltaic LED



Solar Vision 04 with mounting tray

A solar marker for installation in elements and sidewalks or in places where it does not come into contact with heavy traffic.
Recessed solar LED - polycarbonate housing - can be driven over with average traffic load

INT-4-4910-010
225 g
10 Stk.
84 x 84 x 25 mm



Lane markings Visibility signs



Sight sign large, orange

Visual sign for the demarcation of roadways.

260 x 160 x 600 mm
PP-PE, 0,84 kg

TEM-14206-GG
0.84 kg
1 Stk.
260 x 160 x 600 mm



Visible sign small, orange

Visual sign for the demarcation of roadways.

260 x 160 x 280 mm
PP-PE, 0,70 kg

TEM-14207-KR
0.7 kg
1 Stk.
260 x 160 x 280 mm



Leitschwellen



Guide threshold yellow

Roadway speed bump made of PP. For separating road surfaces that are not to be driven on.

Without fastening material

TEM-14202-SO
2.4 kg
1 Stk.
1.170 x 50 x 50 mm



Threshold white

Roadway speed bump made of PP. For separating road surfaces that are not to be driven on.

Without fastening material

TEM-14202-SW
2.4 kg
1 Stk.
1.170 x 50 x 50 mm



Guiding threshold rubber

Rubber speed bump. For separating road surfaces not to be driven on.

Without fastening material

TEM-14260-UN
5.5 kg
1 Stk.
1.000 x 150 x 60 mm



Flexipfosten



Set key screw with dowel 10/18 mm

Set of 3 key screws for fastening.
Three screws with three dowels 10/18 mm

TEM_13359-SZ
0.08 kg
3 Stk.



Screw eyelet made of PP

Polypropylene screw eyelet
with M 36 thread

TEM-13174-HS
1 Stk.



Adapter for Flexipfosten® black

Adapter made of PP for diameter 80 mm
with M 36 thread

TEM-13194-AD
1 Stk.



Fixing set for Flexipfosten®

TEM-13359-S3
1 Stk.



Flexible shut-off post orange 1000 mm with reflective stripes

The Flexipost® is a self-erecting barrier post made of extremely robust polyurethane. These posts are elastic like rubber when hit or rolled over.

TEM-14211-FP
1.84 kg
1 Stk.
1.000 mm



Flexible shut-off post orange 750 mm with reflective stripes

The Flexipost® is a self-erecting barrier post made of extremely robust polyurethane. These posts are elastic like rubber when hit or rolled over.

TEM-14212-FP
1.32 kg
1 Stk.
750 mm



Flexible shut-off post orange 450 mm with reflective stripes

The Flexipost® is a self-erecting barrier post made of extremely robust polyurethane. These posts are elastic like rubber when hit or rolled over.

TEM-14214-FP
0.93 kg
1 Stk.
450 mm



Flexipfosten

Flexible shut-off post orange 300 mm with reflective stripes



The Flexipost® is a self-erecting barrier post made of extremely robust polyurethane. These posts are elastic like rubber when hit or rolled over.

TEM-14215-FP
0.69 kg
1 Stk.
300 mm

Flexible shut-off post black 1000 mm with reflective stripes in yellow



The Flexipost® is a self-erecting barrier post made of extremely robust polyurethane. These posts are elastic like rubber when hit or rolled over.

TEM-14221-SG
1.84 kg
1 Stk.
1.000 mm

Flexible shut-off post black 1000 mm with reflective stripes



The Flexipost® is a self-erecting barrier post made of extremely robust polyurethane. These posts are elastic like rubber when hit or rolled over.

TEM-14221-SS
1.84 kg
1 Stk.
1.000 mm

Flexible shut-off post black 750 mm with reflective stripes in yellow



The Flexipost® is a self-erecting barrier post made of extremely robust polyurethane. These posts are elastic like rubber when hit or rolled over.

TEM-14222-SG
1.32 kg
1 Stk.
750 mm

Flexible shut-off post black 750 mm with reflective stripes



The Flexipost® is a self-erecting barrier post made of extremely robust polyurethane. These posts are elastic like rubber when hit or rolled over.

TEM-14222-SS
1.32 kg
1 Stk.
750 mm

Flexible shut-off post white 1000 mm with blue reflective stripes



The Flexipost® is a self-erecting barrier post made of extremely robust polyurethane. These posts are elastic like rubber when hit or rolled over.

TEM-14231-BW
1.48 kg
1 Stk.
1.000 mm

Flexible shut-off post white 1000 mm with red reflective stripes



The Flexipost® is a self-erecting barrier post made of extremely robust polyurethane. These posts are elastic like rubber when hit or rolled over.n.

TEM-14231-UV
1.48 kg
1 Stk.
1.000 mm



Flexipfosten



Flexible shut-off post white 750 mm with blue reflective stripes

The Flexipost® is a self-erecting barrier post made of extremely robust polyurethane. These posts are elastic like rubber when hit or rolled over.

TEM-14232-BW
1.32 kg
1 Stk.
750 mm



Flexible shut-off post white 750 mm with red reflective stripes

The Flexipost® is a self-erecting barrier post made of extremely robust polyurethane. These posts are elastic like rubber when hit or rolled over.

TEM-14232-UV
1.32 kg
1 Stk.
750 mm



Flexible shut-off post white 450 mm with blue reflective stripes

The Flexipost® is a self-erecting barrier post made of extremely robust polyurethane. These posts are elastic like rubber when hit or rolled over.

TEM-14234-BW
0.93 kg
1 Stk.
450 mm



Flexible shut-off post white 450 mm with red reflective stripes

The Flexipost® is a self-erecting barrier post made of extremely robust polyurethane. These posts are elastic like rubber when hit or rolled over.

TEM-14234-UV
0.93 kg
1 Stk.
450 mm



Flexible shut-off post white 300 mm with blue reflective stripes

The Flexipost® is a self-erecting barrier post made of extremely robust polyurethane. These posts are elastic like rubber when hit or rolled over.

TEM-14235-BW
0.69 kg
1 Stk.
300 mm



Flexible shut-off post white 300 mm with red reflective stripes

The Flexipost® is a self-erecting barrier post made of extremely robust polyurethane. These posts are elastic like rubber when hit or rolled over.

TEM-14235-UV
0.69 kg
1 Stk.
300 mm



Flexible shut-off post orange 1000 mm with reflective stripes

The Flexipost® is a self-erecting barrier post made of extremely robust polyurethane. These posts are elastic like rubber when hit or rolled over.

TEM-14241-FP
1.84 kg
1 Stk.
1.000 mm



Flexipfosten



Flexible shut-off post orange 1000 mm with black stripes

The Flexipost® is a self-erecting barrier post made of extremely robust polyurethane. These posts are elastic like rubber when hit or rolled over.

TEM-14241-GS
1.84 kg
1 Stk.
1.000 mm



Flexible shut-off post orange 750 mm with reflective stripes

The Flexipost® is a self-erecting barrier post made of extremely robust polyurethane. These posts are elastic like rubber when hit or rolled over.

TEM-14242-FP
1.32 kg
1 Stk.
750 mm



Flexible shut-off post orange 750 mm with black stripes

The Flexipost® is a self-erecting barrier post made of extremely robust polyurethane. These posts are elastic like rubber when hit or rolled over.

TEM-14242-GS
1.32 kg
1 Stk.
750 mm



Flexible shut-off post orange 450 mm with reflective stripes

The Flexipost® is a self-erecting barrier post made of extremely robust polyurethane. These posts are elastic like rubber when hit or rolled over.

TEM-14244-FP
0.93 kg
1 Stk.
450 mm



Flexible shut-off post orange 450 mm with black stripes

The Flexipost® is a self-erecting barrier post made of extremely robust polyurethane. These posts are elastic like rubber when hit or rolled over.

TEM-14244-GS
0.93 kg
1 Stk.
450 mm



Flexible shut-off post orange 300 mm with reflective stripes

The Flexipost® is a self-erecting barrier post made of extremely robust polyurethane. These posts are elastic like rubber when hit or rolled over.

TEM-14245-FP
0.69 kg
1 Stk.
300 mm



Flexible shut-off post orange 300 mm with black stripes

The Flexipost® is a self-erecting barrier post made of extremely robust polyurethane. These posts are elastic like rubber when hit or rolled over.

TEM-14245-GS
0.69 kg
1 Stk.
300 mm



Flexipfosten

Flexible shut-off post black 300 mm with reflective stripes in yellow



The Flexipost® is a self-erecting barrier post made of extremely robust polyurethane. These posts are elastic like rubber when hit or rolled over.

TEM-14282-SG
0.69 kg
1 Stk.
300 mm

Flexible shut-off post black 300 mm with reflective stripes



The Flexipost® is a self-erecting barrier post made of extremely robust polyurethane. These posts are elastic like rubber when hit or rolled over.

TEM-14282-SS
0.69 kg
1 Stk.
300 mm

Flexible shut-off post black 450 mm with reflective stripes in yellow



The Flexipost® is a self-erecting barrier post made of extremely robust polyurethane. These posts are elastic like rubber when hit or rolled over.

TEM-14284-SG
0.93 kg
1 Stk.
450 mm

Flexible shut-off post black 450 mm with reflective stripes



The Flexipost® is a self-erecting barrier post made of extremely robust polyurethane. These posts are elastic like rubber when hit or rolled over.

TEM-14284-SS
0.93 kg
1 Stk.
450 mm



Flexible Verkehrspoller



Flexible pencil bollard - blue

Ideal for schools and kindergartens.

Color: blue

Material: blue Plastic

Mounting material: Aluminum ground socket - PZ 1

EBL-P1-B

1 Stk.
1.000 mm



Flexible pencil bollard - yellow

Ideal for schools and kindergartens.

Color: Yellow

Material: Plastic

Mounting material: Aluminum ground socket - PZ 1

EBL-P1-G

1 Stk.
1.000 mm



Flexible pencil bollard - green

Ideal for schools and kindergartens.

Color: green

Material: Plastic

Mounting material: Aluminum ground socket - PZ 1

EBL-P1-GR

1 Stk.
1.000 mm



Flexible pencil bollard - green

Ideal for schools and kindergartens.

Color: red

Material: red Plastic

Mounting material: Aluminum ground socket - PZ 1

EBL-P1-R

1 Stk.
1.000 mm



Flexible city bollard anthracite

Elegant city design for inner-city areas. With retroreflective foil and glass bead reflectors.

Color: Anthracite

Material: Plastic Plastic

Mounting material: Aluminum ground socket - PZ 1

ELB_P8

1 Stk.
800 mm



Flexible bollard BERND green with white stripes - 1000 mm

Flexible bollard with a diameter of 80 mm for a wide range of applications, with white foil reflectors and glass bead reflectors.

Color: Green

Material: Green Plastic

Mounting material: Aluminum ground socket - PZ 1

ELB-P2-GW

1 Stk.
1.000 mm



Flexible bollard Bernd orange with white stripes - 1000 mm

Flexible bollard with a diameter of 80 mm for a wide range of applications, with white foil reflectors and glass bead reflectors.

Color: Orange

Material: Orange Plastic

Mounting material: Aluminum ground socket - PZ 1

ELB-P2-OW

1 Stk.
1.000 mm



Flexible Verkehrspoller



Flexible bollard BERND white with blue stripes - 1000 mm

Flexible bollard with a diameter of 80 mm for a wide range of applications, with blue foil reflectors and glass bead reflectors.

Color: White

Material: White Plastic

Mounting material: Aluminum ground socket - PZ 1

ELB-P2-WB

1 Stk.
1.000 mm



Flexible bollard BERND white with red stripes - 1000 mm

Flexible bollard with a diameter of 80 mm for a wide range of applications, with red foil reflectors and glass bead reflectors.

Color: White

Material: White Plastic

Mounting material: Aluminum ground socket - PZ 1

ELB-P2-WR

1 Stk.
1.000 mm



Flexible bollard SUMO green with white stripes

Flexible bollard with a large diameter of 130 mm for a wide range of applications, with white foil reflectors and glass bead reflectors.

Color: Green

Material: Green Plastic

Mounting material: Aluminum ground socket - PZ 1

ELB-P6-GRW

1 Stk.
800 mm



Flexible bollard SUMO green with white stripes

Flexible bollard with a large diameter of 130 mm for a wide range of applications, with white foil reflectors and glass bead reflectors.

Color: Green

Material: Green Plastic

Mounting material: Aluminum ground socket - PZ 1

ELB-P6-GW

1 Stk.
800 mm



Flexible bollard SUMO orange with white stripes

Flexible bollard with a large diameter of 130 mm for a wide range of applications, with white foil reflectors and glass bead reflectors.

Color: Orange

Material: Orange Plastic

Mounting material: Aluminum ground socket - PZ 1

ELB-P6-OW

1 Stk.
800 mm



Flexible bollard SUMO black with white stripes

Flexible bollard with a large diameter of 130 mm for a wide range of applications, with white foil reflectors and glass bead reflectors.

Color: Black

Material: Black Plastic

Mounting material: Aluminum ground socket - PZ 1

ELB-P6-SW

1 Stk.
800 mm



Flexible city bollard anthracite

Elegant city design for inner-city areas. With retroreflective foil and glass bead reflectors.

Color: Anthracite

Material: Plastic Plastic

Mounting material: Aluminum ground socket - PZ 1

ELB-P7

1 Stk.
800 mm



Flexible Verkehrspoller



Aluminum ground socket

For attaching flexible traffic bollards.

Height: 100 mm
Diameter: 22 mm

ELB-PZ1

1 Stk.
100 mm



M16 steel ground socket

For attaching flexible traffic bollards.

Height: 130 mm
Diameter: 28 mm

ELB-PZ2

1 Stk.
130 mm



Ground socket for aluminum bollards

For attaching flexible traffic bollards.

Height: 70 mm
Diameter: 50 mm

ELB-PZ3

1 Stk.



Ground socket for aluminum bollards

For attaching flexible traffic bollards.

Height: 70 mm
Diameter: 50 mm

ELB-PZ4

1 Stk.
70 mm



Workshop and warehouse



Clean Tower Flexi yellow

The CleanTower Flexi is ideal for all areas where different cleaning accessories are required.
Includes broom, dustpan and hand brush,
5 holes in the base plate for floor fixings or castors.

MYL-10001043
25 kg
1 Stk.
40 x 190 cm



Clean Tower Flexi yellow

The CleanTower Flexi is ideal for all areas where different cleaning accessories are required.
Includes broom, dustpan and hand brush,
5 holes in the base plate for floor fixings or castors.

MYL-10001044
25 kg
1 Stk.
40 x 190 cm



Clean Tower Flexi silver

The CleanTower Flexi is ideal for all areas where different cleaning accessories are required.
Includes broom, dustpan and hand brush,
5 holes in the base plate for floor fixings or castors.

MYL-10001045
25 kg
1 Stk.
40 x 190 cm



Clean Tower Flexi yellow

The CleanTower Flexi is ideal for all areas where different cleaning accessories are required.
Includes broom, dustpan and hand brush,
5 holes in the base plate for floor fixings or castors.

MYL-10001046
25 kg
1 Stk.
40 x 190 cm



Safety clothing



T-shirts and sweatshirts

Pants

jackets



Accessories



T-shirts and sweatshirts



High-vis long-sleeved T-shirt, high-vis class 2 yellow

Versatile T-shirt that stands out for its high visibility in everyday use. The polyester fabric is comfortable to wear and easy to care for. Eye-catching visibility details provide additional safety in low-light conditions.

SNI-2431-6604

1 Stk.



High-vis long-sleeved T-shirt, high-vis class 2 orange

Versatile T-shirt that stands out for its high visibility in everyday use. The polyester fabric is comfortable to wear and easy to care for. Eye-catching visibility details provide additional safety in low-light conditions.

SNI-2433-5504

1 Stk.



High-vis T-shirt, high-visibility class 2 orange

High-visibility T-shirt for durability and safety when working with increased visibility requirements. Can be customized with company logos, ideal for everyday use. Available in different sizes.

SNI-2536-5500

1 Stk.



High-vis T-shirt, high-vis class 2 yellow

High-visibility T-shirt for durability and safety when working with increased visibility requirements. Can be customized with company logos, ideal for everyday use. Available in different sizes.

SNI-2539-6600

1 Stk.



High-vis polo shirt, high-visibility class 2 orange

High-visibility polo shirt for durability and safety when working with increased visibility requirements.

SNI-2730-5500

1 Stk.



High-vis polo shirt, high-vis class 2 yellow

High-visibility polo shirt for durability and safety when working with increased visibility requirements.

SNI-2730-6600

1 Stk.



High-vis sweat shirt, high-vis class 2/3 orange

High-vis sweatshirt for comfort during everyday work. The high visibility in accordance with high-visibility class 2/3 and a comfortable fit ensure that the sweatshirt is easy to wear and ready for anything.

SNI-8037-5500

1 Stk.



T-shirts and sweatshirts



High-vis sweat shirt, high-vis class 2/3 yellow

High-vis sweatshirt for comfort during everyday work. The high visibility in accordance with high-visibility class 2/3 and a comfortable fit ensure that the sweatshirt is easy to wear and ready for anything.

SNI-8037-6600

1 Stk.



Pants



High-vis work trousers with holster pockets high-vis class 2 orange

Work trousers suitable for everyday use for good visibility and personal protection in hazardous areas. Work trousers with a combination of comfort, protection and flexibility.

SNI-3233-5574

1 Stk.



High-vis work trousers with holster pockets high-vis class 2 yellow

Work trousers suitable for everyday use for good visibility and personal protection in hazardous areas. Work trousers with a combination of comfort, protection and flexibility.

SNI-3233-6674

1 Stk.



High-vis work trousers high-vis class 2 orange

Work trousers suitable for everyday use for good visibility and personal protection in hazardous areas. Work trousers with a combination of comfort, protection and flexibility.

SNI-3333-6674

1 Stk.



High-vis shorts with holster pockets high-vis class 1 orange

Slim-fit shorts in high-visibility class 1 with holster pockets for tradesmen in the construction, road building and transportation sectors.

SNI-6135-5504

1 Stk.



High-vis shorts with holster pockets high-vis class 1 yellow

Slim-fit shorts in high-visibility class 1 with holster pockets for tradesmen in the construction, road building and transportation sectors.

SNI-6135-6604

1 Stk.



High-vis shorts high-vis class 1 orange

Slim-fit shorts in high-visibility class 1 with holster pockets for tradesmen in the construction, road building and transportation sectors.

SNI-6136-5504

1 Stk.



High-vis shorts high-vis class 1 yellow

Slim-fit shorts in high-visibility class 1 with holster pockets for tradesmen in the construction, road building and transportation sectors.

SNI-6136-6604

1 Stk.



Pants



High-vis work trousers high-vis class 2 yellow

Work trousers suitable for everyday use for good visibility and personal protection in hazardous areas. Work trousers with a combination of comfort, protection and flexibility.

SNI-6343-6604

1 Stk.



jackets



High-Vis 37.5® insulated work jacket, class 3, orange

Thermally insulated high-visibility work jacket for all work in cold and wet conditions in winter. The EN ISO 20471 Class 3 certification ensures optimum visibility for greater safety.

SNI-1130-5558

1 Stk.



High-Vis 37.5® insulated work jacket, class 3, yellow

Thermally insulated high-visibility work jacket for all work in cold and wet conditions in winter. The EN ISO 20471 Class 3 certification ensures optimum visibility for greater safety.

SNI-1130-6658

1 Stk.



High-vis waterproof 37.5 insulated work jacket, class 3, orange

Warm, waterproof work jacket with excellent visibility for all work in cold and wet winter conditions.

SNI-1132-5504

1 Stk.



High-vis waterproof 37.5 insulated work jacket, class 3, yellow

Warm, waterproof work jacket with excellent visibility for all work in cold and wet winter conditions.

SNI-1132-6604

1 Stk.



Core thermally insulated high-vis work jacket, high-visibility class 3, orange

Thermally insulated high-visibility jacket that offers warmth, good visibility and weather protection for working in cold and windy conditions.

SNI-1138-5558

1 Stk.



Core heat-insulated high-vis work jacket, high-visibility class 3, yellow

Thermally insulated high-visibility jacket that offers warmth, good visibility and weather protection for working in cold and windy conditions.

SNI-1138-6658

1 Stk.



AllroundWork, high-vis softshell work jacket, high-visibility class 3, orange

Softshell work jacket that combines high visibility, an excellent fit and optimum comfort with advanced functionality. Windproof and water-repellent.

SNI-1230-5558

1 Stk.



jackets



AllroundWork, high-vis softshell work jacket, high-visibility class 3, yellow

Softshell work jacket that combines high visibility, an excellent fit and optimum comfort with advanced functionality. Windproof and water-repellent.

SNI-1230-6658

1 Stk.



AllroundWork, waterproof high-visibility softshell jacket, class 3, orange

Waterproof softshell work jacket with heat transfer reflective strips ensures excellent and safe visibility in hazardous working environments.

SNI-1330-5558

1 Stk.



AllroundWork, waterproof high-visibility softshell jacket, class 3, yellow

Waterproof softshell work jacket with heat transfer reflective strips ensures excellent and safe visibility in hazardous working environments.

SNI-1330-6658

1 Stk.



AllroundWork high-vis waterproof parka, class 3, orange

Waterproof and heat-insulating high-visibility work parka. Protects against cold and wet weather conditions for optimum performance.

SNI-1830-5558

1 Stk.



AllroundWork high-vis waterproof parka, class 3, yellow

Waterproof and heat-insulating high-visibility work parka. Protects against cold and wet weather conditions for optimum performance.

SNI-1830-6658

1 Stk.



High-vis jacket with full-length zipper, high-vis class 2, orange

Work jacket with full-length zipper. Certified to high-visibility class 2 in accordance with EN ISO 20471, which offers high visibility in low light conditions - for a safer working day.

SNI-8035-5504

1 Stk.



High-vis jacket with full-length zipper, high-vis class 2, yellow

Work jacket with full-length zipper. Certified to high-visibility class 2 in accordance with EN ISO 20471, which offers high visibility in low light conditions - for a safer working day.

SNI-8035-6604

1 Stk.



Accessories



Knee pad KneeGuard, One Size

Ergonomically shaped knee pads for the best knee protection for work that requires frequent kneeling. The lightweight, flexible and durable knee pads have been developed to reduce strain and ensure the best comfort in everyday working life.

SNI-9110-0604-000

1 Stk.



XTR Craftsman D3O knee pads, 2-ply, one size

State-of-the-art knee protection for work that frequently requires kneeling positions. The D3O® material retains its shape for a long time and offers impact protection. A lightweight construction and supportive ventilation offer flexibility and comfort.

SNI-9191-0405-000

1 Stk.



Used marking technology




Hofmann H11

Hofmann H11 for sale.
The machine is equipped with 2 paint tanks. It can be operated with two different colors or with 1:1 spray plastic.
The machine is as good as new with approx. 10 operating hours.
A more powerful drive has also been installed.

used_014

1 Stk.



used PowrLiner 4500


Titan Powrliner 4500 as good as new for sale!

used_015

1 Stk.



Additional information



Additional information

Any prices quoted are valid for 2 months from the date of issue.
Prices are net prices. Delivery ex works (Incoterm - EXW)
We assume no liability for the topicality, correctness and completeness of the information.
Our general terms and conditions apply!
https://shop.stramat.com/data/dokumente/AGB_de.pdf

STR_zz_§

