

Overview



Painter pumps



Floor marking machines



Floor marking colors



Asphalt type



Blocking technology



Anti-slip tapes



Compressed air tools




Workshop and warehouse



LongLife floor marking films

Overview



Additional information

Painter pumps



CMC Modell 20000 - Double-Head Airless pump for painters

Pump capacity: 2 x 7 l/min
Maximum pressure: 250 bar
Motor: 3 HP electric
Voltage: 380 V
Weight: 65 kg

CMC-20000
65 kg
1 Stk.



CMC Model 12000 V

Airless painter pump with vertical diaphragm pump
Pump capacity: 7,0 l/min
Maximum pressure: 250 bar
Motor: 3,0 HP electric
Voltage: 230 V

CMC-Modell 12000V
45 kg
1 Stk.



CMC Model P20-CB - Airless Sprayer / Painter Pump with Honda Engine

CMC airless sprayer with piston pump P20-CB for all painting jobs.
Pump capacity: 6.17 l/min
Maximum pressure: 250 bar
Engine: 6 HP combustion engine
Weight: 87 kg

CMC-P20-CB-CH
87 kg
1 Stk.



CMC Model P20-CE - Airless sprayer / painter pump with electric drive

CMC airless sprayer with piston pump P20-CE for all painting jobs.
Pump capacity: 6.17 l/min
Maximum pressure: 250 bar
Motor: 3 HP electric motor 230 volt single-phase
Weight: 87 kg

CMC-P20-CE
87 kg
1 Stk.



Floor marking machines



CMC AR 30 Pro-CMPR-MAXX - Airless road marking machine with piston pump 6,17 L/min and compressor

Professional road marking machine for small and medium size jobs in the professional or municipal field! Equipped with a piston pump, compressor and RMCD automatic dash / gap. Ideal in combination with a HMC drive trolley.

CMC-AR30PROP-C-MAXX
210 kg
1 Stk.
155 x 77 x 128 cm



CMC AR30ITPP - Airless road marking machine with hydraulic drive and piston pump

Self-propelled airless road marking machine with hydraulic drive. Ideal for marking municipalities and towns or even larger parking lots. The machine can also be equipped with spray plastic systems.

CMC-MTLAR30ITPP
265 kg
1 Stk.
165 x 60 x 105 cm



CMC AR 30 Pro - Airless road marking machine with diaphragm pump 5.9 L/Min

Simple, light and uncomplicated hand-held road marking machine for small markings in the professional or municipal sector! Equipped with a diaphragm pump.

CMC-MTLAR30PRO
110 kg
1 Stk.
162 x 65 x 100 cm



CMC AR 30 Pro-2C - Airless road marking machine with 2 diaphragm pumps 5.9 L/Min

Hand-held road marking machine with 2 colors. To mark wide lines with one color or to mark two lines with different color tones under once. Ideal also for 1:1 spray plastic (note the special 1:1 gun) Equipped with 2 diaphragm pumps.

CMC-MTLAR30PRO-2C
150 kg
1 Stk.
160 x 68 x 105 cm



CMC AR 30 Pro-2C - Airless road marking machine with 2 diaphragm pumps 5,9 L/min and Hondamotor

Hand-held road marking machine with 2 colors. To mark wide lines with one color or to mark two lines with different colors at once. Also ideal for 1:1 spray plastic (note the special 1:1 gun).

CMC-MTLAR30Pro-2C-H
150 kg
1 Stk.
160 x 68 x 105 cm



CMC AR 30 Pro-H - Airless road marking machine with diaphragm pump 5,9 L/min with Honda engine

Simple, light and uncomplicated hand-held road marking machine for small markings in the professional or municipal sector! Equipped with a diaphragm pump.

CMC-MTLAR30PRO-H
110 kg
1 Stk.
162 x 65 x 100 cm



CMC AR 30 Pro-P - Airless Line Striper with piston pump 6.17 L/Min

Simple, light and uncomplicated hand-held road marking machine for small markings in the professional or municipal sector! Equipped with a piston pump.

CMC-MTLAR30PRO-P
142 kg
1 Stk.
155 x 75 x 101 cm



Floor marking machines



CMC AR 30 ProP-2C - Airless road marking machine with 2 piston pumps 6.17 l/min

Hand-held road marking machine with 2 colors. To mark wide lines with one color or to mark two lines with different colors at once.
With C8000 control unit or RMCD-Road Marking Control Device.

CMC-MTLAR30PRO-P-2C
368 kg
1 Stk.
150 x 79 x 125 cm



CMC AR 30 Pro-P-G H - Inverted airless road marking machine with piston pump 6,17 L/min and Honda engine

Specially designed road marking machine for marking tight radii. The short wheelbase and special design with two wheels at the front and one steerable wheel at the rear make it the ideal machine for marking tight radii.

CMC-MTLAR30PROPG-H
110 kg
1 Stk.
130 x 65 x 100 cm



CMC AR 30 PROP-H - Airless road marking machine with piston pump 6,17 L/min and Honda engine

Simple, light and uncomplicated hand-guided road marking machine for small markings in the professional or municipal field! Equipped with a piston pump with hydraulic drive.

CMC-MTLAR30PROP-H
142 kg
1 Stk.
155 x 75 x 101 cm



CMC AR 30 Pro-P 25 H - Airless line striper with piston pump 8.9 L/Min and Honda engine

Simple, light and uncomplicated hand-guided road marking machine for small markings in the professional or municipal field! Equipped with a powerful piston pump with a liter capacity of 8.9 liters/min.

CMC-MTLRAR30PRO-
P25H
160 kg
1 Stk.
146 x 64 x 102 cm



Floor marking colors



1-Components Colors



Epoxy-modified high-solids inks



Polyurethane colors



1-Components Colors



STRAMAT TM/56 road marking paint white in 25 kg container

STRAMAT road marking paints are mainly used on asphalt or concrete pavements, for edge and center lines, parking lots, clearance markings or other markings in public or private areas.

OKA-100.1000.001
25 kg
25 kg



STRAMAT TM/56 road marking paint traffic yellow in 25 kg container

STRAMAT road marking paints are mainly used on asphalt or concrete pavements, for edge and center lines, parking lots, clearance markings or other markings in public or private areas.

OKA-100.1100.001
25 kg
25 kg



STRAMAT TM/56 road marking paint traffic yellow in 25 kg container

STRAMAT road marking paints are mainly used on asphalt or concrete pavements, for edge and center lines, parking lots, clearance markings or other markings in public or private areas.

OKA-100.2100.001_35
35 kg
35 kg



STRAMAT TM/56 road marking paint traffic red in 25 kg container

STRAMAT road marking paints are mainly used on asphalt or concrete pavements, for edge and center lines, parking lots, clearance markings or other markings in public or private areas.

OKA-100.3100.001
25 kg
25 kg



STRAMAT TM/56 road marking paint traffic blue in 25 kg container

STRAMAT road marking paints are mainly used on asphalt or concrete pavements, for edge and center lines, parking lots, clearance markings or other markings in public or private areas.

OKA-100.5100.001
25 kg
25 kg



STRAMAT TM/56 road marking paint traffic green in 25 kg container

STRAMAT road marking paints are mainly used on asphalt or concrete pavements, for edge and center lines, parking lots, clearance markings or other markings in public or private areas.

OKA-100.6100.001
25 kg
25 kg



STRAMAT TM/56 road marking paint black in 25 kg container

STRAMAT road marking paints are mainly used on asphalt or concrete pavements, for edge and center lines, parking lots, clearance markings or other markings in public or private areas.

OKA-100.9100.001
25 kg
25 kg



Epoxy-modified high-solids inks



STRAMAT TM/56-EP epoxy modified HS paint white in 25 kg container

The 2-component road marking paint STRAMAT 2-K-TM/56 EP is additionally epoxy-modified, which enables higher resistance, better adhesion as well as longer durability. It is particularly popular for use on difficult soils. Often also in combination with a colorless polyurethane sealer.

OKA-105.0000.001
25 kg
25 kg



STRAMAT TM/56-EP epoxy modified HS paint yellow in 25 kg container

The 2-component road marking paint STRAMAT 2-K-TM/56 EP is additionally epoxy-modified, which enables higher resistance, better adhesion as well as longer durability. It is particularly popular for use on difficult soils. Often also in combination with a colorless polyurethane sealer.

OKA-105.0100.001
25 kg
25 kg



STRAMAT TM/56-EP epoxy modified HS paint red in 25 kg container

The 2-component road marking paint STRAMAT 2-K-TM/56 EP is additionally epoxy-modified, which enables higher resistance, better adhesion as well as longer durability. It is particularly popular for use on difficult soils. Often also in combination with a colorless polyurethane sealer.

OKA-105.3020.001
25 kg
25 kg



STRAMAT TM/56-EP epoxy modified HS paint blue in 25 kg container

The 2-component road marking paint STRAMAT 2-K-TM/56 EP is additionally epoxy-modified, which enables higher resistance, better adhesion as well as longer durability. It is particularly popular for use on difficult soils. Often also in combination with a colorless polyurethane sealer.

OKA-105.5100.001
25 kg
25 kg



STRAMAT TM/56-EP epoxy modified HS paint green in 25 kg container

The 2-component road marking paint STRAMAT 2-K-TM/56 EP is additionally epoxy-modified, which enables higher resistance, better adhesion as well as longer durability. It is particularly popular for use on difficult soils. Often also in combination with a colorless polyurethane sealer.

OKA-105.6100.001
25 kg
25 kg

STRAMAT TM/56-EP epoxy modified HS paint red in 25 kg container

The 2-component road marking paint STRAMAT 2-K-TM/56 EP is additionally epoxy-modified, which enables higher resistance, better adhesion as well as longer durability. It is particularly popular for use on difficult soils. Often also in combination with a colorless polyurethane sealer.

OKA-105.7016.001
25 kg
25 kg



STRAMAT TM/56-EP epoxy modified HS paint black in 25 kg container

The 2-component road marking paint STRAMAT 2-K-TM/56 EP is additionally epoxy-modified, which enables higher resistance, better adhesion as well as longer durability. It is particularly popular for use on difficult soils. Often also in combination with a colorless polyurethane sealer.

OKA-105.9005.001
25 kg
25 kg



Epoxy-modified high-solids inks



Hardener for STRAMAT TM/56-EP in 2.5 kg container

Hardener to epoxy-modified HS-Farbe.

OKA-105.K200.001
2.5 kg
2.5 kg



Polyurethane colors



STRAMAT 2K PU hall marking paint RAL white 9010 in 5 kg container

Solvent-containing 2-component hall marking paint based on polyurethane. For highest demands on mechanical and chemical resistance, high adhesion and low susceptibility to soiling.

OKA-140.0000.001
5 kg
5 kg



STRAMAT 2K PU hall marking paint yellow RAL 1023 in 5 kg container

Solvent-containing 2-component hall marking paint based on polyurethane. For highest demands on mechanical and chemical resistance, high adhesion and low susceptibility to soiling.

OKA-140.1023.001
5 kg
5 kg



STRAMAT 2K PU hall marking paint red RAL 3020 in 5 kg container

Solvent-containing 2-component hall marking paint based on polyurethane. For highest demands on mechanical and chemical resistance, high adhesion and low susceptibility to soiling.

OKA-140.3020.001
5 kg
5 kg



Hardener for STRAMAT 2K PU hall marking paint in 0.5 kg container

Hardener to - Solvent-based 2-component hall marking paint based on polyurethane. For highest demands on mechanical and chemical resistance, high adhesion and low susceptibility to soiling.

OKA-140.K200.001
0.5 kg
0.5 kg



Asphalt type



Foils for floor marking



Accessories for Asphalt Art



Foils for floor marking



Handicapped parking space from self-adhesive marking foil, blue/white, 100 x 100 cm

Made from self-adhesive Asphalt-Art® floor marking film.
For long-lasting durability, it is recommended to apply with primer.
Size: 100 x 100 cm
Version: self-adhesive, blue/white

ASA-ORI_BeHi_100_100
1 Stk.
100 x 100 cm



Disabled parking space made of marking foil, blue/white, 100 x 140 cm

Made from self-adhesive Asphalt-Art® floor marking film.
For long-lasting durability, it is recommended to apply with primer.
Size: 100 x 140 cm
Version: self-adhesive, blue/white

ASA-ORI_BeHi_100_140
1 Stk.
100 x 140 cm



No stopping and parking sign made of marking foil, gray/blue/red, 100 x 100 cm

Made from self-adhesive Asphalt-Art® floor marking film. Apply with primer for long-lasting durability.
Size: 100 x 100 cm
Finish: self-adhesive, gray/red/blue
Cut to size: square 100 x 100 cm

ASA-ORI_HPVQ_100_100
1 Stk.
100 x 100 cm



No stopping and parking sign made of marking foil, blue/red, 100 x 100 cm round

Made from self-adhesive Asphalt-Art® floor marking film. Apply with primer for long-lasting durability.
Size: 100 x 100 cm
Finish: self-adhesive, red/blue
Cut to size: round approx. 100 x 100 cm

ASA-ORI_HPVR_100_100
1 Stk.
100 x 100 cm



Parking symbol made of marking film, blue/white, 100 x 100 cm

Made from self-adhesive Asphalt-Art® floor marking film. Apply with primer for long-lasting durability.
Size: 100 x 100 cm
Finish: self-adhesive, blue/white
Cut to size: square 100 x 100 cm

ASA-ORI_Par_100_100
1 Stk.
100 x 100 cm



No parking sign made of marking foil, gray/blue/red, 100 x 100 cm

Made from self-adhesive Asphalt-Art® floor marking film. Apply with primer for long-lasting durability.
Size: 100 x 100 cm
Finish: self-adhesive, gray/red/blue
Cut to size: square 100 x 100 cm

ASA-ORI_PVQ_100_100
1 Stk.
100 x 100 cm



No parking sign made of marking foil, blue/red, 100 x 100 cm round

Made from self-adhesive Asphalt-Art® floor marking film. Apply with primer for long-lasting durability.
Size : 100 x 100 cm
Finish: self-adhesive, red/blue
Cut to size: round approx. 100 x 100 cm

ASA-ORI_PVR_100_100
1 Stk.
100 x 100 cm



Foils for floor marking



Stop made of marking foil, black/red/white, 100 x 100 cm

Made from self-adhesive Asphalt-Art® floor marking film. Apply with primer for long-lasting durability.

Size: 100 x 100 cm

Design: self-adhesive, black/red/white

Cut to size: square 100 x 100 cm

ASA-ORI_Stgr_100_100

1 Stk.

100 x 100 cm



Stop made of marking foil, black/red/white, 100 x 100 cm

Made from self-adhesive Asphalt-Art® floor marking film. Apply with primer for long-lasting durability.

Size: 100 x 100 cm

Finish: self-adhesive, black/red/white

Cut to size: 8-cornered cut

ASA-ORI_Stop_100_100

1 Stk.

100 x 100 cm



Accessories for Asphalt Art



Primer / adhesive primer for asphalt type films in 1 liter container

Special adhesion primer/primer in 1 liter container.
For the application of asphalt type films.

ASA-3051.25.100

1 Stk.



Hand roller K for the application of self-adhesive marking foils

Hand roller K for the safe and easy application of self-adhesive marking films

ASA-hawa_k

Width: 50 mm
with angled plastic handle

1 Stk.
50 mm



Hand roller L for the application of self-adhesive marking foils

Hand roller L for the safe and easy application of self-adhesive marking films

ASA-hawa_l

Width: 200 mm
with angled plastic handle

1 Stk.
200 mm



Hand roller M for the application of self-adhesive marking foils

Hand roller M for the safe and easy application of self-adhesive marking films

ASA-hawa_m

Width: 150 mm
with angled plastic handle

1 Stk.
150 mm



Large hand roller for the application of self-adhesive marking foils

Hand roller S for the safe and easy application of self-adhesive marking films

ASA-hawa_s

Width: 100 mm
with angled plastic handle

1 Stk.
100 mm



Squeegee for the application of self-adhesive marking films

Telon squeegee gold for easy and safe application of self-adhesive marking foils

ASA-Rakel

1 Stk.



Blocking technology



Construction site warning light - orange optics

Construction site warning light
Yellow optics

SHA-31211G
6 kg
1 Stk.
5.000 x 47 x 47 mm



traffic cone daylight - height: 200 mm

Traffic cone daylight, red / white, height: 200 mm

SHA-3L200
0.2 kg
1 Stk.
200 x 160 x 160 mm



Guiding cone daylight - height: 320 mm

Traffic cone daylight, red / white, height: 320 mm

SHA-3L320
0.5 kg
1 Stk.
320 x 227 x 227 mm



traffic cone daylight - height: 500 mm

Traffic cone daylight, red / white, height: 500 mm

SHA-3L500
1.2 kg
1 Stk.
500 x 300 x 300 mm



traffic cone daylight - height: 500 mm

Traffic cone daylight, red / white reflective, height: 500 mm

SHA-3L500RS2
1.3 kg
1 Stk.
500 x 300 x 300 mm



Guide cone one-piece according to TL - height: 500 mm

Guide cone one-piece according to TL, foil type 1, height: 500 mm

SHA-3L500TL
2.5 kg
1 Stk.
500 x 300 x 300 mm



One-piece traffic cone according to TL - height: 500 mm - with 2 fully reflective strips of foil type RA2/B

Guiding cone BAST tested according to TL - one-piece
made of strong PVC material
good stability, stackable
with 2 fully reflective strips of foil type RA2/B
Color: red / white

SHA-3L500TL2
2.5 kg
1 Stk.
500 x 300 x 300 mm



Blocking technology



Guide cone two-piece good stability, stackable, base plate made of recycled material, height: 500 mm, color foil rings: white

Height: 500 mm, color foil rings: white

SHA-3L530RS2
5.24 kg
1 Stk.
500 x 300 x 300 mm



Guiding cone in two parts according to TL with reflective foil jacket - height 500 mm - foil type 1

Guiding cone in two parts according to TL with reflective foil jacket, height: 500 mm, foil type 1

SHA-3L530TL
2.7 kg
1 Stk.
500 x 300 x 300 mm



Guiding cone in two parts according to TL with reflective foil jacket - height 500 mm

Guiding cone in two parts according to TL with reflective foil jacket, height: 500 mm, foil type 2

SHA-3L530TL2
2.7 kg
1 Stk.
500 x 300 x 300 mm



Guide cone two-piece good stability, stackable, base plate made of recycled material, height: 750 mm, color foil rings: white

Height: 750 mm, color foil rings: white

SHA-3L730RS2
5.11 kg
1 Stk.
750 x 400 x 400 mm



Guiding cone two-part according to TL with reflective foil jacket - height 750 mm - foil type 1

Guiding cone two-part according to TL with reflective foil jacket, height: 750 mm, foil type 1

SHA-3L730TL
5.31 kg
1 Stk.
750 x 400 x 400 mm



Guiding cone in two parts according to TL with reflective foil jacket - height 750 mm

Guiding cone in two parts according to TL with reflective foil jacket, height: 750 mm, foil type 2

SHA-3L730TL2
5.31 kg
1 Stk.
750 x 400 x 400 mm



traffic cone daylight - height: 750 mm

Traffic cone daylight, red / white reflective, height: 750 mm

SHA-3L750RS2
3.3 kg
1 Stk.
750 x 400 x 400 mm



Blocking technology



Guide cone one-piece according to TL - height: 750 mm

Guide cone one-piece according to TL, foil type 1, height: 750 mm

SHA-3L750TL
5 kg
1 Stk.
750 x 400 x 400 mm



Guide cone one-piece according to TL - height: 750 mm

Guide cone one-piece according to TL, foil type 2, height: 750 mm

SHA-3L750TL2
5 kg
1 Stk.
750 x 400 x 400 mm



Traffic cone 320 mm

PVC, 320 mm, 0,64 kg
retroreflective foil
class RA 2

TEM-12303-320 ZR
0.84 kg
1 Stk.



Traffic cone 500 mm

PVC, 500 mm, 1,30 kg
retroreflective foil
class RA 2

TEM-12306-500 ZR
1.3 kg
1 Stk.



Traffic cone 750 mm

PVC, 750 mm, 3,20 kg
retroreflective foil
class RA 2

TEM-12309-750 ZR
3.2 kg
1 Stk.



Anti-slip tapes

Anti-slip black 50 mm



18 meters per roll. High-performance, self-adhesive, flat material with maximum grip and excellent shape adaptation. Ideal for laying on surfaces where there is a risk of slipping, such as: Stairs, entrance areas, ramps, public spaces, ships, boats, trucks, buses. Follow the laying instructions!

ROL-1411160
1 Stk.


Anti-slip transparent 50 mm



18 meters per roll. High-performance, self-adhesive, flat material with maximum grip and excellent shape adaptation. Ideal for laying on surfaces where there is a risk of slipping, such as: Stairs, entrance areas, ramps, public spaces, ships, boats, trucks, buses. Follow the laying instructions!

ROL-1411161
1 Stk.


Anti-slip white 50 mm



18 meters per roll. High-performance, self-adhesive, flat material with maximum grip and excellent shape adaptation. Ideal for laying on surfaces where there is a risk of slipping, such as: Stairs, entrance areas, ramps, public spaces, ships, boats, trucks, buses. Follow the laying instructions!

ROL-1411162
1 Stk.


Anti-slip red 50 mm



18 meters per roll. High-performance, self-adhesive, flat material with maximum grip and excellent shape adaptation. Ideal for laying on surfaces where there is a risk of slipping, such as: Stairs, entrance areas, ramps, public spaces, ships, boats, trucks, buses. Follow the laying instructions!

ROL-1411163
1 Stk.


Anti-slip green 50 mm



18 meters per roll. High-performance, self-adhesive, flat material with maximum grip and excellent shape adaptation. Ideal for laying on surfaces where there is a risk of slipping, such as: Stairs, entrance areas, ramps, public spaces, ships, boats, trucks, buses. Follow the laying instructions!

ROL-1411164
1 Stk.

Anti-slip grey 50 mm



18 meters per roll. High-performance, self-adhesive, flat material with maximum grip and excellent shape adaptation. Ideal for laying on surfaces where there is a risk of slipping, such as: Stairs, entrance areas, ramps, public spaces, ships, boats, trucks, buses. Follow the laying instructions!

ROL-1411165
1 Stk.

Anti-slip Luminescent 50 mm



18 meters per roll. High-performance, self-adhesive, flat material with maximum grip and excellent shape adaptation. Ideal for laying on surfaces where there is a risk of slipping, such as: Stairs, entrance areas, ramps, public spaces, ships, boats, trucks, buses. Follow the laying instructions!

ROL-1411166
1 Stk.



Anti-slip tapes

Anti-slip blue 50 mm



18 meters per roll. High-performance, self-adhesive, flat material with maximum grip and excellent shape adaptation. Ideal for laying on surfaces where there is a risk of slipping, such as: Stairs, entrance areas, ramps, public spaces, ships, boats, trucks, buses.
Follow the laying instructions!

ROL-1411167
1 Stk.

Anti-slip brown 50 mm



18 meters per roll. High-performance, self-adhesive, flat material with maximum grip and excellent shape adaptation. Ideal for laying on surfaces where there is a risk of slipping, such as: Stairs, entrance areas, ramps, public spaces, ships, boats, trucks, buses.
Follow the laying instructions!

ROL-1411168
1 Stk.

Anti-slip neon yellow 50 mm



18 meters per roll. High-performance, self-adhesive, flat material with maximum grip and excellent shape adaptation. Ideal for laying on surfaces where there is a risk of slipping, such as: Stairs, entrance areas, ramps, public spaces, ships, boats, trucks, buses.
Follow the laying instructions!

ROL-1411171
1 Stk.

Anti-slip black/yellow 50 mm



18 meters per roll. High-performance, self-adhesive, flat material with maximum grip and excellent shape adaptation. Ideal for laying on surfaces where there is a risk of slipping, such as: Stairs, entrance areas, ramps, public spaces, ships, boats, trucks, buses.
Follow the laying instructions!

ROL-1411172
1 Stk.



Compressed air tools



Needle guns



Chisel hammers



Compressed air knocker



Needle guns

12 B Needle gun



The Von Arx 12 B needle guns quickly remove rust, clean, purify and roughen. Essentially, they smooth uneven surfaces. As the needles move freely, they adapt to any surface, including protrusions.

ARX - 700263
1 Stk.

23 B Needle scaler



The Von Arx needle guns 23 B quickly remove rust, clean, purify and roughen. Essentially, they smooth uneven surfaces. As the needles move freely, they adapt to any surface, including protrusions.

ARX - 700312
1 Stk.

34 B Needle scaler



The Von Arx 34 B needle guns quickly remove rust, clean, purify and roughen. Essentially, they smooth uneven surfaces. As the needles move freely, they adapt to any surface, including protrusions.

ARX - 700364
1 Stk.

45 B Needle scaler



The Von Arx 45 B needle guns quickly remove rust, clean, purify and roughen. Essentially, they smooth uneven surfaces. As the needles move freely, they adapt to any surface, including protrusions.

ARX - 700409
6.8 kg
1 Stk.

23 BG Needle scaler



The Von Arx needle guns 23 BG quickly remove rust, clean, purify and roughen. Essentially, they smooth uneven surfaces. As the needles move freely, they adapt to any surface, including protrusions. There is the right Von Arx needle gun for every application. With 2, 3 or 4 mm needles as required.

ARX - 700438
1 Stk.

NP 23 Needle scaler



The Von Arx NP 23 needle guns quickly remove rust, clean, purify and roughen. Essentially, they smooth uneven surfaces. As the needles move freely, they adapt to any surface, including protrusions.

ARX - 700616
1 Stk.

NP 34 Needle scaler



The Von Arx NP 34 needle guns quickly remove rust, clean, purify and roughen. Essentially, they smooth uneven surfaces. As the needles move freely, they adapt to any surface, including protrusions.

ARX - 700639
1 Stk.



Needle guns



NP 23 K Needle scaler

The Von Arx NP 23 K needle guns quickly remove rust, clean, purify and roughen. Essentially, they smooth uneven surfaces. As the needles move freely, they adapt to any surface, including protrusions.

ARX - 700722

1 Stk.



NP 34 K Needle scaler

The Von Arx NP 34 K needle guns quickly remove rust, clean, purify and roughen. Essentially, they smooth uneven surfaces. As the needles move freely, they adapt to any surface, including protrusions.

ARX - 706598

1 Stk.



Chisel hammers



23 B Chisel hammer

The Von Arx chisel hammer 23 B is ideal for removing carpet, chipping off old plaster, bush hammering natural stone, chiseling out joints and pointed work on masonry. There is the right Von Arx chisel hammer with various chisel attachments for every job.

ARX - 700314

1 Stk.



34 B Chisel hammer

The Von Arx chisel hammer 34 B is ideal for removing carpet, chipping off old plaster, bush hammering natural stone, chiseling out joints and pointed work on masonry. There is the right Von Arx chisel hammer with various chisel attachments for every job.

ARX - 700366

1 Stk.



45 B Chisel hammer

The Von Arx chisel hammer 45 B is ideal for removing carpet, chipping off old plaster, bush hammering natural stone, chiseling out joints and pointed work on masonry. There is the right Von Arx chisel hammer with various chisel attachments for every job.

ARX - 700411

1 Stk.



23 BG Chisel hammer

The Von Arx chisel hammer 23 BG is ideal for removing carpet, chipping off old plaster, bush hammering natural stone, chiseling out joints and pointed work on masonry. There is the right Von Arx chisel hammer with various chisel attachments for every job.

ARX - 700441

1 Stk.



34 BGV Chisel hammer 175 cm

The Von Arx chisel hammer 34 BGV is ideal for removing carpet, chipping off old plaster, bush hammering natural stone, chiseling out joints and pointed work on masonry. There is the right Von Arx chisel hammer with various chisel attachments for every job.

ARX - 700464

1 Stk.



45 BGC chisel hammer 180 cm

The Von Arx chisel hammer 45 BGV is ideal for removing carpet, chipping off old plaster, bush hammering natural stone, chiseling out joints and pointed work on masonry. There is the right Von Arx chisel hammer with various chisel attachments for every job.

ARX - 706766

1 Stk.



MHV 45 chisel hammer 135 cm

The Von Arx MHV 45 chisel hammer is ideal for removing carpet, chipping off old plaster, bush hammering natural stone, chiseling out joints and pointed work on masonry. There is the right Von Arx chisel hammer with different chisel attachments for every job.

ARX - 707404

1 Stk.



Compressed air knocker



DK 7 pneumatic cabbler

The DK 7 compressed air knocker is ideal for knocking off cement milk, unevenness, incrustations, scale, paint, scaling and rust, roughening etc.

ARX - 700552

1 Stk.



DK 1H pneumatic cabbler

The DK 1H compressed air knocker is ideal for knocking off cement milk, unevenness, incrustations, scale, paint, scaling and rust, roughening, etc.

ARX - 700763

1 Stk.



DK 2 H pneumatic scabbler

The DK 2H compressed air knocker is ideal for knocking off cement milk, unevenness, incrustations, scale, paint, scaling and rust, roughening, etc.

ARX - 700770

1 Stk.



DK 3H pneumatic cabbler

The DK 3H compressed air knocker is ideal for knocking off cement milk, unevenness, incrustations, scale, paint, scaling and rust, roughening, etc.

ARX - 700772

1 Stk.



Scrap Air 24 V1 short pneumatic hammer

The Scrap Air S24 V1 pneumatic hammer has an anti-vibration system in the head of the tool. Built with a straight handle - optimized for confined working conditions. The ideal tool for woodworking, plaster removal or industrial cleaning.

MAB_07030114

3.1 kg

1 Stk.

49 cm



Scrap Air 24 V2 short pneumatic hammer

The Scrap Air S24 V2 pneumatic hammer has an anti-vibration system in the head and handle of the tool. Built with a pistol grip - optimized for confined working conditions. The V2 provides additional protection for the user with a second anti-vibration system.

MAB_07030500

3.8 kg

1 Stk.

53 cm



Scrap Air 36 V1 short pneumatic hammer

The Scrap Air S36 V1 pneumatic hammer short has an anti-vibration system in the head of the tool. Built with a straight handle - optimized for confined working conditions. The ideal tool for woodworking, plaster removal, industrial cleaning or light demolition work.

MAB_7060015

3.4 kg

1 Stk.

50 cm



Compressed air tools

Scrap Air 36 V1 medium-length pneumatic hammer



The Scrap Air S36 V1 medium-length pneumatic hammer has an anti-vibration system in the head of the tool. Built with a straight handle. The ideal tool for woodworking, plaster removal, industrial cleaning or light demolition work.

MAB_7060016
4 kg
1 Stk.
88 cm

Scrap Air 38 V1 short pneumatic hammer



The Scrap Air S38 V1 pneumatic hammer short has an anti-vibration system in the head of the tool. Built with a straight handle - optimized for confined working conditions. The ideal tool for woodworking, plaster removal, industrial cleaning or light demolition work.

MAB_7060507
3.6 kg
1 Stk.
52 cm

Scrap Air 38 V1 medium-length pneumatic hammer



The Scrap Air S38 V1 medium-length pneumatic hammer has an anti-vibration system in the head of the tool. Built with a straight handle. The ideal tool for woodworking, plaster removal, industrial cleaning or light demolition work.

MAB_7060508
4.2 kg
1 Stk.
90 cm

Scrap Air 55 V1 long pneumatic hammer



The Scrap Air S55 V1 medium-length pneumatic hammer has an anti-vibration system in the head of the tool. Built with a straight handle. The ideal tool for woodworking, plaster removal, industrial cleaning or light demolition work. Also ideal for working on asphalt surfaces or demolition work.

MAB_7070012
6.2 kg
1 Stk.
115 cm

Scrap Air 36 V2 short pneumatic hammer



The Scrap Air S36 V2 pneumatic hammer short has an anti-vibration system in the head and handle of the tool. Built with a pistol grip - optimized for confined working conditions. The V2 provides additional protection for the user with a second anti-vibration system located in the pistol grip. Up to 60 % reduction of vibrations in the user's hands and arms.

MAB_7070510
4 kg
1 Stk.
51 cm

Scrap Air 38 V2 short pneumatic hammer



The Scrap Air S38 V2 pneumatic hammer short has an anti-vibration system in the head and handle of the tool. Built with a pistol grip - optimized for confined working conditions. The ideal tool for woodworking, plaster removal, industrial cleaning or light demolition work.

MAB_7070520
4.5 kg
1 Stk.
53 cm

Scrap Air 55 V2 T-handle



The Scrap Air S55 V2 pneumatic hammer with T-handle has an anti-vibration system in the head and handle of the tool. Built with a pistol grip. The V2 provides additional protection for the user with a second anti-vibration system located in the pistol grip. Up to 60% reduction of vibrations in the user's hands and arms.

MAB_7070550
6.8 kg
1 Stk.
89 cm



Compressed air tools

Scrap Air 36 V2 medium-length pneumatic hammer



The Scrap Air S36 V2 medium-length pneumatic hammer has an anti-vibration system in the head and handle of the tool. Built with a pistol grip. The V2 provides additional protection for the user with a second anti-vibration system located in the pistol grip. Up to 60% reduction of vibrations in the user's hands and arms.

MAB_7070600
4.3 kg
1 Stk.
83 cm

Scrap Air 38 V2 medium-length pneumatic hammer



The Scrap Air S38 V2 medium-length pneumatic hammer has an anti-vibration system in the head and handle of the tool. Built with a pistol grip. The V2 provides additional protection for the user with a second anti-vibration system located in the pistol grip. Up to 60% reduction of vibrations in the user's hands and arms.

MAB_7070610
5.3 kg
1 Stk.
85 cm

Scrap Air 55 V2 long pneumatic hammer



The Scrap Air S55 V2 long pneumatic hammer has an anti-vibration system in the head and handle of the tool. Built with a pistol grip. The V2 provides additional protection for the user with a second anti-vibration system located in the pistol grip. Up to 60% reduction of vibrations in the user's hands and arms.

MAB_7070720
6.8 kg
1 Stk.
123 cm



Workshop and warehouse



Cleaning station Clean Tower Flexi red

The CleanTower Flexi is ideal for all areas where different cleaning accessories are required.
Includes broom, dustpan and hand brush,
5 holes in the base plate for floor fixings or castors.

MYL-10001043
25 kg
1 Stk.
40 x 190 cm



Cleaning station Clean Tower Flexi black

The CleanTower Flexi is ideal for all areas where different cleaning accessories are required.
Includes broom, dustpan and hand brush,
5 holes in the base plate for floor fixings or castors.

MYL-10001044
25 kg
1 Stk.
40 x 190 cm



Cleaning station Clean Tower Flexi silver

The CleanTower Flexi is ideal for all areas where different cleaning accessories are required.
Includes broom, dustpan and hand brush,
5 holes in the base plate for floor fixings or castors.

MYL-10001045
25 kg
1 Stk.
40 x 190 cm



Cleaning station Clean Tower Flexi yellow

The CleanTower Flexi is ideal for all areas where different cleaning accessories are required.
Includes broom, dustpan and hand brush,
5 holes in the base plate for floor fixings or castors.

MYL-10001046
25 kg
1 Stk.
40 x 190 cm



LongLife floor marking films



LongLife floor marking tape 100 mm, 50 meters

myLean® floor markings can be used for almost all indoor surfaces. Our floor markings are self-adhesive and therefore quick and easy to apply. rLongLife floor markings are forklift-proof, even against turning on the marking.

MYL-LL-100
1 Stk.
50 x 100 m



LongLife floor marking tape anti-slip 100 mm, 18 meters

myLean® floor markings can be used on almost all indoor surfaces. Our floor markings are self-adhesive and therefore quick and easy to apply. rLongLife anti-slip floor markings are sanded and therefore slip-resistant.

MYL-LL-100-AR
1 Stk.
18 x 100 m



LongLife floor marking tape 50 mm, 50 meters

myLean® floor markings can be used on almost all indoor surfaces. Our floor markings are self-adhesive and therefore quick and easy to apply. rLongLife floor markings are forklift-proof, even against turning on the marking.

MYL-LL-50
1 Stk.
50 x 50 m



LongLife floor marking tape anti-slip 50 mm, 18 meters

myLean® floor markings can be used on almost all indoor surfaces. Our floor markings are self-adhesive and therefore quick and easy to apply. rLongLife anti-slip floor markings are sanded and therefore slip-resistant.

MYL-LL-50-AR
1 Stk.
18 x 50 m



LongLife floor marking tape hatched black/ yellow 50 mm, 25 meters

myLean® floor markings can be used on almost all indoor surfaces. Our floor markings are self-adhesive and therefore quick and easy to apply. rLongLife floor markings are forklift-proof, even against turning on the marking.

MYL-LL50-SG
1 Stk.
25 x 50 m



LongLife floor marking tape 75 mm, 50 meters

myLean® floor markings can be used for almost all indoor surfaces. Our floor markings are self-adhesive and therefore quick and easy to apply. LongLife floor markings are forklift-proof, even against turning on the marking.

MYL-LL-75
1 Stk.
50 x 75 m



LongLife floor marking tape anti-slip 75 mm, 18 meters

myLean® floor markings can be used on almost all indoor surfaces. Our floor markings are self-adhesive and therefore quick and easy to apply. rLongLife anti-slip floor markings are sanded and therefore slip-resistant.

MYL-LL-75-AR
1 Stk.
18 x 75 m



LongLife floor marking films



LongLife floor marking tape hatched black/ yellow 75 mm, 25 meters

myLean® floor markings can be used on almost all indoor surfaces. Our floor markings are self-adhesive and therefore quick and easy to apply. rLongLife floor markings are forklift-proof, even against turning on the marking.

MYL-LL75-SG

1 Stk.
25 x 75 m

LongLife transparent bottom window for DIN A5 labeling



Our floor windows are used to attach printed documents to the floor or walls, allowing areas to be marked easily and securely.
Packaging unit: 10 pieces

MYL-LL-KL-A

10 Stk.
310 x 250 mm

LongLife transparent bottom window for DIN A4 labeling



Our floor windows are used to attach printed documents to the floor or walls, allowing areas to be marked easily and securely.
Packaging unit: 10 pieces

MYL-LL-KL-A4-0

10 Stk.
400 x 310 mm



Additional information



Additional information

Any prices quoted are valid for 2 months from the date of issue.
Prices are net prices. Delivery ex works (Incoterm - EXW)
We assume no liability for the topicality, correctness and completeness of the information.
Our general terms and conditions apply!
https://shop.stramat.com/data/dokumente/AGB_de.pdf

STR_zz_§

