

Overview



Anti-rattle solutions



Channel and manhole equipment



Grouting and masonry mortar



Verkehrsspiegel



Construction site protection



Photovoltaik LED



Compressed air tools




Workshop and warehouse



Security clothing

Overview



Safety shoes

Additional information

Anti-rattle solutions



Anti-rattle insert

Anti-rattle pad - cushioning pad made of self-curing paste.

Bag content: approx. 440 g
Packaging unit: Carton with 10 bags

BEC-UR-AK
440 g
10 Stk.



Anti clatter insert Mini-Pack

Anti-rattle pad - cushioning pad made of self-curing paste.

Bag content: approx. 220 g
Packaging unit: Carton with 10 bags

BEC-UR-AK-Mini
220 g
10 Stk.



Original BECK® LILA anti-rattle ring Ø 66 cm

Quick and easy remedy for rattling manhole covers is the LILA anti-rattle ring.

Diameter: 66 cm
Ring thickness: approx. 2 mm
Ring weight: approx. 0,1 kg / piece
Packaging unit: Bundle á 25 pieces

BEC-UR-Li-66
0.1 kg
25 Stk.
66 cm



Original BECK® LILA anti-rattle ring Ø 68 cm

Quick and easy remedy for rattling manhole covers is the LILA anti-rattle ring.

Diameter: 68 cm
Ring thickness: approx. 2 mm
Ring weight: approx. 0,1 kg / piece
Packaging unit: Bundle á 25 pieces

BEC-UR-Li-68
0.1 kg
25 Stk.
68 cm



Channel and manhole equipment



Shaft formwork



Blocking plates



Shaft barrier grille



Manhole cover lifter



Shaft accessories



Shaft formwork



Bitumen steel construction

Bitumen paving formwork, adjustable, for self-leveling manhole covers.

Adjustment range: approx. 75 - 93 cm

Height: approx. 30 cm

BEC-RH-BS/058-075

15 kg

1 Stk.

30 cm



Bitumen steel construction

Bitumen paving formwork, adjustable, for self-leveling manhole covers.

Adjustment range: approx. 58 - 75 cm

Height: approx. 30 cm

BEC-RH-BS/075-093

15 kg

1 Stk.

30 cm



Air mantle shaft formwork 25 to 45 cm

Air jacket shaft formwork for road gullies with inner diameter approx. 25 cm to approx. 45 cm

BEC-RH-LS/025-045

7 kg

1 Stk.



Air mantle shaft formwork - 35 cm to 45 cm

Air jacket shaft formwork for road gullies with inner diameter approx. 35 cm to approx. 45 cm

BEC-RH-LS/035-045

6.8 kg

1 Stk.



Air mantle shaft formwork 62.5 cm

Air jacket shaft formwork for shafts with inner diameter approx. 62.5 cm

BEC-RH-LS/060

11.5 kg

1 Stk.



Air mantle shaft formwork 70 cm

Air jacket shaft formwork for shafts with inner diameter approx. 70 cm

BEC-RH-LS/070

1 Stk.



Air mantle shaft formwork 80 cm

Air jacket shaft formwork for shafts with inner diameter approx. 80 cm

BEC-RH-LS/080

1 Stk.



Shaft formwork



Metal shaft formwork approx. Ø 600 mm for manholes

The special quick-action screw connection ensures that it is pressed evenly against the shaft wall.

The elastic sponge rubber on the lower edge ensures sealing. The shaft grouting mortar can be applied over the entire surface under the shaft frame and, due to the overall height, also behind it.

BEC-RH-MS/060
8 kg
1 Stk.
600 mm



Blocking plates



Manhole shut-off plate for rainwater inlets with inner diameter approx. 350 mm

Manhole barrier plate for rainwater drains with an inner diameter of approx. 350 mm.

BEC-RH-AP/035-045

1 Stk.

Prevents construction debris, tools or even glasses, cell phones, cigarettes, car keys, etc. from falling into the drain.



Manhole shut-off plate for manholes with inner diameter approx. 625 mm

Manhole barrier plate for manholes with an inner diameter of approx. 625 mm.

BEC-RH-AP/060

1 Stk.

Prevents construction debris, tools or even glasses, cell phones, cigarettes, car keys, etc. from falling into the sewer.



Locking plate square, for square shafts - 590 x 590 mm

Shaft stop-off plate angular, for square shaft cones

Outside (with rubber): 590 x 590 mm

Metal part: 530 x 530 mm

BEC-RH-AP/060-060

12 kg

1 Stk.

530 x 530 mm



Manhole shut-off plate for manholes with inner diameter approx. 700 mm

Manhole barrier plate for manholes with an inner diameter of approx. 700 mm.

BEC-RH-AP/070

1 Stk.

Prevents construction debris, tools or even glasses, cell phones, cigarettes, car keys, etc. from falling into the sewer.



Manhole shut-off plate for manholes with inner diameter approx. 800 mm

Manhole barrier plate for manholes with an inner diameter of approx. 700 mm.

BEC-RH-AP/080

1 Stk.

Prevents construction debris, tools or even glasses, cell phones, cigarettes, car keys, etc. from falling into the sewer.



Shaft barrier grille



Cover grille, simple design

closed, without displacement protection, without flags, steel, galvanized

Outer diameter: approx. 65.5 cm

Load capacity up to max: 100 kg

Weight: approx. 6 kg

BEC-RO-AG/01

6 kg

1 Stk.

65.5 x 65.5 cm



Manhole cover grille, simple design, hinged, closed LW 600

For securing manhole openings and road drains during inspection, renovation and flushing work.

Cover grille, simple design, hinged in the middle, closed - for manholes with a clear width of 600 mm.

Outer diameter: 65.5 cm

BEC-RO-AG/01-KL

7 kg

1 Stk.

65.5 x 65.5 cm



Shaft cover grille, simple design with 120 mm cut-out, hinged, closed LW 600

Cover grille, simple design, hinged in the middle, closed - for shafts with a clear width of 600 mm.

Outer diameter: 65.5 cm

Cut-out: 120 mm

BEC-RO-AG/02-KL

7 kg

1 Stk.

65.5 x 65.5 cm



Manhole cover lifter



Allround lid lifter complete

A very compact, lightweight and most importantly collapsible manhole cover lifter. With this manhole cover lifter all common manhole covers can be lifted, moved away and reinserted.

BEC-DH-AR
8.5 kg
1 Stk.
150 x 32 cm



Twister magnetic cover lifter with cap for manhole covers and road gullies

Twister magnetic cover lifter with cap for manhole covers and road gullies

BEC-HW-TWI/052-STD
7 kg
1 Stk.



VALIFTER - Lifting Mechanic

It has a foldable handle, is lightweight and individually adjustable. It is the only manhole cover opener in the world with ergonomics certification.

Design: Mechanical

FED-A-C-S2-MC
9 kg
1 Stk.
80 x 27 x 24 cm



VALIFTER - Lifting Mechanic ATEX certified

It has a foldable handle, is lightweight and individually adjustable. It is the only manhole cover opener in the world with ergonomics certification.

Design: Mechanical
ATEX certified

FED-A-C-S2-MCAX
9 kg
1 Stk.
80 x 27 x 24 cm



VALIFTER - Lifting Mechanic Magnetic

It has a foldable handle, is lightweight and individually adjustable. It is the only manhole cover opener in the world with ergonomics certification.

Design: Magnetic

FED-A-C-S2-MG
9 kg
1 Stk.
80 x 27 x 24 cm



VALIFTER - Lifting Mechanic Magnetic Ex

It has a foldable handle, is lightweight and individually adjustable. It is the only manhole cover opener in the world with ergonomics certification.

Design: Magnetic
ATEX certified

FED-A-C-S2-MGAX
9 kg
1 Stk.
80 x 27 x 24 cm



Shaft accessories



Hand tamper, shock absorbed

Hand tamper shock-absorbed for compacting cold asphalt materials.

BEC-ASP-ZU-004
6 kg
1 Stk.



Hand hook 40 cm

Hand hook, 40 cm long, galvanized.
For opening manhole covers. With handle.

BEC-DH-HH/40
1.4 kg
1 Stk.
40 cm



Hand hook 60 cm

Hand hook, 60 cm long, galvanized.
For opening manhole covers. With handle.

BEC-DH-HH/60
1.4 kg
1 Stk.
60 cm



Hand hook 70 cm

Hand hook, 70 cm long, galvanized.
For opening manhole covers. With handle.

BEC-DH-HH/70
1.4 kg
1 Stk.
70 cm



Hand hook 70 cm with breakaway aids

The hand hook with breakaway aids is ideal for all:

- manhole covers, especially for locked covers
- road gullies and
- manhole covers

BEC-DH-HH/70S
1.6 kg
1 Stk.
70 cm



Hand hook 80 cm

Hand hook, 80 cm long, galvanized.
For opening manhole covers. With handle.

BEC-DH-HH/80
1.4 kg
1 Stk.
80 cm



Hand hook 80 cm with breakaway aids for snap locks

Hand hook, 80 cm,
with breakaway aids for snap caps with gripper for dirt traps with round
handle

BEC-DH-HH/80SG-R
2 kg
1 Stk.
80 cm



Shaft accessories



4-sided operating key 17 x 17 mm

The operating key enables easy opening of tightly fitted, bolted manhole covers.

Width across flats: 17 mm

BEC-DH-HH/BS4KT-17
4 kg
1 Stk.
700 mm



4-sided operating key 19 x 19 mm

The operating key enables easy opening of tightly fitted, bolted manhole covers.

Width across flats: 19 mm

BEC-DH-HH/BS4KT-19
4 kg
1 Stk.
700 mm



4-sided operating key 22 x 22 mm

The operating key enables easy opening of tightly fitted, bolted manhole covers.

Width across flats: 22 mm

BEC-DH-HH/BS4KT-22
4 kg
1 Stk.



Hand rotary wrench 50 cm

Hand rotary wrench 50 cm

BEC-DH-HH/DS
1 kg
1 Stk.
50 cm



Hand wrench 70 cm, bottom thin version

bottom thin design

BEC-DH-HH/DS70D
1.5 kg
1 Stk.
70 cm



Rotary wrench 70 cm with breakaway aid

Rotary wrench 70 cm with breakaway aids for various snap locks

BEC-DH-HH/DS70S
1.8 kg
1 Stk.
70 cm



Anti clatter insert

Anti-rattle pad - cushioning pad made of self-curing paste.

Bag content: approx. 440 g
Packaging unit: Carton with 10 bags

BEC-HW-MEH/23-001
60 kg
1 Stk.



Shaft accessories



Suspended ladder basic element (1.22 m)

Suspended ladder basic element (1.22 m)

BEC-HW-MEH/23-010

1 Stk.




Suspended ladder, 2 rungs (0.56 m)

Suspended ladder, 2 rungs (0.56 m)

BEC-HW-MEH/23-010.2

1 Stk.




Suspended ladder, 2 rungs (0.56 m)

Suspended ladder, 2 rungs (0.56 m)

BEC-HW-MEH/23-010.4

1 Stk.




Suspended ladder, 2 rungs (0.56 m)

Suspended ladder, 2 rungs (0.56 m)

BEC-HW-MEH/23-010.5

1 Stk.



Suspended ladder, 6 rungs (1.67 m)

Suspended ladder, 6 rungs (1.67 m)

BEC-HW-MEH/23-010.6

1 Stk.




Universal safety shaft cover

with displacement lock - for shafts made of steel, galvanized

BEC-RO/01

- closed
- outer diameter: approx. 65,5 cm
- loadable up to maximum: 100 kg
- weight: approx. 8 kg

1 Stk.



Safety shaft cover grid 12 cm cutout

with displacement lock

BEC-RO/02

- outer diameter: approx. 65.5 cm
- loadable up to a maximum of: 100 kg
- weight: approx. 8 kg
- execution: steel, galvanized

1 Stk.



Shaft accessories



Safety shaft cover guide pulley

With displacement lock.

- Outer diameter approx. 65.5 cm
- Loadable up to a maximum of: 100 kg
- weight: approx. 10 kg
- Execution: steel, galvanized

BEC-RO/03

1 Stk.



Grouting and masonry mortar



EBRALIT Super-Fix shaft grout mortar

The optimal building material for manhole bases. Optimal processing conditions due to always freshly produced goods.

EBRALIT is a highly flowable, shrink-free, fast-setting and heavy-duty grouting mortar that is used to completely fill joints under manhole frames.

BEC-EBRALIT
25 kg
25 kg



EBRAPLAST Special shaft masonry mortar

EBRAPLAST - special shaft masonry mortar for sewer construction. ready-to-use dry mix, grain size 0 - 2 with short working time

- non-shrink, frost, de-icing salt and sulfate resistant, according to ÖNorm
- impermeable to water
- highly loadable in shortest time

BEC-EBRAPLAST
25 kg
25 kg



STRAMAT repair mortar in 8 kg container

STRAMAT repair mortar is a durable, abrasion-resistant and weatherproof coating to smoothly adjust obstacles such as manhole covers, landings, etc. to the existing substrate. Road manholes and smaller potholes can be filled with our repair mortar.

OKA-116.7016.001_8
8 kg
8 kg



STRAMAT Repair Mortar UF 7 kg without fillers

STRAMAT repair mortar is a durable, abrasion-resistant and weatherproof coating to smoothly adapt obstacles such as manhole covers, landings, etc. to the existing substrate.

The pure resin material to mix yourself with dry sand!

OKA-116.7016.002
7 kg
7 kg



Verkehrsspiegel



Traffic mirror made of stainless steel Basic - with anti-icing protection 700 x 900 mm, oval

The Basic stainless steel mirror combines the advantages of the brilliant stainless steel mirror image with the impact and shock-resistant lightweight construction made of UV-resistant Hi-ABS plastic.

SPI-700
29 kg
1 Stk.
700 x 900 mm



Basic stainless steel traffic mirror - with anti-icing protection 450 x 600 mm

The Basic stainless steel mirror combines the advantages of the brilliant stainless steel mirror image with the impact and shock-resistant lightweight construction made of UV-resistant Hi-ABS plastic.

SPI-VBB450
15 kg
1 Stk.
520 x 670 mm



Traffic mirror made of stainless steel Basic - with anti-icing protection 600 x 800 mm

The Basic stainless steel mirror combines the advantages of the brilliant stainless steel mirror image with the impact and shock-resistant lightweight construction made of UV-resistant Hi-ABS plastic.

SPI-VBB600
20 kg
1 Stk.
670 x 870 mm



Traffic mirror made of stainless steel Basic - with anti-icing protection 800 x 1,000 mm

The Basic stainless steel mirror combines the advantages of the brilliant stainless steel mirror image with the impact and shock-resistant lightweight construction made of UV-resistant Hi-ABS plastic.

SPI-VBB800
31 kg
1 Stk.
800 x 1.000 mm



Traffic mirror made of stainless steel Basic - with anti-icing protection 600 x 600, round

The Basic stainless steel mirror combines the advantages of the brilliant stainless steel mirror image with the impact and shock-resistant lightweight construction made of UV-resistant Hi-ABS plastic.

SPI-VBBR60
18 kg
1 Stk.
600 x 600 mm



Traffic mirror made of stainless steel Basic - with anti-icing protection 800 x 800, round

The Basic stainless steel mirror combines the advantages of the brilliant stainless steel mirror image with the impact and shock-resistant lightweight construction made of UV-resistant Hi-ABS plastic.

SPI-VBBR80
23 kg
1 Stk.
800 x 800 mm



Basic stainless steel traffic mirror - standard 450 x 600 mm

The Basic stainless steel mirror combines the advantages of the brilliant stainless steel mirror image with the impact and shock-resistant lightweight construction made of UV-resistant Hi-ABS plastic.

SPI-VEB450
6.5 kg
1 Stk.
520 x 670 mm



Verkehrsspiegel



Traffic mirror made of stainless steel Basic - Standard 600 x 800 mm

The Basic stainless steel mirror combines the advantages of the brilliant stainless steel mirror image with the impact and shock-resistant lightweight construction made of UV-resistant Hi-ABS plastic.

SPI-VEB600
9 kg
1 Stk.
670 x 870 mm



Traffic mirror made of stainless steel Basic - Standard 700 x 900 mm, oval

The Basic stainless steel mirror combines the advantages of the brilliant stainless steel mirror image with the impact and shock-resistant lightweight construction made of UV-resistant Hi-ABS plastic.

SPI-VEB700
15 kg
1 Stk.
770 x 970 mm



Traffic mirror made of stainless steel Basic - Standard 800 x 1,000 mm

The Basic stainless steel mirror combines the advantages of the brilliant stainless steel mirror image with the impact and shock-resistant lightweight construction made of UV-resistant Hi-ABS plastic.

SPI-VEB800
10 kg
1 Stk.
800 x 1.000 mm



Traffic mirror made of stainless steel Basic - Standard 600 x 600 mm, round

The Basic stainless steel mirror combines the advantages of the brilliant stainless steel mirror image with the impact and shock-resistant lightweight construction made of UV-resistant Hi-ABS plastic.

SPI-VEBR60
7.5 kg
1 Stk.
714 x 714 mm



Traffic mirror made of stainless steel Basic - Standard 800 x 800 mm, round

The Basic stainless steel mirror combines the advantages of the brilliant stainless steel mirror image with the impact and shock-resistant lightweight construction made of UV-resistant Hi-ABS plastic.

SPI-VEBR80
13 kg
1 Stk.
914 x 914 mm



Basic stainless steel traffic mirror - Lotos 450 x 600 mm

The Basic stainless steel mirror combines the advantages of the brilliant stainless steel mirror image with the impact and shock-resistant lightweight construction made of UV-resistant Hi-ABS plastic.

SPI-VLB450
7.5 kg
1 Stk.
520 x 670 mm



Basic stainless steel traffic mirror - Lotos 600 x 800 mm

The Basic stainless steel mirror combines the advantages of the brilliant stainless steel mirror image with the impact and shock-resistant lightweight construction made of UV-resistant Hi-ABS plastic.

SPI-VLB600
9 kg
1 Stk.
670 x 870 mm



Verkehrsspiegel



Traffic mirror made of stainless steel Basic - Lotos 700 x 900 mm, oval

The Basic stainless steel mirror combines the advantages of the brilliant stainless steel mirror image with the impact and shock-resistant lightweight construction made of UV-resistant Hi-ABS plastic.


SPI-VLB700
16 kg
1 Stk.
770 x 970 mm



Basic stainless steel traffic mirror - Lotos 800 x 1,000 mm

The Basic stainless steel mirror combines the advantages of the brilliant stainless steel mirror image with the impact and shock-resistant lightweight construction made of UV-resistant Hi-ABS plastic.


SPI-VLB800
11 kg
1 Stk.
800 x 1.000 mm



Traffic mirror made of stainless steel Basic - Standard 600 x 600 mm, round

The Basic stainless steel mirror combines the advantages of the brilliant stainless steel mirror image with the impact and shock-resistant lightweight construction made of UV-resistant Hi-ABS plastic.

SPI-VLBR60
7.5 kg
1 Stk.
714 x 714 mm



Traffic mirror made of stainless steel Basic - Lotos 800 x 800 mm, round

The Basic stainless steel mirror combines the advantages of the brilliant stainless steel mirror image with the impact and shock-resistant lightweight construction made of UV-resistant Hi-ABS plastic.

SPI-VLBR80
13 kg
1 Stk.
914 x 914 mm



Construction site protection



Barrier fences / barrier fences



Folding signals



Cones



Warning lights



Barrier fences / barrier fences



Manhole protection grating according to TL, 1.00 m x 1.00 m, 2-piece

Manhole protection grating according to TL
1,00 m x 1,00 m
2-part

SHA-34600
36.6 kg
1 Stk.
1.000 x 1.000 x 60 mm



Manhole protection grating according to TL, 1.60 m x 1.60 m, 2-piece

Manhole protection grating according to TL
1,60 m x 1,60 m
2-part

SHA-34601
56.33 kg
1 Stk.
1.600 x 1.000 x 60 mm



Shaft protection grating according to TL, 2.00 m x 2.00 m, 2-part

Shaft protection grating according to TL
2,00 m x 2,00 m
2-part


SHA-34602
63 kg
1 Stk.
2.000 x 1.000 x 60 mm



Barrier scissors, extendable up to 2.50 m, red / white

Barrier
extendable up to 2,50 m
red / white

SHA-35500
12.5 kg
1 Stk.
1.000 x 740 x 400 mm



Barrier scissors, extendable up to 2.50 m, yellow / black

Barrier
extendable up to 2,50 m
yellow / black


SHA-35500-I
12.5 kg
1 Stk.
1.000 x 740 x 400 mm



Barrier scissors, extendable up to 3.50 m, red / white

Barrier scissors
extendable up to 3,50 m
red / white

SHA-35510
13.9 kg
1 Stk.
1.000 x 740 x 700 mm




Barrier scissors, extendable up to 3.50 m, yellow / black

Barrier scissors
extendable up to 3,50 m
yellow / black

SHA-35510-I
13.9 kg
1 Stk.
1.000 x 740 x 700 mm




Barrier fences / barrier fences



Manhole protection grating, 1.00 m wide, 2-piece

Manhole protection grating
1,00 m wide
2-piece


SHA-35600
21.97 kg
1 Stk.
900 x 500 x 60 mm



Manhole protection grating, 1.20 m wide, 2-piece

Manhole protection grating
1,20 m wide
2-piece

SHA-35620
24.88 kg
1 Stk.
900 x 600 x 60 mm




Plastic barrier fence / construction fence PVC white / red

Plastic barrier fence/construction fence for fall protection.

Length: 2.000 mm
Height: 1.100 mm
Width: 50 mm

The foot plates are not included in the delivery.

TIO-BAR Type 4
10 kg
1 Stk.
2.000 x 50 x 1.100 mm



Road barrier

Aluminum road barrier covered with foil type 2.

- Closed 12 x 32 x 92 cm
- Extension possible up to 5 meters
- Weight 13,5 kg

TRI-322.194
13.5 kg
1 Stk.
12 x 32 x 92 cm



Folding signals



Guide cone one-piece according to TL - height: 500 mm

Guide cone one-piece according to TL, foil type 1, height: 500 mm

SHA-3L500TL
2.5 kg
1 Stk.
500 x 300 x 300 mm




Triopan Standard (same on all three sides) Height: 70 cm - R1 Reflective

Finish: R1 - Reflective
Height: 70 cm

TRI-200-SO145392

All sides of the folding signal with the same imprint.

1 Stk.
70 cm



Triopan Standard (same on all three sides) Height: 60 cm - R1 Reflective

Finish: R1 - Reflective
Height: 60 cm

TRI-300.016

All sides of the folding signal with the same imprint.

1 Stk.
60 cm



Triopan Standard (same on all three sides) Height: 70 cm - R1 Reflective

Finish: R1 - Reflective
Height: 70 cm

TRI-300.017

All sides of the folding signal with the same imprint.

1 Stk.
70 cm



Triopan Standard (same on all three sides) Height: 90 cm - R1 Reflective

Finish: R1 - Reflective
Height: 90 cm

TRI-300.018

All sides of the folding signal with the same imprint.

1 Stk.
90 cm



Triopan Standard (same on all three sides) Height: 110 cm - R1 Reflective

Finish: R1 - Reflective
Height: 110 cm

TRI-300.019

All sides of the folding signal with the same imprint.

1 Stk.
110 cm



Triopan combination (sides printed differently) Height: 60 cm - R1 Reflective

Finish: R1 - Reflective
Height: 60 cm

TRI-300.036-60R1

All three sides can be printed with different symbols.

1 Stk.
60 cm

Folding signals



Triopan combination (sides printed differently)
Height: 70 cm - R1 Reflective

Finish: R1 - Reflective
Height: 70 cm

TRI-300.037-60R1

All three sides can be printed with different symbols.

1 Stk.
70 cm



Triopan combination (sides printed differently)
Height: 90 cm - R1 Reflective

Finish: R1 - Reflective
Height: 90 cm

TRI-300.038-90R1

All three sides can be printed with different symbols.

1 Stk.
90 cm



Triopan combination (sides printed differently)
Height: 110 cm - R1 Reflective

Finish: R1 - Reflective
Height: 110 cm

TRI-300.039-110R1

All three sides can be printed with different symbols.

1 Stk.
110 cm



Triopan Standard (same on all three sides)
Height: 90 cm - R2 Highly reflective

Finish: R2 - Highly reflective
Height: 90 cm

TRI-310.357

All sides of the folding signal with the same imprint.

1 Stk.
90 cm



Triopan combination (sides printed differently)
Height: 90 cm - R2 Highly reflective

Finish: R2 - Highly reflective
Height: 90 cm

TRI-310.359-90R2

All three sides can be printed with different symbols.

1 Stk.
90 cm



Triopan Standard (same on all three sides)
Height: 70 cm - R2 Highly reflective

Finish: R2 - Highly reflective
Height: 70 cm

TRI-323.760

All sides of the folding signal with the same imprint.

1 Stk.
70 cm



Triopan combination (sides printed differently)
Height: 70 cm - R2 Highly reflective

Finish: R2 - Highly reflective
Height: 70 cm

TRI-324.508-70R2

All three sides can be printed with different symbols.

1 Stk.
70 cm



Folding signals



Triopan combination (sides printed differently) Height: 60 cm - R2 Highly reflective

Finish: R2 - Highly reflective
Height: 60 cm

TRI-324.600-60R2

All three sides can be printed with different symbols.

1 Stk.
60 cm



Triopan Standard (same on all three sides) Height: 60 cm - R2 Highly reflective

Finish: R2 - Highly reflective
Height: 60 cm

TRI-325.511

All sides of the folding signal with the same imprint.

1 Stk.
60 cm



Triopan Standard (same on all three sides) Height: 110 cm - R2 Highly reflective

Finish: R2 - Highly reflective
Height: 110 cm

TRI-328.562

All sides of the folding signal with the same imprint.

1 Stk.
110 cm



Triopan combination (sides printed differently) Height: 110 cm - R2 Highly reflective

Finish: R2 - Highly reflective
Height: 110 cm

TRI-328.563-110R2

All three sides can be printed with different symbols.

1 Stk.
110 cm



Triopan mowing (same on all three sides) Height: 70 cm - Normal

TRIOPAN folding signal Mowing work

TRI-803 324

Design: Normal - (non-reflective)
Height: 70 cm

All sides of the folding signal with the imprint Bauarbeiter und darunter stehendeText Markierung.

1 Stk.
70 cm



Triopan Standard 60 cm normal version

Finish: N - Non reflective
Height: 60 cm

TRI-STA-300.011-60N

All sides of the folding signal with the same imprint.
Version for daytime use with red fluorescent warning triangle. Range of use up to -35 degrees Celsius.

1 Stk.
60 cm



Folding signals



Triopan Standard 70 cm normal version

Finish: N - Non reflective
Height: 70 cm

TRI-STA-300.012-70N

All sides of the folding signal with the same imprint.
Version for daytime use with red fluorescent warning triangle. Range of use up to -35 degrees Celsius.

1 Stk.
70 cm



Triopan Standard 90 cm normal version

Finish: N - Non reflective
Height: 90 cm

TRI-STA-300.013-90N

All sides of the folding signal with the same imprint.
Version for daytime use with red fluorescent warning triangle. Range of use up to -35 degrees Celsius.

1 Stk.
90 cm



Triopan Standard 110 cm normal version

Finish: N - Non reflective
Height: 110 cm

TRI-STA-300.014-110N

All sides of the folding signal with the same imprint.
Version for daytime use with red fluorescent warning triangle. Range of use up to -35 degrees Celsius.

1 Stk.
110 cm



Triopan combi 60 cm normal version

Finish: N - Non reflective
Height: 60 cm

TRI-STA-300.031-60N

All three sides can be printed with different symbols.
Version for daytime use with red fluorescent warning triangle. Range of use up to -35 degrees Celsius.

1 Stk.
60 cm



Triopan combi 70 cm normal version

Finish: N - Non reflective
Height: 70 cm

TRI-STA-300.032-70N

All three sides can be printed with different symbols.
Version for daytime use with red fluorescent warning triangle. Range of use up to -35 degrees Celsius.

1 Stk.
70 cm



Triopan combi 90 cm normal version

Finish: N - Non reflective
Height: 90 cm

TRI-STA-300.033-90N

All three sides can be printed with different symbols.
Version for daytime use with red fluorescent warning triangle. Range of use up to -35 degrees Celsius.

1 Stk.
90 cm



Triopan combi 110 cm normal version

Finish: N - Non reflective
Height: 110 cm

TRI-STA-300.034-110N

All three sides can be printed with different symbols.
Version for daytime use with red fluorescent warning triangle. Range of use up to -35 degrees Celsius.

1 Stk.
110 cm



Cones



traffic cone daylight - height: 200 mm

Traffic cone daylight, red / white, height: 200 mm

SHA-3L200
0.2 kg
1 Stk.
200 x 160 x 160 mm



Guiding cone daylight - height: 320 mm

Traffic cone daylight, red / white, height: 320 mm

SHA-3L320
0.5 kg
1 Stk.
320 x 227 x 227 mm



traffic cone daylight - height: 500 mm

Traffic cone daylight, red / white, height: 500 mm

SHA-3L500
1.2 kg
1 Stk.
500 x 300 x 300 mm



traffic cone daylight - height: 500 mm

Traffic cone daylight, red / white reflective, height: 500 mm

SHA-3L500RS2
1.3 kg
1 Stk.
500 x 300 x 300 mm



One-piece traffic cone according to TL - height: 500 mm - with 2 fully reflective strips of foil type RA2/B

Guiding cone BAST tested according to TL - one-piece
made of strong PVC material
good stability, stackable
with 2 fully reflective strips of foil type RA2/B
Color: red / white

SHA-3L500TL2
2.5 kg
1 Stk.
500 x 300 x 300 mm



Guide cone two-piece good stability, stackable, base plate made of recycled material, height: 500 mm, color foil rings: white

Height: 500 mm, color foil rings: white

SHA-3L530RS2
5.24 kg
1 Stk.
500 x 300 x 300 mm



Guiding cone in two parts according to TL with reflective foil jacket - height 500 mm - foil type 1

Guiding cone in two parts according to TL with reflective foil jacket, height: 500 mm, foil type 1

SHA-3L530TL
2.7 kg
1 Stk.
500 x 300 x 300 mm

Cones



Guiding cone in two parts according to TL with reflective foil jacket - height 500 mm

Guiding cone in two parts according to TL with reflective foil jacket, height: 500 mm, foil type 2

SHA-3L530TL2
2.7 kg
1 Stk.
500 x 300 x 300 mm



Guide cone two-piece good stability, stackable, base plate made of recycled material, height: 750 mm, color foil rings: white

Height: 750 mm, color foil rings: white

SHA-3L730RS2
5.11 kg
1 Stk.
750 x 400 x 400 mm



Guiding cone two-part according to TL with reflective foil jacket - height 750 mm - foil type 1

Guiding cone two-part according to TL with reflective foil jacket, height: 750 mm, foil type 1

SHA-3L730TL
5.31 kg
1 Stk.
750 x 400 x 400 mm



Guiding cone in two parts according to TL with reflective foil jacket - height 750 mm

Guiding cone in two parts according to TL with reflective foil jacket, height: 750 mm, foil type 2

SHA-3L730TL2
5.31 kg
1 Stk.
750 x 400 x 400 mm



traffic cone daylight - height: 750 mm

Traffic cone daylight, red / white, height: 750 mm

SHA-3L750
3.2 kg
1 Stk.
750 x 400 x 400 mm



traffic cone daylight - height: 750 mm

Traffic cone daylight, red / white reflective, height: 750 mm

SHA-3L750RS2
3.3 kg
1 Stk.
750 x 400 x 400 mm



Guide cone one-piece according to TL - height: 750 mm

Guide cone one-piece according to TL, foil type 1, height: 750 mm

SHA-3L750TL
5 kg
1 Stk.
750 x 400 x 400 mm



Cones



Guide cone one-piece according to TL - height: 750 mm

Guide cone one-piece according to TL, foil type 2, height: 750 mm

SHA-3L750TL2
5 kg
1 Stk.
750 x 400 x 400 mm



Traffic cone 320 mm

PVC, 320 mm, 0,64 kg
retroreflective foil
class RA 2

TEM-12303-320 ZR
0.84 kg
1 Stk.



Traffic cone 500 mm

PVC, 500 mm, 1,30 kg
retroreflective foil
class RA 2

TEM-12306-500 ZR
1.3 kg
1 Stk.



Traffic cone 750 mm

PVC, 750 mm, 3,20 kg
retroreflective foil
class RA 2

TEM-12309-750 ZR
3.2 kg
1 Stk.



Warning lights



Construction site warning light - orange optics

Construction site warning light
Yellow optics

SHA-31211G
6 kg
1 Stk.
5.000 x 47 x 47 mm



Construction site warning light - red optics

Construction site warning light
Red optics

SHA-31211R
1.1 kg
1 Stk.
350 x 180 x 80 mm



TL beacon light PowerNox, BAST tested, light emission one-sided, yellow

TL beacon light PowerNox
BAST tested
light emission one-sided
yellow optics

SHA-33NOXG1
0.9 kg
1 Stk.
290 x 260 x 80 mm



TL beacon light PowerNox, BAST tested, light emission double-sided, yellow

TL beacon light PowerNox
BAST tested
light emission double-sided
yellow optics

SHA-33NOXG2
0.9 kg
1 Stk.
290 x 260 x 80 mm



TL beacon light PowerNox, BAST tested, light emission one-sided, red

TL beacon light PowerNox
BAST tested
light emission one-sided
red optics

SHA-33NOXR1
0.9 kg
1 Stk.
290 x 260 x 80 mm



TL beacon light PowerNox, BAST tested, light emission double-sided, red

TL beacon light PowerNox
BAST tested
light emission double-sided
red optics

SHA-33NOXR2
0.9 kg
1 Stk.
290 x 260 x 80 mm

Kein Bild verfügbar!

Bitte beachten Sie die
Dokumente unter
Downloads / Pdf Docs

No picture available!

Please have a look for the
documents you will find under
Downloads / Pdf Docs

Triopan Fireball yellow

Functions: Single flash

Technical data: Luminous intensity 280 cd,

Light color: Yellow

Flash rate: 60 blinks/min.

Operating time with battery equipment at 20 degrees and 6 AA batteries:
Single flash approx. 45 hours

TRI-329.921



Warning lights



Triopan Fireball yellow

Functions: Single flash
Technical data: Luminous intensity 280 cd,
Light color: Yellow
Flash rate: 60 blinks/min.
Operating time with battery equipment at 20 degrees and 6 AA batteries:
Single flash approx. 45 hours

TRI-760.000



Triopan Fireball green

Functions: Single flash
Technical data: Luminous intensity 280 cd,
Light color: Green
Flash rate: 60 blinks/min.
Operating time with battery equipment at 20 degrees and 6 AA batteries:
Single flash approx. 45 hours

TRI-760.022



Triopan Fireball blue

Functions: Single flash
Technical data: Luminous intensity 280 cd,
Light color: Blue
Flash rate: 60 blinks/min.
Operating time with battery equipment at 20 degrees and 6 AA batteries:
Single flash approx. 45 hours

TRI-760.033



Triopan Helios Master yellow 2-sided

Functions: Single, double and triple flash
Double battery housing (without holder), large bracket, super LED with extremely high energy efficiency and service life, no bulb replacement
Light intensity 270 cd, light color yellow, flash rate 60 flashes/min.

TRI-777.784



Triopan Helios Master green 2-sided

Functions: Single, double and triple flash
Double battery housing (without holder), large bracket, super LED with extremely high energy efficiency and service life, no bulb replacement
Light intensity 270 cd, light color green, flash rate 60 flashes/min.

TRI-777.791



Triopan Helios Master red 2-sided

Functions: Single, double and triple flash
Double battery housing (without holder), large bracket, super LED with extremely high energy efficiency and service life, no bulb replacement
Light intensity 270 cd, light color red, flash rate 60 flashes/min.

TRI-777.793



Triopan Helios Master blue 2-sided

Functions: Single, double and triple flash
Double battery housing (without holder), large bracket, super LED with extremely high energy efficiency and service life, no bulb replacement
Light intensity 270 cd, light color yellow, flash rate 60 flashes/min.

TRI-777.795



Warning lights



Triopan Helios Master red/white 2-sided

Functions: Single, double and triple flash
Double battery housing (without holder), large bracket, super LED with extremely high energy efficiency and service life, no bulb replacement
Light intensity 270 cd, light color red, flash rate 60 flashes/min.

TRI-777.797



Triopan Helios Master white 2-sided

Functions: Single, double and triple flash
Double battery housing (without holder), large bracket, super LED with extremely high energy efficiency and service life, no bulb replacement
Light intensity 270 cd, light color yellow, flash rate 60 flashes/min.

TRI-777.799



Triopan Helios Master RF yellow 2-seitig, so outside switch

Functions:- Single, double and triple flash
- Backlight
- Build-up light, running light, flash storm/random generator

Light intensity 350 cd, light color yellow, flash rate 60 flash/min.

TRI-777.801



Triopan Helios Master yellow/red 2-sided

Functions: Single, double and triple flash
Double battery housing (without holder), large bracket, super LED with extremely high energy efficiency and service life, no bulb replacement
Light intensity 270 cd, light color yellow/red, flash rate 60 flashes/min.

TRI-777.805



Triopan Fireball red

Functions: Single flash
Technical data: Luminous intensity 280 cd,
Light color: Red
Flash rate: 60 blinks/min.
Operating time with battery equipment at 20 degrees and 6 AA batteries:
Single flash approx. 45 hours

TRI-777.901



Photovoltaik LED



Solar Vision 01

Ideally suited for mounting on concrete barriers or masonry on the road. Increases safety many times over in fog, rain or darkness. Surface-mounted solar LED - polycarbonate housing - can only be driven over with restrictions

STE-04-1110-010
10 Stk.



Solar Vision 02

A solar marker that must be installed in the surface by drilling a hole in the surface. Suitable for driving over, depending on the different type of modular housing. Recessed solar LED - polycarbonate housing - can be driven over with average traffic load

STE-04-2110-010
330 g
6 Stk.
128 x 128 x 32 mm



Solar Vision 02 Regular (rvs ring)

A solar marker that must be installed in the surface by drilling a hole in the surface. Suitable for driving over, depending on the different type of modular housing. Recessed solar LED - polycarbonate housing - can be driven over with average traffic load


STE-04-2120-010
415 g
6 Stk.
128 x 128 x 32 mm



Solar Vision 02 Regular (rvs ring)

A solar marker that must be installed in the surface by drilling a hole in the surface. Suitable for driving over, depending on the different type of modular housing. Recessed solar LED - polycarbonate housing - can be driven over with average traffic load

STE-04-2130-010
900 g
6 Stk.
156 x 156 x 35 mm



Solar Vision 03

A solar marker for installation in elements and sidewalks or in places where it does not come into contact with heavy traffic. Recessed solar LED - polycarbonate housing - can be driven over with average traffic load

STE-04-3110-10
155 g
10 Stk.
84 x 84 x 25 mm



Solar Vision 03 with mounting tray

A solar marker for installation in elements and sidewalks or in places where it does not come into contact with heavy traffic. Recessed solar LED - polycarbonate housing - can be driven over with average traffic load

STE-04-3910-10
205 g
10 Stk.
84 x 84 x 25 mm



Solar Vision 04

A solar marker for installation in elements and sidewalks or in places where it does not come into contact with heavy traffic. Recessed solar LED - polycarbonate housing - can be driven over with average traffic load

STE-04-4110-10
175 g
10 Stk.
84 x 84 x 25 mm



Photovoltaik LED



Solar Vision 04 with mounting tray

A solar marker for installation in elements and sidewalks or in places where it does not come into contact with heavy traffic.
Recessed solar LED - polycarbonate housing - can be driven over with average traffic load

STE-4-4910-010
225 g
10 Stk.
84 x 84 x 25 mm



Compressed air tools



23 B Chisel hammer

The Von Arx chisel hammer 23 B is ideal for removing carpet, chipping off old plaster, bush hammering natural stone, chiseling out joints and pointed work on masonry. There is the right Von Arx chisel hammer with various chisel attachments for every job.

ARX - 700314

1 Stk.



34 B Chisel hammer

The Von Arx chisel hammer 34 B is ideal for removing carpet, chipping off old plaster, bush hammering natural stone, chiseling out joints and pointed work on masonry. There is the right Von Arx chisel hammer with various chisel attachments for every job.

ARX - 700366

1 Stk.



45 B Chisel hammer

The Von Arx chisel hammer 45 B is ideal for removing carpet, chipping off old plaster, bush hammering natural stone, chiseling out joints and pointed work on masonry. There is the right Von Arx chisel hammer with various chisel attachments for every job.

ARX - 700411

1 Stk.



23 BG Chisel hammer

The Von Arx chisel hammer 23 BG is ideal for removing carpet, chipping off old plaster, bush hammering natural stone, chiseling out joints and pointed work on masonry. There is the right Von Arx chisel hammer with various chisel attachments for every job.

ARX - 700441

1 Stk.



Scrap Air 36 V1 short pneumatic hammer

The Scrap Air S36 V1 pneumatic hammer short has an anti-vibration system in the head of the tool. Built with a straight handle - optimized for confined working conditions. The ideal tool for woodworking, plaster removal, industrial cleaning or light demolition work.

MAB_7060015

3.4 kg

1 Stk.

50 cm



Scrap Air 36 V1 medium-length pneumatic hammer

The Scrap Air S36 V1 medium-length pneumatic hammer has an anti-vibration system in the head of the tool. Built with a straight handle. The ideal tool for woodworking, plaster removal, industrial cleaning or light demolition work.

MAB_7060016

4 kg

1 Stk.

88 cm



Scrap Air 38 V1 short pneumatic hammer

The Scrap Air S38 V1 pneumatic hammer short has an anti-vibration system in the head of the tool. Built with a straight handle - optimized for confined working conditions. The ideal tool for woodworking, plaster removal, industrial cleaning or light demolition work.

MAB_7060507

3.6 kg

1 Stk.

52 cm



Compressed air tools

Scrap Air 38 V1 medium-length pneumatic hammer



The Scrap Air S38 V1 medium-length pneumatic hammer has an anti-vibration system in the head of the tool. Built with a straight handle. The ideal tool for woodworking, plaster removal, industrial cleaning or light demolition work.

MAB_7060508
4.2 kg
1 Stk.
90 cm

Scrap Air 55 V1 long pneumatic hammer



The Scrap Air S55 V1 medium-length pneumatic hammer has an anti-vibration system in the head of the tool. Built with a straight handle. The ideal tool for woodworking, plaster removal, industrial cleaning or light demolition work. Also ideal for working on asphalt surfaces or demolition work.

MAB_7070012
6.2 kg
1 Stk.
115 cm

Scrap Air 36 V2 short pneumatic hammer



The Scrap Air S36 V2 pneumatic hammer short has an anti-vibration system in the head and handle of the tool. Built with a pistol grip - optimized for confined working conditions. The V2 provides additional protection for the user with a second anti-vibration system located in the pistol grip. Up to 60 % reduction of vibrations in the user's hands and arms.

MAB_7070510
4 kg
1 Stk.
51 cm

Scrap Air 38 V2 short pneumatic hammer



The Scrap Air S38 V2 pneumatic hammer short has an anti-vibration system in the head and handle of the tool. Built with a pistol grip - optimized for confined working conditions. The ideal tool for woodworking, plaster removal, industrial cleaning or light demolition work.

MAB_7070520
4.5 kg
1 Stk.
53 cm

Scrap Air 55 V2 T-handle



The Scrap Air S55 V2 pneumatic hammer with T-handle has an anti-vibration system in the head and handle of the tool. Built with a pistol grip. The V2 provides additional protection for the user with a second anti-vibration system located in the pistol grip. Up to 60% reduction of vibrations in the user's hands and arms.

MAB_7070550
6.8 kg
1 Stk.
89 cm

Scrap Air 36 V2 medium-length pneumatic hammer



The Scrap Air S36 V2 medium-length pneumatic hammer has an anti-vibration system in the head and handle of the tool. Built with a pistol grip. The V2 provides additional protection for the user with a second anti-vibration system located in the pistol grip. Up to 60% reduction of vibrations in the user's hands and arms.

MAB_7070600
4.3 kg
1 Stk.
83 cm

Scrap Air 38 V2 medium-length pneumatic hammer



The Scrap Air S38 V2 medium-length pneumatic hammer has an anti-vibration system in the head and handle of the tool. Built with a pistol grip. The V2 provides additional protection for the user with a second anti-vibration system located in the pistol grip. Up to 60% reduction of vibrations in the user's hands and arms.

MAB_7070610
5.3 kg
1 Stk.
85 cm



Compressed air tools

Scrap Air 55 V2 long pneumatic hammer



The Scrap Air S55 V2 long pneumatic hammer has an anti-vibration system in the head and handle of the tool. Built with a pistol grip. The V2 provides additional protection for the user with a second anti-vibration system located in the pistol grip. Up to 60% reduction of vibrations in the user's hands and arms.

MAB_7070720
6.8 kg
1 Stk.
123 cm



Workshop and warehouse



Cleaning station Clean Tower Flexi red

The CleanTower Flexi is ideal for all areas where different cleaning accessories are required.
Includes broom, dustpan and hand brush,
5 holes in the base plate for floor fixings or castors.

MYL-10001043
25 kg
1 Stk.
40 x 190 cm



Cleaning station Clean Tower Flexi black

The CleanTower Flexi is ideal for all areas where different cleaning accessories are required.
Includes broom, dustpan and hand brush,
5 holes in the base plate for floor fixings or castors.

MYL-10001044
25 kg
1 Stk.
40 x 190 cm



Cleaning station Clean Tower Flexi silver

The CleanTower Flexi is ideal for all areas where different cleaning accessories are required.
Includes broom, dustpan and hand brush,
5 holes in the base plate for floor fixings or castors.

MYL-10001045
25 kg
1 Stk.
40 x 190 cm



Cleaning station Clean Tower Flexi yellow

The CleanTower Flexi is ideal for all areas where different cleaning accessories are required.
Includes broom, dustpan and hand brush,
5 holes in the base plate for floor fixings or castors.

MYL-10001046
25 kg
1 Stk.
40 x 190 cm



Security clothing



jackets



Pants



T-shirts and sweatshirts



jackets



REFLECTIQ High-Vis work jacket PSA 2 - warning yellow/anthracite

- with EasyBrand function thanks to certified finishing option on the back
- Contrasting elements: side inserts on front and back, back, front and sleeve hems, upper arm insert
- Zippers and press studs: black for all color combinations
- Reflective elements: on the upper arm, reflective look in Body Language (5 cm wide) running vertically over the shoulder, 1 reflective stripe on the torso and 2 reflective stripes on each sleeve all the way round

KUB_1207 8340-3497

1 Stk.



REFLECTIQ High-Vis work jacket PSA 2 - warning orange/dark blue

- with body-hugging cut
- with EasyBrand chest pocket - for easier customization
- Contrasting elements: hem area on torso and sleeves, front and back yoke, CORDURA® reinforcements
- Stretch: Black color for all color combinations

KUB_1207 8340-3748

1 Stk.



REFLECTIQ High-Vis work jacket PSA 2 - warning orange/anthracite

- with EasyBrand function thanks to certified finishing option on the back
- Contrasting elements: side inserts on front and back, back, front and sleeve hems, upper arm insert
- Zippers and press studs: black for all color combinations
- Reflective elements: on the upper arm, reflective look in Body Language (5 cm wide) running vertically over the shoulder, 1 reflective stripe on the torso and 2 reflective stripes on each sleeve all the way round

KUB_1207 8340-3797

1 Stk.



REFLECTIQ High-Vis work jacket PSA 2 - warning red/anthracite

- with body-hugging cut
- with EasyBrand chest pocket - for easier customization
- Contrasting elements: hem area on torso and sleeves, front and back yoke, CORDURA® reinforcements
- Stretch: Black color for all color combinations

KUB_1207 8341-5499

1 Stk.



REFLECTIQ High-Vis weather jacket Sympatex® PSA 2 - warning yellow/anthracite

- with body-hugging cut
- Contrasting elements: In the hem area on the torso and sleeves, front and back yoke, inner collar, CORDURA® reinforcements, volume pleat on chest pocket
- Pocket flaps are reinforced with black ribbed tape

KUB_1307 8332-3497

1 Stk.



REFLECTIQ High-Vis weather jacket Sympatex® PSA 2 - warning orange/dark blue

- with body-hugging cut
- Contrasting elements: In the hem area on the torso and sleeves, front and back yoke, inner collar, CORDURA® reinforcements, volume pleat on chest pocket
- Pocket flaps are reinforced with black ribbed tape

KUB_1307 8332-3748

1 Stk.



jackets



REFLECTIQ High-Vis weather jacket Sympatex® PSA 2 - warning orange/anthracite

- with body-hugging cut
- Contrasting elements: In the hem area on the torso and sleeves, front and back yoke, inner collar, CORDURA® reinforcements, volume pleat on chest pocket
- Pocket flaps are reinforced with black ribbed tape

KUB_1307 8332-3797

1 Stk.



REFLECTIQ High-Vis hardshell jacket PSA 2 - warning yellow/anthracite

- Modern look thanks to ripstop Oxford fabric
- Contrasting elements: lower front and back sections, shoulder and sleeve inserts
- Reflective elements: reflective look in body language, reflective stripes around torso (5 cm wide),

KUB_1327 82313-3497

1 Stk.



REFLECTIQ High-Vis hardshell jacket PSA 2 - warning orange/dark blue

- Modern look thanks to ripstop Oxford fabric
- Contrasting elements: lower front and back sections, shoulder and sleeve inserts
- Reflective elements: reflective look in body language, reflective stripes around torso (5 cm wide),

KUB_1327 8231-3748

1 Stk.



REFLECTIQ High-Vis hardshell jacket PSA 2 - warning orange/anthracite

- Modern look thanks to ripstop Oxford fabric
- Contrasting elements: lower front and back sections, shoulder and sleeve inserts
- Reflective elements: reflective look in body language, reflective stripes around torso (5 cm wide),

KUB_1327 8231-3797

1 Stk.



REFLECTIQ High-Vis work jacket ARC1 PSA 3 - warning yellow/anthracite

- with EasyBrand function thanks to certified finishing option on the back
- Contrasting elements: side inserts on front and back, back, front and sleeve hems, upper arm insert
- Zippers and press studs: black for all color combinations
- Reflective elements: on the upper arm, reflective look in Body Language (5 cm wide) running vertically over the shoulder, 1 reflective stripe on the torso and 2 reflective stripes on each sleeve all the way round

KUB_1393 8345-3497

1 Stk.



REFLECTIQ High-Vis work jacket ARC1 PSA 3 - warning orange/anthracite

- with EasyBrand function thanks to certified finishing option on the back
- Contrasting elements: side inserts on front and back, back, front and sleeve hems, upper arm insert
- Zippers and press studs: black for all color combinations
- Reflective elements: on the upper arm, reflective look in Body Language (5 cm wide) running vertically over the shoulder, 1 reflective stripe on the torso and 2 reflective stripes on each sleeve all the way round

KUB_1393 8345-3797

1 Stk.



REFLECTIQ High-Vis work jacket ARC2 PSA 3 - warning yellow/anthracite

- with EasyBrand function thanks to certified decoration option on the back
- The inner lining is mottled gray
- Contrasting elements: side inserts on the front and back, back, front and sleeve hems, upper arm insert
- Zippers and press studs: black for all color combinations

KUB_1394 8420-3497

1 Stk.

jackets



REFLECTIQ High-Vis work jacket ARC2 PSA 3 - warning orange/anthracite

- with EasyBrand function thanks to certified decoration option on the back
- The inner lining is mottled gray
- Contrasting elements: side inserts on the front and back, back, front and sleeve hems, upper arm insert
- Zippers and press studs: black for all color combinations

KUB_1394 8420-3797

1 Stk.



REFLECTIQ High-Vis fleece jacket PSA 2 - warning yellow

- with body-hugging cut
- Reflective elements: reflective look in body language, 2 reflective stripes around the torso and sleeves, additional reflective stripes over the shoulder and on the chest and upper back (5 cm wide)

KUB_1407 8339-34

1 Stk.



REFLECTIQ High-Vis fleece jacket PSA 2 - warning orange

- with body-hugging cut
- Reflective elements: reflective look in body language, 2 reflective stripes around the torso and sleeves, additional reflective stripes over the shoulder and on the chest and upper back (5 cm wide)

KUB_1407 8339-37

1 Stk.



REFLECTIQ High-Vis fleece jacket PSA 2 - warning red

- with body-hugging cut
- Reflective elements: reflective look in body language, 2 reflective stripes around the torso and sleeves, additional reflective stripes over the shoulder and on the chest and upper back (5 cm wide)

KUB_1407 8339-54

1 Stk.



REFLECTIQ High-Vis ladies jacket ARC1 PSA 3 - warning yellow/anthracite

- Tailored cut
- EasyBrand function thanks to certified finishing option on the back
- Contrasting elements: side inserts on front and back, back, front and sleeve hems, upper arm insert
- Zippers and press studs: black for all color combinations
- Reflective elements: on the upper arm, reflective look in body language (5 cm wide) running vertically over the shoulder, 1 reflective stripe on the

KUB_1493 8345-3497

1 Stk.



REFLECTIQ High-Vis ladies jacket ARC1 PSA 3 - warning orange/anthracite

- Tailored cut
- EasyBrand function thanks to certified finishing option on the back
- Contrasting elements: side inserts on front and back, back, front and sleeve hems, upper arm insert
- Zippers and press studs: black for all color combinations
- Reflective elements: on the upper arm, reflective look in body language (5 cm wide) running vertically over the shoulder, 1 reflective stripe on the

KUB_1493 8345-3797

1 Stk.



REFLECTIQ High-Vis ladies jacket ARC2 PSA 3 - warning yellow/anthracite

- Tailored cut
- EasyBrand function thanks to certified decoration option on the back
- The inner lining is mottled gray
- Contrasting elements: side inserts on the front and back, back, front and sleeve hems, upper arm insert

KUB_1494 8420-3497

1 Stk.



jackets



REFLECTIQ High-Vis ladies jacket ARC2 PSA 3 - warning orange/anthracite

- Tailored cut
- EasyBrand function thanks to certified finishing option on the back
- Contrasting elements: side inserts on front and back, back, front and sleeve hems, upper arm insert
- Zippers and press studs: black for all color combinations
- Reflective elements: on the upper arm, reflective look in body language (5 cm wide) running vertically over the shoulder, 1 reflective stripe on the

KUB_1494 8420-3797

1 Stk.



REFLECTIQ High-Vis softshell jacket PSA 2 - warning yellow/anthracite

- with body-hugging cut
- Contrasting elements: hem area on torso and sleeves, front and back yoke, inner collar, CORDURA® reinforcements
- Stretch: Black color for all color combinations

KUB_1507 8427-3448

1 Stk.



REFLECTIQ High-Vis softshell jacket PSA 2 - warning orange/dark blue

- with body-hugging cut
- Contrasting elements: hem area on torso and sleeves, front and back yoke, inner collar, CORDURA® reinforcements
- Stretch: Black color for all color combinations

KUB_1507 8427-3748

1 Stk.



REFLECTIQ High-Vis softshell jacket PSA 2 - warning orange/anthracite

- with body-hugging cut
- Contrasting elements: hem area on torso and sleeves, front and back yoke, inner collar, CORDURA® reinforcements
- Stretch: Black color for all color combinations

KUB_1507 8427-3797

1 Stk.



REFLECTIQ High-Vis women's softshell jacket PSA 2 - warning yellow/anthracite

- Tailored cut
- Stretch: Black color for all color positions
- Reflective elements: reflective look in body language, segmented and full-length reflective tape combined, 2 reflective strips around the torso and sleeves, additional reflective strips over the shoulder and on the chest and upper back (5 cm wide)

KUB_1509 8427-34

1 Stk.



REFLECTIQ High-Vis women's softshell jacket PSA 2 - warning orange/anthracite

- Tailored cut
- Stretch: Black color for all color positions
- Reflective elements: reflective look in body language, segmented and full-length reflective tape combined, 2 reflective strips around the torso and sleeves, additional reflective strips over the shoulder and on the chest and upper back (5 cm wide)

KUB_1509 8427-37

1 Stk.



jackets



SAFETY 7 High-Vis work jacket PSA 3 - warning yellow/anthracite

- Contrasting elements: front part-shoulder, lower front part, waistband, sleeve hem
- Reflective elements: reflective stripes in body language look (5 cm wide) running vertically over the shoulder, on the upper and lower arm, around the torso and 2 reflective stripes on each sleeve

KUB_1779 8420-3497

1 Stk.



SAFETY 7 High-Vis work jacket PSA 3 - warning orange/anthracite

- Contrasting elements: front part-shoulder, lower front part, waistband, sleeve hem
- Reflective elements: reflective stripes in body language look (5 cm wide) running vertically over the shoulder, on the upper and lower arm, around the torso and 2 reflective stripes on each sleeve

KUB_1779 8420-3797

1 Stk.



REFLECTIQ High-Vis weather parka PSA 2 - warning orange

- Reflective elements: reflective look in body language, segmented and continuous reflective tape combined, 2 reflective strips around the torso and sleeves (7 cm wide), additional reflective strips over the shoulders (5 cm wide)

KUB_1975 5228-37

1 Stk.



REFLECTIQ High-Vis weather parka PSA 2 - warning yellow

- Reflective elements: reflective look in body language, segmented and continuous reflective tape
- 2 all-round reflective strips on the torso and sleeves (approx. 7 cm wide)
- Additional reflective strips over the shoulders (approx. 5 cm wide)

KUB_1975 8228-34

1 Stk.



REFLECTIQ High-Vis weather blouson PSA 2 - warning yellow

- Reflective elements: reflective look in body language, segmented and continuous reflective tape combined, 2 reflective strips around the torso and sleeves (7 cm wide), additional reflective strips over the shoulders (5 cm wide)

KUB_1977 8228-34

1 Stk.



REFLECTIQ High-Vis weather blouson PSA 2 - warning orange

- Reflective elements: reflective look in body language, segmented and continuous reflective tape combined, 2 reflective strips around the torso and sleeves (7 cm wide), additional reflective strips over the shoulders (5 cm wide)

KUB_1977 8228-37

1 Stk.



REFLECTIQ High-Vis vest PSA 2 - warning yellow/anthracite

- with body-hugging cut
- Reflective elements: reflective look in body language, segmented and sewn reflective tape combined
- 2 reflective strips around the torso, additional reflective strips over the shoulder and on the chest and upper back (5 cm wide)

KUB_7207 8340-3497

1 Stk.



jackets



REFLECTIQ High-Vis vest PSA 2 - warning orange/dark blue

- with body-hugging cut
- Reflective elements: reflective look in body language, segmented and sewn reflective tape combined
- 2 reflective strips around the torso, additional reflective strips over the shoulder and on the chest and upper back (5 cm wide)

KUB_7207 8340-3748

1 Stk.



REFLECTIQ High-Vis vest PSA 2 - warning orange/anthracite

- with body-hugging cut
- Reflective elements: reflective look in body language, segmented and sewn reflective tape combined
- 2 reflective strips around the torso, additional reflective strips over the shoulder and on the chest and upper back (5 cm wide)

KUB_7207 8340-3797

1 Stk.



Pants



REFLECTIQ High-Vis trousers PSA 2 - warning yellow/anthracite

- Contrasting elements: hem area, side pockets, pocket flaps, CORDURA® reinforcements
- Stretch: Black color for all color combinations
- Reflective elements: reflective emblem in the knee area, segmented and continuous reflective tape combined

KUB_2207 8340-3497

1 Stk.



REFLECTIQ High-Vis trousers PSA 2 - warning orange/dark blue

- Contrasting elements: hem area, side pockets, pocket flaps, CORDURA® reinforcements
- Stretch: Black color for all color combinations
- Reflective elements: reflective emblem in the knee area, segmented and continuous reflective tape combined

KUB_2207 8340-3748

1 Stk.



REFLECTIQ High-Vis trousers PSA 2 - warning orange/anthracite

- Contrasting elements: hem area, side pockets, pocket flaps, CORDURA® reinforcements
- Stretch: Black color for all color combinations
- Reflective elements: reflective emblem in the knee area, segmented and continuous reflective tape combined

KUB_2207 8340-3797

1 Stk.



REFLECTIQ High-Vis Shorts PSA 2 - warning yellow/anthracite

- Contrasting elements: side pockets, pocket flap, CORDURA® reinforcements
- Reflective elements: segmented and continuous reflective tape combined
- 2 reflective strips around the leg (5 cm wide)

KUB_2307 8340-3497

1 Stk.



REFLECTIQ High-Vis Shorts PSA 2 - warning orange/dark blue

- Contrasting elements: side pockets, pocket flap, CORDURA® reinforcements
- Reflective elements: segmented and continuous reflective tape combined
- 2 reflective strips around the leg (5 cm wide)

KUB_2307 8340-3748

1 Stk.



REFLECTIQ High-Vis Shorts PSA 2 - warning orange/anthracite

- Contrasting elements: side pockets, pocket flap, CORDURA® reinforcements
- Reflective elements: segmented and continuous reflective tape combined
- 2 reflective strips around the leg (5 cm wide)

KUB_2307 8340-3797

1 Stk.



REFLECTIQ High-Vis summer trousers PSA 2 - warning yellow/anthracite

- Contrasting elements: hem area, side pockets, pocket flaps, CORDURA® reinforcements
- Stretch: black for all color combinations
- Ventilation fabric: back of knee, crotch and inner thigh

KUB_2407 8343-3497

1 Stk.



Pants



REFLECTIQ High-Vis summer trousers PSA 2 - warning orange/dark blue

- Contrasting elements: hem area, side pockets, pocket flaps, CORDURA® reinforcements
- Stretch: black for all color combinations
- Ventilation fabric: back of the knee, crotch and inner thigh

KUB_2407 8343-3748

1 Stk.



REFLECTIQ High-Vis summer trousers PSA 2 - warning orange/anthracite

- Contrasting elements: hem area, side pockets, pocket flaps, CORDURA® reinforcements
- Stretch: black for all color combinations
- Ventilation fabric: back of the knee, crotch and inner thigh

KUB_2407 8343-3797

1 Stk.



REFLECTIQ High-Vis rain trousers PSA 2 - warning yellow

- 2 reflective strips (7 cm wide) on each leg

KUB_2995 8228-34

1 Stk.



REFLECTIQ High-Vis rain trousers PSA 2 - warning orange

- 2 reflective strips (7 cm wide) on each leg

KUB_2995 8228-37

1 Stk.



REFLECTIQ High-vis weather trousers, bib and brace trousers PSA 2 - warning yellow

- Modern look thanks to ripstop Oxford fabric
- Reflective elements: 2 reflective strips around the leg (7 cm wide)

KUB_2996 8231-34

1 Stk.



REFLECTIQ High-vis weather trousers, bib and brace trousers PSA 2 - warning orange

- Modern look thanks to ripstop Oxford fabric
- Reflective elements: 2 reflective strips around the leg (7 cm wide)

KUB_2996 8231-37

1 Stk.



T-shirts and sweatshirts



REFLECTIQ High-Vis polo shirt PSA 2 - warning yellow

- Short sleeve
- with 3-hole button placket
- with segmented reflective stripes in body language for optimum visibility

KUB_5042 8227-34

1 Stk.



REFLECTIQ High-Vis polo shirt PSA 2 - warning orange

- Short sleeve
- with 3-hole button placket
- with segmented reflective stripes in body language for optimum visibility

KUB_5042 8227-37

1 Stk.



REFLECTIQ High-Vis polo shirt PSA 2 - warning red

- Short sleeve
- with 3-hole button placket
- with segmented reflective stripes in body language for optimum visibility

KUB_5042 8227-54

1 Stk.



REFLECTIQ High-Vis T-Shirt PSA 2 - warning yellow

- Short sleeve
- Round neckline
- with segmented reflective stripes in body language for optimum visibility

KUB_5043 8227-34

1 Stk.



REFLECTIQ High-Vis T-Shirt PSA 2 - warning orange

- Short sleeve
- Round neckline
- with segmented reflective stripes in body language for optimum visibility

KUB_5043 8227-37

1 Stk.



REFLECTIQ High-Vis T-Shirt PSA 2 - warning red

- Short sleeve
- Round neckline
- with segmented reflective stripes in body language for optimum visibility

KUB_5043 8227-54

1 Stk.



REFLECTIQ High-Vis Longsleeve PSA 2 - warning yellow

- Long sleeve
- with round neckline
- with segmented reflective stripes in body language and on the sleeves for optimum visibility

KUB_5045 8227-34

1 Stk.



T-shirts and sweatshirts



REFLECTIQ High-Vis Longsleeve PSA 2 - warning orange

- Long sleeve
- with round neckline
- with segmented reflective stripes in body language and on the sleeves for optimum visibility

KUB_5045 8227-37

1 Stk.



REFLECTIQ High-Vis Longsleeve PSA 2 - warning red

- Long sleeve
- with round neckline
- with segmented reflective stripes in body language and on the sleeves for optimum visibility

KUB_5045 8227-54

1 Stk.



Safety shoes



Shoes

Accessories



Shoes



FIJI - Safety low shoes made of WRU water-repellent, scratch-resistant and coated leather

Safety half shoe made of WRU water-repellent, scratch-resistant and coated leather with a thickness of 1.8 - 2.0 mm.
Lining made of highly breathable and abrasion-resistant textile material.

GIA-3H142EV

1 Stk.



BALI - High safety shoes made of WRU water-repellent, scratch-resistant and coated leather

High safety shoes, made of WRU water-repellent, scratch-resistant and coated leather with a thickness of 1.8 - 2.0 mm.
Lining made of highly breathable and abrasion-resistant textile material.
Reinforced heel STABILITY SUPPORT made of PU (polyurethane).

GIA-3H149EV

1 Stk.



MARMOLADA - Calf-high safety boots made from WPA water-repellent, scratch-resistant coated leather

Calf-high safety boots, WPA water-repellent scratch-resistant coated leather thickness 1.8 to 2.0 mm.
Lining and tongue made of felt with antibacterial WinTherm® safety micro-film made of aluminum and cold-resistant, breathable, abrasion-resistant fur.

GIA-3RUB179E

1 Stk.

Boots with reflective insert.
CE EN ISO 20345:2022 S7S FO CI HI HRO SC SR



LOBBIA - Safety shoes made from WPA water-repellent full-grain leather

Safety shoes made of EPA water-repellent full-grain IDROTECH® leather, thickness 1.8 to 2.0 mm.
PU-coated, high-strength, abrasion-resistant heel.
CE EN ISO 20345:2022 S7S FO CI HI HRO SC SR

GIA-3RUB451L

1 Stk.



STELVIO NEW - Safety shoes made from WPA water-repellent full-grain leather

Safety shoes made of EPA water-repellent full-grain IDROTECH® leather, thickness 1.8 to 2.0 mm.
PU-coated, high-strength, abrasion-resistant heel.
CE EN ISO 20345:2022 S7S FO CI HI HRO SC SR

GIA-3RUB452L

1 Stk.



TRIGLAV - Safety shoes made from WPA water-repellent full-grain leather

High safety shoes made of EPA water-repellent full-grain IDROTECH® leather, thickness 1.8 to 2.0 mm.
PU-coated, high-strength, abrasion-resistant heel.
CE EN ISO 20345:2022 S7S FO CI HI HRO SC SR

GIA-3RUB458L

1 Stk.



Shoes



AROLLA - High safety shoes made of WPA water-repellent full-grain leather

High safety shoes made of EPA water-repellent full-grain IDROTECH® leather, thickness 1.8 to 2.0 mm.
PU-coated, high-strength, abrasion-resistant heel.
CE EN ISO 20345:2022 S7S FO CI HI HRO SC SR

GIA-3RUB459L

1 Stk.



DEFENDER - Safety shoes high, made of WPA water-repellent leather with ankle protection

Safety shoes high, made of WPA water-repellent leather thickness 1.8-2.0 mm
PU-coated, high-strength, abrasion-resistant heel. With ankle protection.
CE EN ISO 20345:2022 S7S FO CI AN SC SR

GIA-3U159D

630 g

1 Stk.



ZIRCON - Low shoe made from WPA water-repellent leather

Low shoe made from 1.8 - 2.0 mm WPA water-repellent leather.
Lining made of highly breathable and abrasion-resistant textile material.
Shoe with reflective insert

GIA-3U481D

1 Stk.



TOPAZ - Lace-up boots made from WPA water-repellent leather

Lace-up boot made from WPA water-repellent leather with a thickness of 1.8 - 2.0 mm.
Lining made of highly breathable and abrasion-resistant textile material.
Shoe with reflective insert

GIA-3U488D

1 Stk.



Accessories



4001 Comfort insole / insole

Comfort insole / insole

GIA-4001

1 Stk.



5000 - Insole / insole

Three-material, extra comfortable.

GIA-5000

1 Stk.



Dielectric - insole / insole

Dielectric insole, two-material extra-comfort insole with activated carbon.

GIA-Dielectric

1 Stk.



Shoelaces, black, round, 90 cm long

Round, original Giasco shoelaces, black Length 90 cm
10 pairs per box

GIA-G153-10

1 Stk.
90 cm



Shoelaces, black, round, 110 cm long

Round, original Giasco shoelaces, black Length 110 cm
10 pairs per box

GIA-G514-10

1 Stk.
110 cm



4001 Comfort insole / insole

Comfort insole / insole

GIA-Memory

1 Stk.



YEAH insole / insole

An extra comfortable insole made of closed-cell polyurethane with patented DryGo!® compound.

GIA-Yeah

1 Stk.



Additional information



Additional information

Any prices quoted are valid for 2 months from the date of issue.
Prices are net prices. Delivery ex works (Incoterm - EXW)
We assume no liability for the topicality, correctness and completeness of the information.
Our general terms and conditions apply!
https://shop.stramat.com/data/dokumente/AGB_de.pdf

STR_zz_§

