

## Flexible bollard SUMO orange with white stripes



Item number:  
ELB-03.03.0510

Height:  
800 mm

Created on 01.01.2026

## Description

Flexible bollard with a large diameter of 130 mm for a wide range of applications  
With white foil reflectors and glass bead reflectors.

**Color:** Orange

**Material:** Orange Plastic

**Diameter:** 130 mm

**Mounting material:** Aluminum ground socket - PZ 1- included

**Advantages of flexible plastic bollards:**

- Elastic and therefore approachable
- Prevents damage to the vehicle in the event of a collision
- No repairs to the bollard or vehicle necessary
- Increases road safety
- Increases orientation in road traffic and parking lots

# Spare parts



## Aluminum ground socket

Item number: ELB-03.03.0520

For attaching flexible traffic bollards.

Height: 100 mm

Diameter: 22 mm



## M16 steel ground socket

Item number: ELB-03.03.0521

For attaching flexible traffic bollards.

Height: 130 mm

Diameter: 28 mm



## Ground socket for aluminum bollards

Item number: ELB-03.03.0522

For mounting flexible traffic bollards.

[b | Material:[b/] Steel



## Ground socket for aluminum bollards

Item number: ELB-03.03.0523

For attaching flexible traffic bollards.

Height: 70 mm

Diameter: 50 mm