

Flexible bollard Bernd orange with white stripes - 1000 mm



Item number:

ELB-P2-OW

Height:

1000 mm

Created on 02.04.2024

Description

Flexible bollard with a diameter of 80 mm for a wide range of applications. With white foil reflectors and glass bead reflectors.

Color: Orange

Material: Orange Plastic

Diameter: 80 mm

Mounting material: Aluminum ground socket - PZ 1

Advantages of flexible plastic bollards:

- Elastic and therefore approachable
- Prevents damage to the vehicle in the event of a collision
- No repairs to the bollard or vehicle necessary
- Increases road safety
- Increases orientation in road traffic and parking lots

Spare parts



Aluminum ground socket

Item number: ELB-PZ1

For attaching flexible traffic bollards.

Height: 100 mm

Diameter: 22 mm




M16 steel ground socket

Item number: ELB-PZ2

For attaching flexible traffic bollards.

Height: 130 mm

Diameter: 28 mm



Ground socket for aluminum bollards

Item number: ELB-PZ3

For attaching flexible traffic bollards.

Height: 70 mm

Diameter: 50 mm



Ground socket for aluminum bollards

Item number: ELB-PZ4

For attaching flexible traffic bollards.

Height: 70 mm

Diameter: 50 mm
