

## SKY - Safety low shoe made from 1.8 - 2.0 mm thick MICRO-tech fabric.

Item number:

GIA-3L144N

Weight:

510 g

Created on 18.03.2025



## Description

Safety low shoe made from 1.8 - 2.0 mm thick MICRO-tech fabric.

TPU toe cap which is ideal to counteract abrasions.

GIASCO 3PU PATENT heel provides stability, comfort and lightness to the shoe.

Soft, lined and padded tongue.

Lacing system: **CLICK OPEN lacing system**.

Toe cap 200J polymeric, non-thermal plastic according to EN 22568.

Midsole PL - flexible puncture-resistant composite textile material in accordance with EN 22568.

3CLOUD SOLE Polyurethane three-layer: hydrolysis-resistant in accordance with ISO 5423:92, hydrocarbon and abrasion-resistant, cushioning, slip-resistant

YEAH insole, extra-comfortable closed-cell polyurethane insole DryGo!® patented compound.

**DryGo!® polyurethane** absorbs moisture from the foot and allows it to evaporate quickly. In addition, this insole ensures long-lasting comfort thanks to the high anatomical, self-modeling and elastic

# Description

properties of the polyurethane. Breathable, removable, anatomical, absorbent, antibacterial and ESD.

The footwear meets the requirements of IEC 61340-4-3:2017 (IEC 61340-5-1:2016) for electrical ESD resistance.

**FO** Resistance of the sole to hydrocarbons

**SC** Abrasion resistance of the overcap

**SR** Slip resistance

CE EN ISO 20345:2022 S3L FO SC SR ESD

**Available sizes:** 36 - 47

**Weight:** Size 42 = 510 grams

The weight is calculated without laces and insole.

# Spare parts

# Accessories/Extensions