

Flexi litter garbage can with galvanized column for disposing of dog waste



Item number:
ELB-03.07.0404

Length:
43 cm

Width:
31 cm

Height:
75 mm

Weight:
5 kg

Created on 04.08.2025

Description

When it comes to maximum capacity, uncompromising robustness and effortless handling, the Flexi is unbeatable. As the largest waste garbage can in the range, it defies wind and weather - ideal for tough, continuous outdoor use. Whether in busy parks, along footpaths or in public spaces: The Flexi is at home wherever large quantities of waste accumulate every day.

Manufactured using a high-quality injection molding process in accordance with DIN 30713, the Flexi combines technical precision with long-lasting quality. Its sturdy construction not only withstands the weather, but also vandalism - thanks to the optional galvanized base mounting column, which provides a firm hold and is simply set in concrete. Alternatively, the bin can be flexibly attached to existing brackets.

With its generous capacity and low-maintenance design, the Flexi is the perfect solution for places with high visitor frequency - a reliable partner for clean, well-maintained outdoor areas.

Description:

Color: RAL 3020 traffic red

Filling capacity: approx. 50 liters

Locking system: 3-edge lock incl. key

Description

Weight: approx. 5 kg

Dimensions (W × H × D): 43 × 75 × 31 cm

Material: Specially developed plastic (injection molding)

Color: Pure orange, traffic red, leaf green, may green, black-grey

Column length: 1.5 meters

Installation and safety instructions:

The litter garbage can must be installed on a stable, level surface. If the supplied column is used, it must be set in concrete in accordance with the manufacturer's instructions. After installation, both the column and the bin should be checked regularly to ensure that they are secure. The inner container may only be accessed using the enclosed key. In the event of frost, strong winds or vandalism, the condition of the container must be checked at short intervals and repaired if necessary.

For use in the following areas

- Public green spaces
- Footpaths, schoolyards and playgrounds
- Towns, municipalities and housing estates
- Traffic-calmed areas and rest areas

Spare parts

