

RK-10S Saw for bituminous roofing felt / Honda GX270 / 6.4 kW



Item number:

HUD-600 029

Length:

1226 mm

Width:

630 mm


Height:

895 mm

Weight:

76 kg

Created on 30.11.2025



Description

The RK-10S is a saw for cutting asphalt (bituminous) flat roofs and similar horizontal insulation into easy-to-handle sections. The saw uses a saw blade with a diameter of 300 mm and carbide tips.

The machine is designed for dry cutting. To prevent the motor and other rotating mechanical parts from being clogged by soft debris, the machine is completely covered.

Thanks to this design, maintenance of the machine is much easier. The saw blade with TC tip is primarily intended for cutting softer materials without reinforcement. Due to the unique shape of the saw blade, clogging of the saw blade by soft, sticky asphalt deposits is limited.

Features:

- Compact machine for cutting roofs into sections
- Suitable for cutting in confined areas, around chimneys, skylights, etc.
- Powered by Honda petrol engines
- Precise adjustment of the cutting depth
- The forward rotation of the tool ensures that particles flow out of the joints
- The ergonomics of the machine facilitate handling

Description

Technical description:

Engine: Honda GX270

Power output: 6.4 kW

Dimensions: 1,226 x 630 x 895 mm

Weight 76 kg

Motor speed: 2,800 rpm

Spindle speed: 2,210 rpm

Maximum diameter of cutting tool: 300 mm

Maximum cutting depth: 90 mm

Spare parts

Steel wire brush - D300 mm, T = 4 mm

Item number: HUD-130 004

Steel wire brush
suitable for Diakat RK 10

Format: D300 mm, T = 4 mm

Steel wire brush - D300 mm, T = 4 mm

Item number: HUD-130 009

Steel wire brush
suitable for Diakat RK 10

Format: D300 mm, T = 4 mm
